

Index to volume 178

Author index*

A

- Abad L (see Fiol et al). 1998;178:823-9
 Abarca M (see Powrie et al). 1998;178:394-6
 Aboulafia I (see Granovsky-Grisaru et al). 1998;178:171-4
 Abramovici H (see Bornstein et al). 1998;178:80-4
 Abulafia O, Sclafani SJ, Holcomb K, Gates EJ, Sherer DM. Percutaneous transluminal endovascular graft placement for massive hemorrhage caused by recurrent cervical carcinoma-associated erosion of the external iliac artery. 1998;178:618-20
 Acuna E (see Bahado-Singh et al). 1998;178:779-82
 Adam E, Kaufman RH, Berkova Z, Icenogle J, Reeves WC. Is human papillomavirus testing an effective triage method for detection of high-grade (grade 2 or 3) cervical intraepithelial neoplasia? 1998;178:1235-44
 Adams DM, Sholl JS, Haney EI, Russell TL, Silver RK. Perinatal outcome associated with outpatient management of triplet pregnancy. 1998;178:843-7
 Adams KM, Li H, Nelson RL, Ogburn PL Jr, Danilenko-Dixon DR. Sequelae of unrecognized gestational diabetes. 1998;178:1321-32
 Adams TJ (see Grange et al). 1998;178:156-60
 Adashek JA (see Lagrew and Adashek). 1998;178:1207-14
 Addison WA (see Harris et al). 1998;178:614-5
 Adel T (see Santoro et al). 1998;178:732-41
 Adinolfi M (see Pertl et al). 1998;178:1101-2 (Letter reply)
 Aguado F, Revilla M, Hernández ER, Menéndez M, Cortés-Prieto J, Villa LF, Rico H. Ultrasonographic bone velocity in pregnancy: a longitudinal study. 1998;178:1016-21
 Ahdoot D, Van Nostrand KM, Nguyen NJ, Tewari DS, Kurasaki T, DiSaia PJ, Rose GS. The effect of route of delivery on regression of abnormal cervical cytologic findings in the postpartum period. 1998;178:1116-20
 Ahn YW (see Saraiya et al). 1998;178:493-8
 Albertyn G (see Tjalma et al). 1998;178:113-7
 Albrechtsen S, Irgens LM, Dalaker K. Breech delivery protocol. 1998;178:1104-5 (Letter reply)
 Alexander JM, Lucas MJ, Ramin SM, McIntire DD, Leveno KJ. The course of labor with and without epidural analgesia. 1998;178:516-20
 Alexander JM (see Leveno et al). 1998;178:707-12
 Allbert JR (see Naef et al). 1998;178:126-30
 Alonso PL (see Gratacós et al). 1998;178:1072-6
 Alshimmiri M (see Richardson et al). 1998;178:572-9
 Alsulyman OM (see Safari et al). 1998;178:1054-8
 Amini SB (see Smigaj et al). 1998;178:1041-7
 Anandjiwala J (see Price et al). 1998;178:101-7
 Anderson RJ (see Golditch et al). 1998;178:1157-64
 Andrews RG (see Shields and Andrews). 1998;178:931-7

*January, part 1, 1-202; part 2, S1-S242; February, 203-420; March, 421-634; April, 635-876; May, 877-1110, S243-S260; June, 1111-1434. The index to the Society of Perinatal Obstetricians meeting abstracts is located in the January, part 2, issue.

- Andrews WW (see Hauth and Andrews). 1998;178:624-5 (Letter)
 Andrews WW (see Wenstrom et al). 1998;178:546-50
 Angioli R (see Penalver et al). 1998;178:326-9
 Anteby E (see Shimonovitz et al). 1998;178:457-61
 Anteby EY, Johnson RD, Huang X, Dryden DK, Nelson DM, Sadovsky Y. Lipopolysaccharide enhances the transcription of prostaglandin H synthase-2 gene in primary human trophoblasts. 1998;178:469-73
 Anteby EY (see Yagel et al). 1998;178:40-4
 Aparicio NJ, Joao MA, Cortelezzi M, Guz M, Sturgeon C, Galimberti DM, Fernandez CA. Pregnant women with impaired tolerance to an oral glucose load in the afternoon: evidence suggesting that they behave metabolically as patients with gestational diabetes. 1998;178:1059-66
 Appleby-Wineberg S (see Clapp et al). 1998;178:594-9
 Arias F (see Ott et al). 1998;178:1346-53
 Ariel I (see Yagel et al). 1998;178:40-4
 Arpi M (see Thorsen et al). 1998;178:580-7
 Ashford MLJ (see Khan et al). 1998;178:1027-34
 Asrat T, Roossin MC, Miller EI. Ultrasonographic detection of ureteral jets in normal pregnancy. 1998;178:1194-8
 Atrash HK (see Saraiya et al). 1998;178:493-8
 Augenbraun M (see Minkoff et al). 1998;178:166-70
 Aversa K (see Hsu et al). 1998;178:428-32
 Aviñó MJ (see Rebagliato et al). 1998;178:568-71
 Ayres A. Predictive factors for neonatal morbidity in neonates with an umbilical arterial cord pH <7.00. 1998;178:872 (Letter)
 Azocar F (see Miranda et al). 1998;178:212-7 (Primary care)
 Azzopardi D (see Denbow et al). 1998;178:479-83

B

- Bachmann GA. The clinical platform for the 17 β -estradiol vaginal releasing ring. 1998;178:S257-60
 Bäckström T (see Çiray et al). 1998;178:855-61
 Baergen RN (see Buller et al). 1998;178:641-9
 Bahado-Singh RO, Dashe J, Deren O, Daftary G, Copel JA, Ehrenkranz RA. Prenatal prediction of neonatal outcome in the extremely low-birth-weight infant. 1998;178:462-8
 Bahado-Singh RO, Oz UA, Deren O, Acuna E, Cermik D, Mahoney MJ, Cole L. A new screening protocol combining urine β -core fragment and ultrasonography for Down syndrome detection. 1998;178:779-82
 Bahado-Singh RO (see Deren et al). 1998;178:441-5
 Bajoria R, Peek MJ, Fisk NM. Maternal-to-fetal transfer of thyrotropin-releasing hormone in vivo. 1998;178:264-9
 Baker VL. Is it safe to use methotrexate for selective injection in heterotopic pregnancy? 1998;178:194 (Letter reply)
 Bandera C (see Rubin et al). 1998;178:670-7
 Banwell T (see Santoro et al). 1998;178:732-41
 Barbour L (see Powrie et al). 1998;178:394-6
 Barletta L (see Penotti et al). 1998;178:801-5
 Barton J (see Strom et al). 1998;178:1298-306
 Basso O, Olsen J, Knudsen LB, Christensen K. Low birth weight and

- preterm birth after short interpregnancy intervals. 1998;178:259-63
- Battaglia FC (see Galan et al). 1998;178:451-6
- Battin MR (see Denbow et al). 1998;178:479-83
- Batton DG, DeWitte DB, Espinosa R, Swails TL. The impact of fetal compromise on outcome at the border of viability. 1998;178:909-15
- Bayram N (see Lunshof et al). 1998;178:247-54
- Becker G (see Nachtigall et al). 1998;178:1165-70
- Beck-Peccoz P (see Wu et al). 1998;178:886-91
- Behbakht K (see Rubin et al). 1998;178:670-7
- Belai Y(I), Goodwin TM, Durand M, Greenspoon JS, Paul RH, Walther FJ. Umbilical arteriovenous PO_2 and PCO_2 differences and neonatal morbidity in term infants with severe acidosis. 1998;178:13-9
- Bellati U (see Tiboni et al). 1998;178:270-9
- Benacerraf BR (see Shipp and Benacerraf). 1998;178:600-2
- Benachi A, Garritsen HSP, Howard CM, Bennett P, Fisk NM. Absence of expression of RhD by human trophoblast cells. 1998;178:294-9
- Benjamin I (see Rubin et al). 1998;178:670-7
- Bennett P (see Benachi et al). 1998;178:294-9
- Bennett TA, Kotelchuck M, Cox CE, Tucker MJ, Nadeau DA. Pregnancy-associated hospitalizations in the United States in 1991 and 1992: a comprehensive view of maternal morbidity. 1998;178:346-54
- Benoit RR (see Lantz et al). 1998;178:255-8
- Berck DJ (see Manning et al). 1998;178:696-706
- Berenson AB, Wiemann CM, Rickert VI. Use of video eyeglasses to decrease anxiety among children undergoing genital examinations. 1998;178:1341-5
- Berg CJ (see Saraiya et al). 1998;178:493-8
- Berger PJ, Kyriakides MA, Smolich JJ, Ramsden CA, Walker AM. Massive decline in lung liquid before vaginal delivery at term in the fetal lamb. 1998;178:223-7
- Berghammer P (see Leitch et al). 1998;178:899-908
- Berkova Z (see Adam et al). 1998;178:1235-44
- Berkowitz RL (see Louis-Sylvestre et al). 1998;178:287-93
- Berry LM (see Jobe et al). 1998;178:880-5
- Bertolet BD (see Brown and Bertolet). 1998;178:409-14 (Curr. dev.)
- Betz AL (see Hurd et al). 1998;178:1077-81
- Bianciotto A (see Vesce et al). 1998;178:759-64
- Bieber E, Stratman T, Sanseverino M, Sanguenza J, Phillippe M. Phosphatidylinositol-specific phospholipase C isoform expression in pregnant and nonpregnant rat myometrial tissue. 1998;178:848-54
- Bilgi S (see Obermair et al). 1998;178:314-9
- Biondi C (see Vesce et al). 1998;178:759-64
- Bishara J (see Marom et al). 1998;178:620-1
- Bisits A, Madsen G, McLean M, O'Callaghan S, Smith R, Giles W. Corticotropin-releasing hormone: a biochemical predictor of preterm delivery in a pilot randomized trial of the treatment of preterm labor. 1998;178:862-6
- Bisseling JGA (see Knapen et al). 1998;178:161-5
- Blackwood MA (see Rubin et al). 1998;178:670-7
- Blettner M (see Sethi et al). 1998;178:360-4
- Boer K (see Lunshof et al). 1998;178:247-54
- Bolan GA (see Korn et al). 1998;178:987-90
- Bolúmar F (see Rebagliato et al). 1998;178:568-71
- Bondaji N (see Manning et al). 1998;178:696-706
- Borgatta L (see Wright et al). 1998;178:962-6
- Bornstein J, Heifetz S, Kellner Y, Stolar Z, Abramovici H. Clotbetasol dipropionate 0.05% versus testosterone propionate 2% topical application for severe vulvar lichen sclerosis. 1998;178:80-4
- Bottoms SF (see Iams et al). 1998;178:1035-40
- Bottoms SF (see Meis et al). 1998;178:562-7
- Bowyer L (see Brown et al). 1998;178:836-42
- Boyd J (see Rubin et al). 1998;178:670-7
- Boyle MB (see Buhimschi et al). 1998;178:811-22
- Boyle MB (see Miyoshi et al). 1998;178:588-93
- Bran D (see Lipscomb et al). 1998;178:1354-8
- Brandt D (see Gaziano et al). 1998;178:1359-67
- Braunstein GD (see Patton et al). 1998;178:1138-42
- Brehm W (see O'Connell et al). 1998;178:956-61
- Breinl E (see Tamussino et al). 1998;178:967-70
- Bremmelgaard A (see Thorsen et al). 1998;178:580-7
- Bricola-Filho M (see Faúndes et al). 1998;178:1082-6
- Brown CS, Bertolet BD. Peripartum cardiomyopathy: a comprehensive review. 1998;178:409-14 (Curr. dev.)
- Brown MA, Robinson A, Bowyer L, Buddle ML, Martin A, Hargood JL, Cario GM. Ambulatory blood pressure monitoring in pregnancy: What is normal? 1998;178:836-42
- Buchanan DJ, Schlaerth J, Kurosaki T. Primary vaginal melanoma: thirteen-year disease-free survival after wide local excision and review of recent literature. 1998;178:1177-84
- Buddle ML (see Brown et al). 1998;178:836-42
- Budelier WT (see Yankowitz et al). 1998;178:446-50
- Buhimschi C, Boyle MB, Saade GR, Garfield RE. Uterine activity during pregnancy and labor assessed by simultaneous recordings from the myometrium and abdominal surface in the rat. 1998;178:811-22
- Buller RE, Skilling JS, Sood AK, Plaxe S, Baergen RN, Lager DJ. Field cancerization: why late "recurrent" ovarian cancer is not recurrent. 1998;178:641-9
- Bump R (see Wall et al). 1998;178:877-9 (Clin. opinion)
- Bump RC (see Harris et al). 1998;178:614-5
- Burk R (see Minkoff et al). 1998;178:982-6
- Burns DN, Landesman S, Minkoff H, Wright DJ, Waters D, Mitchell RM, Rubinstein A, Willoughby A, Goedert JJ. The influence of pregnancy on human immunodeficiency virus type 1 infection: antepartum and postpartum changes in human immunodeficiency virus type 1 viral load. 1998;178:355-9
- Butterwegge M (see Kühnert et al). 1998;178:330-5
- Buzzi M (see Vesce et al). 1998;178:759-64

C

- Cabrol D (see Carbone et al). 1998;178:150-5
- Cagnacci A, Soldani R, Melis GB, Volpe A. Diurnal rhythms of labor and delivery in women: modulation by parity and seasons. 1998;178:140-5
- Caillouette JC. Mentors I have known. 1998;178:1111-5 (Pres. address)
- Calero JA (see Curiel et al). 1998;178:320-5
- Calhoun BC (see Hoeldtke et al). 1998;178:612-3
- Cararach V (see Gratacós et al). 1998;178:1072-6
- Carbonell LF (see Fiol et al). 1998;178:823-9
- Carbone B, Cabrol D, Clerget M-S, Germain G. Effects of norgestrel acetate on spontaneous and sulprostone-induced uterine contractions in pregnant cynomolgus monkeys monitored by telemetry. 1998;178:150-5
- Carbone B, Goffinet F, Langer B, French Study Group on Fetal Pulse Oximetry. Clinical value of intrapartum fetal pulse oximetry in cases complicated with meconium-stained amniotic fluid. 1998;178:1100-1 (Letter reply)
- Carbone B, Mignot T-M, Papiernik E, Ferré F. Higher endothelin concentrations in the fetoplacental unit of pregnant women of African ancestry. 1998;178:491-2
- Carinci P (see Farina et al). 1998;178:625-6 (Letter)
- Carinci P (see Farina et al). 1998;178:867 (Letter)

- Carinci P (see Farina et al). 1998;178:870 (Letter)
- Carinci P (see Farina et al). 1998;178:1102 (Letter)
- Cario GM (see Brown et al). 1998;178:836-42
- Caritis SN (see Iams et al). 1998;178:1035-40
- Caritis SN (see Meis et al). 1998;178:562-7
- Caritis SN (see Smigaj et al). 1998;178:1041-7
- Carlson DE (see Platt et al). 1998;178:1199-206
- Casals E (see Gratacós et al). 1998;178:1072-6
- Casiro O (see Manning et al). 1998;178:696-706
- Catalano PM (see Highman et al). 1998;178:1010-5
- Catalano PM (see Smigaj et al). 1998;178:1041-7
- Cauci S, Driussi S, Monte R, Lanzafame P, Pitzus E, Quadrioglio F. Immunoglobulin A response against *Gardnerella vaginalis* hemolysin and sialidase activity in bacterial vaginosis. 1998;178:511-5
- Cavallone M (see Vergani et al). 1998;178:218-22
- Central-South China Fetal Growth Study Group (see Lei et al). 1998;178:916-21
- Cermik D (see Bahado-Singh et al). 1998;178:779-82
- Ceruti P (see Vergani et al). 1998;178:218-22
- Chap T (see Yagel et al). 1998;178:40-4
- Challis JRG (see Marinoni et al). 1998;178:770-8
- Chang RJ, Gougeon A, Erickson GF. Evidence for a neutrophil-interleukin-8 system in human folliculogenesis. 1998;178:650-7
- Chang-Claude J (see Sethi et al). 1998;178:360-4
- Chauhan SP (see Magann et al). 1998;178:1279-87
- Chen E (see Feig et al). 1998;178:386-93
- Chen MD, Teigen GA, Reynolds HT, Johnson PR, Fowler JM. Laparoscopy versus laparotomy: an evaluation of adhesion formation after pelvic and paraaortic lymphadenectomy in a porcine model. 1998;178:499-503
- Chen W-l (see Wu et al). 1998;178:886-91
- Chernys AE (see Spitzer et al). 1998;178:74-9
- Chervenak FA, Skupski DW, Romero R, Myers MK, Smith-Levitin M, Rosenwaks Z, Thaler HT. How accurate is fetal biometry in the assessment of fetal age? 1998;178:678-87
- Chik L, Evans MI. Current Down syndrome risk estimates are reliable. 1998;178:871-2 (Letter reply)
- Choi BH (see Ikeda et al). 1998;178:24-32
- Christensen K (see Basso et al). 1998;178:259-63
- Chung M (see Galan et al). 1998;178:451-6
- Chwalisz K (see Jain et al). 1998;178:186-91
- Chyu JK (see Galan et al). 1998;178:451-6
- Cieslak J (see Strom et al). 1998;178:1298-306
- Çiray HN, Bäckström T, Ulmsten U. Ineffectiveness of oxytocin on intercellular communication between term pregnant human myometrial cells before labor. 1998;178:855-61
- Clapp JF III, Kett A, Olariu N, Omoniyi AT, Wu D, Kim H, Szeto HH. Cardiovascular and metabolic responses to two receptor-selective opioid agonists in pregnant sheep. 1998;178:397-401
- Clapp JF III, Simonian S, Lopez B, Appleby-Wineberg S, Harcar-Sevcik R. The one-year morphometric and neurodevelopmental outcome of the offspring of women who continued to exercise regularly throughout pregnancy. 1998;178:594-9
- Clapp JF III (see Kett et al). 1998;178:950-5
- Clerget M-S (see Carbonne et al). 1998;178:150-5
- Cliver SP (see Wenstrom et al). 1998;178:546-50
- Coates KW (see Harris et al). 1998;178:614-5
- Coetsier T, Dhont M. Multiple pregnancy rates in vitro fertilization: three embryos is too many for good-prognosis patients. 1998;178:1368-9 (Letter)
- Cohn DE, Peters WA III, Muntz HG, Wu R, Greer BE, Tamimi HK, Drescher CW, Smith MR, Yon JL, Schmidt R, Goff BA. Adenocarcinoma of the uterine cervix metastatic to lymph nodes. 1998;178:1131-7
- Cole L (see Bahado-Singh et al). 1998;178:779-82
- Collaborative Santiago Surfactant Group. Collaborative trial of prenatal thyrotropin-releasing hormone and corticosteroids for prevention of respiratory distress syndrome. 1998;178:33-9
- Collins M (see Kirk et al). 1998;178:1222-8
- Colwell HH (see Van Den Eeden et al). 1998;178:91-100
- Conway DL, Langer O. Elective delivery of infants with macrosomia in diabetic women: reduced shoulder dystocia versus increased cesarean deliveries. 1998;178:922-5
- Cook DM (see Patton et al). 1998;178:1138-42
- Copel JA (see Bahado-Singh et al). 1998;178:462-8
- Copel JA (see Deren et al). 1998;178:441-5
- Copel JA (see Hsu et al). 1998;178:428-32
- Copel JA (see Zimmer et al). 1998;178:436-40
- Córdova K (see Matteo et al). 1998;178:402-8
- Cortelezzi M (see Aparicio et al). 1998;178:1059-66
- Cortés-Prieto J (see Aguado et al). 1998;178:1016-21
- Cosmi EV (see Marinoni et al). 1998;178:770-8
- Cotch MF, Hillier SL, Gibbs RS, Eschenbach DA, Vaginal Infections and Prematurity Study Group. Epidemiology and outcomes associated with moderate to heavy *Candida* colonization during pregnancy. 1998;178:374-80
- Cowan F (see Denbow et al). 1998;178:479-83
- Cox CE (see Bennett et al). 1998;178:346-54
- Creasman WT, Zaino RJ, Major FJ, DiSaia PJ, Hatch KD, Homesley HD. Early invasive carcinoma of the cervix (3 to 5 mm invasion): risk factors and prognosis—a Gynecologic Oncology Group study. 1998;178:62-5
- Creinin MD. Evaluation of postmenopausal bleeding. 1998;178:868-9 (Letter)
- Croughan-Minihane MS (see Robertson et al). 1998;178:1215-21
- Cruikshank DP (see Lemen et al). 1998;178:1251-6
- Cumsille F (see Leible et al). 1998;178:1048-53
- Cundiff GW (see Harris et al). 1998;178:614-5
- Curiel MD, Calero JA, Guerrero R, Gala J, Gazapo R, de la Piedra C. Effects of LY-117018 HCl on bone remodeling and mineral density in the oophorectomized rat. 1998;178:320-5
- Curran MA, Nijland MJM, Mann SE, Ross MG. Human amniotic fluid mathematical model: determination and effect of intramembranous sodium flux. 1998;178:484-90

D

- Daftary G (see Bahado-Singh et al). 1998;178:462-8
- Dalaker K (see Albrechtsen et al). 1998;178:1104-5 (Letter reply)
- Danilenko-Dixon DR (see Adams et al). 1998;178:1321-32
- D'Aries AP (see Nappi et al). 1998;178:610-1
- Darragh T (see Suh-Burgmann et al). 1998;178:991-5
- Das A (see Meis et al). 1998;178:562-7
- Das A (see Thom and Das). 1998;178:192-3 (Letter)
- Dashe J (see Bahado-Singh et al). 1998;178:462-8
- Davis L (see Martin et al). 1998;178:527-34
- Dawood MY, Lau M, Khan-Dawood FS. E-cadherin and its messenger ribonucleic acid in perimplantation phase human endometrium in normal and clomiphene-treated cycles. 1998;178:996-1001
- De Cuyper E (see Tjalma et al). 1998;178:113-7
- DeHovitz J (see Minkoff et al). 1998;178:982-6
- de la Piedra C (see Curiel et al). 1998;178:320-5
- Dembinski TC (see Liu et al). 1998;178:234-41
- Denbow ML, Battin MR, Cowan F, Azzopardi D, Edwards AD, Fisk NM. Neonatal cranial ultrasonographic findings in preterm twins complicated by severe fetofetal transfusion syndrome. 1998;178:479-83
- De Pooter C (see Tjalma et al). 1998;178:113-7

- Deprest JA (see Papadopoulos et al). 1998;178:938-42
- Deren O, Mahoney MJ, Copel JA, Bahado-Singh RO. Subtle ultrasonographic anomalies: Do they improve the Down syndrome detection rate? 1998;178:441-5
- Deren O (see Bahado-Singh et al). 1998;178:462-8
- Deren O (see Bahado-Singh et al). 1998;178:779-82
- De Stefano R (see Zullo et al). 1998;178:108-12
- de Swiet M (see Penny et al). 1998;178:521-6
- Deulofeu R (see Gratacós et al). 1998;178:1072-6
- DeWitte DB (see Batton et al). 1998;178:909-15
- Dhont M (see Coetsier and Dhont). 1998;178:1368-9 (Letter)
- The Diabetes Control and Complications Trial Research Group (see Nathan and The Diabetes Control and Complications Trial Research Group). 1998;178:416-7 (Letter reply)
- Diamant YZ (see Granovsky-Grisaru et al). 1998;178:171-4
- Diedrich F (see Osmers et al). 1998;178:341-5
- Di Iorio R (see Marinoni et al). 1998;178:770-8
- Di Luzio L (see Farina et al). 1998;178:625-6 (Letter)
- Di Luzio L (see Farina et al). 1998;178:867 (Letter)
- Di Luzio L (see Farina et al). 1998;178:870 (Letter)
- Di Naro E (see Nappi et al). 1998;178:610-1
- Dinas K (see Gupta et al). 1998;178:796-800
- DiSaia PJ (see Ahdoot et al). 1998;178:1116-20
- DiSaia PJ (see Creasman et al). 1998;178:62-5
- Divon MY, Haglund B, Nisell H, Otterblad PO, Westgren M. Fetal and neonatal mortality in the postterm pregnancy: the impact of gestational age and fetal growth restriction. 1998;178:726-31
- Dizon-Townson D, Factor V Leiden—a novel etiology of the long-standing thrombosis theory for recurrent pregnancy loss. 1998;178:1107-8 (Letter reply)
- Doering TP, Haller NA, Montgomery MA, Freeman EJ, Hopkins MP. The role of AT₁ angiotensin receptor activation in the pathogenesis of preeclampsia. 1998;178:1307-12
- Doi S (see Ikeda et al). 1998;178:24-32
- Doi S (see Ikeda et al). 1998;178:474-8
- Dombrowski MP (see Hurd et al). 1998;178:1077-81
- Donegan E (see Korn et al). 1998;178:987-90
- Dören M. Urogenital aging—creation of improved awareness. 1998;178:S254-6
- Douglas MJ (see Grange et al). 1998;178:156-60
- Drescher CW (see Cohn et al). 1998;178:1131-7
- Driussi S (see Cauci et al). 1998;178:511-5
- Dryden DK (see Anteby et al). 1998;178:469-73
- DuBard MB (see Wenstrom et al). 1998;178:546-50
- Duell PB (see Malinow et al). 1998;178:228-33
- Durand M (see Belai et al). 1998;178:13-9
- Durkee TJ, Mueller M, Zinaman M. Identification of estrogen receptor protein and messenger ribonucleic acid in human spermatozoa. 1998;178:1288-97
- Dushnik M (see Shimonovitz et al). 1998;178:457-61

E

- Ebbesen N (see Thorsen et al). 1998;178:580-7
- Ecker JL (see Lim et al). 1998;178:1067-71
- Eddy CA (see Potter et al). 1998;178:118-25
- Edwards AD (see Denbow et al). 1998;178:479-83
- Egarter C (see Leitich et al). 1998;178:899-908
- Egarter C (see Reisenberger et al). 1998;178:50-3
- Egberts J. Databases and the statistical usage of (perinatal) results. 1998;178:192 (Letter)
- Eggleston MK (see Wax et al). 1998;178:622-3
- Ehrenkranz RA (see Bahado-Singh et al). 1998;178:462-8
- Ehrlich I (see Minkoff et al). 1998;178:166-70
- Ekholm E (see Tyni et al). 1998;178:603-8
- Ekman GE (see Sennström et al). 1998;178:540-5
- Elliott JP. The labor-adjusted cesarean section: a more informative method than the cesarean section "rate" for assessing a practitioner's labor and delivery skills. 1998;178:196-7 (Letter reply)
- Emerson CH (see Wu et al). 1998;178:886-91
- Erickson GF (see Chang et al). 1998;178:650-7
- Erkkola R (see Polo-Kantola et al). 1998;178:1002-9
- Ervin MG (see Jobe et al). 1998;178:880-5
- Escamilla JO. Breech delivery protocol. 1998;178:1104 (Letter)
- Escamilla JO. Symphysiotomy. 1998;178:630-1 (Letter)
- Escamilla JO. Uterine suspension. 1998;178:194 (Reply)
- Eschenbach D (see Gibbs and Eschenbach). 1998;178:625 (Letter reply)
- Eschenbach DA (see Cotch et al). 1998;178:374-80
- Escobar M (see Penalver et al). 1998;178:326-9
- Esen UI. Postmenopausal bleeding: cost-effective evaluation. 1998;178:1369-70 (Letter)
- Espinosa R (see Batton et al). 1998;178:909-15
- Ettinger B, Fireman B. Estrogen-androgen hepatotoxicity? 1998;178:627-8 (Letter)
- Evans MI (see Chik and Evans). 1998;178:871-2 (Letter reply)
- Evans WS (see Matt et al). 1998;178:504-10
- Ewell M (see Sibai et al). 1998;178:870-1 (Letter reply)

F

- Fanchin R, Righini C, Olivennes F, Lejeune V, Volante M, Frydman R. Female and male human embryo growth rates are similar before the eight-cell stage. 1998;178:45-9
- Farina A, Di Luzio L, Carinci P. Birth injury and macrosomic fetuses: association with mode of delivery. 1998;178:867 (Letter)
- Farina A, Di Luzio L, Carinci P. Diastolic blood pressure and onset of preeclampsia. 1998;178:870 (Letter)
- Farina A, Di Luzio L, Carinci P. Fetal ductus arteriosus constriction, indomethacin, and gestational age. 1998;178:625-6 (Letter)
- Farina A, Garcia MF, Carinci P. Metabolic acidosis and newborn complications: Is a univariate threshold appropriate? 1998;178:1102 (Letter)
- Farina M (see Penotti et al). 1998;178:801-5
- Faro S (see Sobel et al). 1998;178:203-11 (Clin. opinion)
- Faúndes A, Bricola-Filho M, Pinto e Silva JLC. Dilatation of the urinary tract during pregnancy: proposal of a curve of maximal caliceal diameter by gestational age. 1998;178:1082-6
- Fazili S (see Minkoff et al). 1998;178:166-70
- Feig DS, Chen E, Naylor CD. Self-perceived health status of women three to five years after the diagnosis of gestational diabetes: a survey of cases and matched controls. 1998;178:386-93
- Feldman J (see Minkoff et al). 1998;178:166-70
- Feldman J (see Minkoff et al). 1998;178:982-6
- Ferenczy A (see Wright et al). 1998;178:962-6
- Fernandez CA (see Aparicio et al). 1998;178:1059-66
- Ferré F (see Carbonne et al). 1998;178:491-2
- Ferretti ME (see Vesce et al). 1998;178:759-64
- Ferris DG (see Wright et al). 1998;178:962-6
- Fickling SA (see Holden et al). 1998;178:551-6
- Findlay I (see Tóth et al). 1998;178:1101 (Letter)
- Fiol G, Machado F, Hernandez I, Inglés AC, Abad L, Parrilla JJ, Meseguer J, Quesada T, Carbonell LF. Role of nitric oxide on the central hemodynamic response to acute volume expansion in the pregnant rat. 1998;178:823-9
- Fireman B (see Ettinger and Fireman). 1998;178:627-8 (Letter)
- Fisher DA (see Wu et al). 1998;178:886-91
- Fisk NM (see Bajoria et al). 1998;178:264-9
- Fisk NM (see Benachi et al). 1998;178:294-9
- Fisk NM (see Denbow et al). 1998;178:479-83
- Florey C du V (see Rebagliato et al). 1998;178:568-71
- Floyd D (see Hoeldtke et al). 1998;178:612-3

- Fomin VP (*see* Hurd et al). 1998;178:1077-81
Force RW (*see* Sobel et al). 1998;178:203-11 (Clin. opinion)
Forman A (*see* Glavind-Kristensen et al). 1998;178:892-8
Fortuny A (*see* Gratacós et al). 1998;178:1072-6
Fowler JM (*see* Chen et al). 1998;178:499-503
Foxman B (*see* Sobel et al). 1998;178:203-11 (Clin. opinion)
Freeman EJ (*see* Doering et al). 1998;178:1307-12
French Study Group on Fetal Pulse Oximetry (*see* Carbonne et al). 1998;178:1100-1 (Letter reply)
Friedman JE (*see* Highman et al). 1998;178:1010-5
Friedman SA (*see* Lim et al). 1998;178:1067-71
Fries MH (*see* O'Connell et al). 1998;178:956-61
Frydman R (*see* Fanchin et al). 1998;178:45-9
Fulton A (*see* Yankowitz et al). 1998;178:446-50

G

- Gabbe SG (*see* Welch and Gabbe). 1998;178:193 (Letter reply)
Gabielli L (*see* Penotti et al). 1998;178:801-5
Gagnon R (*see* Richardson et al). 1998;178:572-9
Gala J (*see* Curiel et al). 1998;178:320-5
Galan HL, Hussey MJ, Chung M, Chyu JK, Hobbins JC, Battaglia FC. Doppler velocimetry of growth-restricted fetuses in an ovine model of placental insufficiency. 1998;178:451-6
Galerneau F (*see* Williams et al). 1998;178:59-61
Galimberti DM (*see* Aparicio et al). 1998;178:1059-66
Gallagher MW (*see* Wax et al). 1998;178:622-3
Galloway DA (*see* Watts et al). 1998;178:365-73
Garcia MF (*see* Farina et al). 1998;178:1102 (Letter)
Garcia PM (*see* MacDonald et al). 1998;178:1264-71
Garfield RE (*see* Buhimschi et al). 1998;178:811-22
Garfield RE (*see* Jain et al). 1998;178:186-91
Garfield RE (*see* Miyoshi et al). 1998;178:588-93
Garritsen HSP (*see* Benachi et al). 1998;178:294-9
Gates EJ (*see* Abulafia et al). 1998;178:618-20
Gazapo R (*see* Curiel et al). 1998;178:320-5
Gaziano C (*see* Gaziano et al). 1998;178:1359-67
Gaziano E, Gaziano C, Brandt D. Doppler velocimetry determined redistribution of fetal blood flow: correlation with growth restriction in diamniotic monochorionic and dizygotic twins. 1998;178:1359-67
George R (*see* Price et al). 1998;178:101-7
Germain G (*see* Carbonne et al). 1998;178:150-5
Germain M (*see* Krohn et al). 1998;178:381-5
Gherman R. Catastrophic shoulder dystocia—What is the etiology? 1998;178:417 (Letter)
Gherman R. Persistent brachial plexus injury: the outcome of concern among patients with suspected fetal macrosomia. 1998;178:195 (Letter)
Gherman RB, Ouzounian JG, Goodwin TM. Obstetric maneuvers for shoulder dystocia and associated fetal morbidity. 1998;178:1126-30
Gherman RB, Ouzounian JG, Incerpi MH, Goodwin TM. Symphyseal separation and transient femoral neuropathy associated with the McRoberts' maneuver. 1998;178:609-10
Gherman RB, Ouzounian JG, Miller DA, Kwok L, Goodwin TM. Spontaneous vaginal delivery: A risk factor for Erb's palsy? 1998;178:423-7
Gherman RB (*see* Safari et al). 1998;178:1054-8
Ghidini A (*see* Spong et al). 1998;178:783-6
Ghidini A (*see* Vergani et al). 1998;178:218-22
Gibbs RS, Eschenbach D. Use of antibiotics to prevent preterm birth. 1998;178:625 (Letter reply)
Gibbs RS (*see* Cotch et al). 1998;178:374-80
Giles W (*see* Bisits et al). 1998;178:862-6
Gille JJP (*see* Zweemer et al). 1998;178:85-90
Ginsberg N (*see* Strom et al). 1998;178:1298-306
Gissmann L (*see* Sethi et al). 1998;178:360-4
Gitsch G (*see* Obermair et al). 1998;178:314-9
Glasser M (*see* Van Den Eeden et al). 1998;178:91-100
Glavind-Kristensen M, Petersen OB, Forman A. Effects of ouabain on the isolated human uteroplacental vasculature. 1998;178:892-8
Goedert JJ (*see* Burns et al). 1998;178:355-9
Goff BA (*see* Cohn et al). 1998;178:1131-7
Goffinet F (*see* Carbonne et al). 1998;178:1100-1 (Letter reply)
Goldenberg RL (*see* Iams et al). 1998;178:1035-40
Goldenberg RL (*see* Meis et al). 1998;178:562-7
Goldenberg RL (*see* Wenstrom et al). 1998;178:546-50
Golding JM (*see* Miranda et al). 1998;178:212-7 (Primary care)
Golditch IM, Anderson RJ, Williams SB. Managed health care and resident education. 1998;178:1157-64
Goldkrand JW. Blood pressure measurement in pregnant women in the left lateral recumbent position. 1998;178:868 (Letter reply)
Goldman D (*see* Watts et al). 1998;178:365-73
Gonik B, McCormick EM, Verweij BH, Rossman KM, Nigro MA. The timing of congenital brachial plexus injury: a study of electromyography findings in the newborn piglet. 1998;178:688-95
Goodwin TM. Emergency symphysiotomy—too little, too late. 1998;178:631-2 (Letter reply)
Goodwin TM. Inferences from symphysiotomy experience. 1998;178:631-2 (Letter reply)
Goodwin TM. Oral megadose methylprednisolone for idiopathic thrombocytopenic purpura. 1998;178:1368 (Letter reply)
Goodwin TM. Symphysiotomy. 1998;178:631-2 (Letter reply)
Goodwin TM (*see* Belai et al). 1998;178:13-9
Goodwin TM (*see* Gherman et al). 1998;178:423-7
Goodwin TM (*see* Gherman et al). 1998;178:609-10
Goodwin TM (*see* Gherman et al). 1998;178:1126-30
Goodwin TM (*see* Incerpi et al). 1998;178:1121-5
Goodwin TM (*see* Safari et al). 1998;178:1054-8
Gordon AG. Never cite sight unseen. 1998;178:627 (Letter)
Gordon RE (*see* Louis-Sylvestre et al). 1998;178:287-93
Gougeon A (*see* Chang et al). 1998;178:650-7
Grange CS, Douglas MJ, Adams TJ, Wadsworth LD. The use of acute hemodilution in parturients undergoing cesarean section. 1998;178:156-60
Granovsky-Grisaru S, Ilan D, Grisaru D, Lavie O, Aboulafia I, Diamant YZ, Hanani M. Effects of erythromycin on contractility of isolated myometrium from pregnant rats. 1998;178:171-4
Granström LM (*see* Sennström et al). 1998;178:540-5
Grant SS (*see* Yankowitz et al). 1998;178:446-50
Gratacós E, Casals E, Deulofeu R, Cararach V, Alonso PL, Fortuny A. Lipid peroxide and vitamin E patterns in pregnant women with different types of hypertension in pregnancy. 1998;178:1072-6
Greene N (*see* Platt et al). 1998;178:1199-206
Greenspoon JS (*see* Belai et al). 1998;178:13-9
Greer BE (*see* Cohn et al). 1998;178:1131-7
Gregor H (*see* Reisenberger et al). 1998;178:50-3
Grether JK, Hoogstrate J, Selvin S, Nelson KB. Magnesium sulfate tocolysis and risk of neonatal death. 1998;178:1-6
Grisaru D (*see* Granovsky-Grisaru et al). 1998;178:171-4
Guerrero R (*see* Curiel et al). 1998;178:320-5
Gulbis B (*see* Jauniaux et al). 1998;178:765-9
Gupta JK, Dinas K, Khan KS. To peritonealize or not to peritonealize? A randomized trial at abdominal hysterectomy. 1998;178:796-800
Guz M (*see* Aparicio et al). 1998;178:1059-66

H

- Haeusler M (see Weiss et al). 1998;178:830-5
Haglund B (see Divon et al). 1998;178:726-31
Hall BR (see Hall et al). 1998;178:1245-50
Hall JA, Murphy DC, Hall BR, Hall KA. Open surgical biopsy for nonpalpable mammographic abnormalities: still an option compared with core needle biopsy. 1998;178:1245-50
Hall KA (see Hall et al). 1998;178:1245-50
Haller NA (see Doering et al). 1998;178:1307-12
Halligan AWF (see Penny et al). 1998;178:521-6
Halvax L (see Szabó et al). 1998;178:1100 (Letter)
Hanani M (see Granovsky-Grisaru et al). 1998;178:171-4
Haney EI (see Adams et al). 1998;178:843-7
Harcar-Sevcik R (see Clapp et al). 1998;178:594-9
Hargood JL (see Brown et al). 1998;178:836-42
Harman CR (see Manning et al). 1998;178:696-706
Harris RL, Cundiff GW, Coates KW, Addison WA, Bump RC. Urethral prolapse after collagen injection. 1998;178:614-5
Harvey-Wilkes KB (see Vosatka et al). 1998;178:242-6
Hassoun PM (see Vosatka et al). 1998;178:242-6
Hatch KD (see Creasman et al). 1998;178:62-5
Hauth JC, Andrews WW. Use of antibiotics to prevent preterm birth. 1998;178:624-5 (Letter)
Hauth JC (see Wenstrom et al). 1998;178:546-50
Heckler T (see Kirk et al). 1998;178:1222-8
Heifetz S (see Bornstein et al). 1998;178:80-4
Hein HA. Indomethacin tocolysis. 1998;178:198 (Letter)
Heinemann LAJ, Spitzer WO, Winkler UH. Scientific problems with a noncausal artifact. 1998;178:1105-6 (Letter)
Heinze G (see Reisenberger et al). 1998;178:50-3
Helenius H (see Polo-Kantola et al). 1998;178:1002-9
Hellberg D (see Mårdh and Hellberg). 1998;178:415-6 (Letter reply)
Helmerhorst FM (see Vandenbroucke et al). 1998;178:1106-7 (Letter reply)
Helmkamp BF. Radical hysterectomy: current management guidelines. 1998;178:627 (Letter reply)
Hendrix SL (see McNeeley et al). 1998;178:1272-8
Hernández ER (see Aguado et al). 1998;178:1016-21
Hernandez I (see Fiol et al). 1998;178:823-9
Hernández-Aguado I (see Rebagliato et al). 1998;178:568-71
Hess DL (see Malinow et al). 1998;178:228-33
Hess DL (see Patton et al). 1998;178:1138-42
Hessol NA (see Korn et al). 1998;178:987-90
Heuvel CP (see Höckel et al). 1998;178:971-6
Heyborne KD (see Porreco et al). 1998;178:20-3
Hickok D (see Krohn et al). 1998;178:381-5
Highman TJ, Friedman JE, Huston LP, Wong WW, Catalano PM. Longitudinal changes in maternal serum leptin concentrations, body composition, and resting metabolic rate in pregnancy. 1998;178:1010-5
Hillier SL (see Cotch et al). 1998;178:374-80
Hillis SD (see Lepine et al). 1998;178:977-81
Hinney B (see Pauer et al). 1998;178:629 (Letter)
Hirschl AM (see Reisenberger et al). 1998;178:50-3
Hobbins JC (see Galan et al). 1998;178:451-6
Hobson S (see McNeil et al). 1998;178:305-13
Hochner-Celnikier D (see Shimonovitz et al). 1998;178:457-61
Hochner-Celnikier D (see Yagel et al). 1998;178:40-4
Höckel M, Konerding MA, Heuvel CP. Liposuction-assisted nerve-sparing extended radical hysterectomy: oncologic rationale, surgical anatomy, and feasibility study. 1998;178:971-6
Hoeldtke NJ, Floyd D, Werschkul D, Calhoun BC, Hume RF. Intracranial cavernous angioma initially presenting in pregnancy with new-onset seizures. 1998;178:612-3
Hohimer AR (see Martin et al). 1998;178:527-34
Holcomb K (see Abulafia et al). 1998;178:618-20
Holden DP, Fickling SA, Whitley GS, Nussey SS. Plasma concentrations of asymmetric dimethylarginine, a natural inhibitor of nitric oxide synthase, in normal pregnancy and preeclampsia. 1998;178:551-6
Holman S (see Minkoff et al). 1998;178:166-70
Holmes KK (see Watts et al). 1998;178:365-73
Homesley HD (see Creasman et al). 1998;178:62-5
Honda A (see Tojo et al). 1998;178:180-5
Hoogstrate J (see Grether et al). 1998;178:1-6
Hopkins MP (see Doering et al). 1998;178:1307-12
Horny H-P (see Winkler et al). 1998;178:557-61
Howard CM (see Benachi et al). 1998;178:294-9
Hsu C-D, Meaddough E, Aversa K, Copel JA. The role of amniotic fluid L-selectin, GRO- α , and interleukin-8 in the pathogenesis of intraamniotic infection. 1998;178:428-32
Huang LJ (see Robertson et al). 1998;178:1215-21
Huang W-s (see Wu et al). 1998;178:886-91
Huang X (see Anteby et al). 1998;178:469-73
Huang X (see Johnson et al). 1998;178:54-8
Hulse TC (see VanDorsten et al). 1998;178:742-9
Hume RF (see Hoeldtke et al). 1998;178:612-3
Hüneke B (see Tchirikov et al). 1998;178:943-9
Hurd WW, Betz AL, Dombrowski MP, Fomin VP. Cocaine augments contractility of the pregnant human uterus by both adrenergic and nonadrenergic mechanisms. 1998;178:1077-81
Hurwitz A (see Shimonovitz et al). 1998;178:457-61
Hussey MJ (see Galan et al). 1998;178:451-6
Husslein P (see Reisenberger et al). 1998;178:50-3
Huston LP (see Highman et al). 1998;178:1010-5
Hyett J (see Jauniaux et al). 1998;178:765-9
- I
- Iammarrone E (see Tiboni et al). 1998;178:270-9
Iams JD, Goldenberg RL, Mercer BM, Moawad A, Thom E, Meis PJ, McNellis D, Caritis SN, Miodovnik M, Menard MK, Thurnau GR, Bottoms SF, Roberts JM, National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network. The Preterm Prediction Study: recurrence risk of spontaneous preterm birth. 1998;178:1035-40
Iams JD (see Meis et al). 1998;178:562-7
Icenogle J (see Adam et al). 1998;178:1235-44
Ikeda T, Murata Y, Quilligan EJ, Choi BH, Parer JT, Doi S, Park S-D. Physiologic and histologic changes in near-term fetal lambs exposed to asphyxia by partial umbilical cord occlusion. 1998;178:24-32
Ikeda T, Murata Y, Quilligan EJ, Parer JT, Doi S, Park S-D. Brain lipid peroxidation and antioxidant levels in fetal lambs 72 hours after asphyxia by partial umbilical cord occlusion. 1998;178:474-8
Ikegami M (see Jobe et al). 1998;178:880-5
Ilan D (see Granovsky-Grisaru et al). 1998;178:171-4
Incerpi MH, Miller DA, Samadi R, Settlege RH, Goodwin TM. Stillbirth evaluation: What tests are needed? 1998;178:1121-5
Incerpi MH (see Gherman et al). 1998;178:609-10
Inglés AC (see Fiol et al). 1998;178:823-9
Irgens LM (see Albrechtsen et al). 1998;178:1104-5 (Letter reply)
Irijala K (see Polo-Kantola et al). 1998;178:1002-9
Itakura A (see Okamura et al). 1998;178:175-9
Ivakhenko V (see Strom et al). 1998;178:1298-306
- J
- Jain V, Shi S-Q, Vedernikov YP, Saade GR, Chwalisz K, Garfield RE. In vivo effects of corticotropin-releasing factor in pregnant rats. 1998;178:186-91

- Jarvis MJ (*see* Rebagliato et al). 1998;178:568-71
Jauniaux E, Gulbis B, Hyett J, Nicolaides KH. Biochemical analyses of mesenchymal fluid in early pregnancy. 1998;178:765-9
Jazayeri A, Tsibris JCM, Spellacy WN. Umbilical cord plasma erythropoietin levels in pregnancies complicated by maternal smoking. 1998;178:433-5
Jeffries L (*see* Thorp et al). 1998;178:616-8
Jennett RJ. Inferences from symphysiotomy experience. 1998;178:631 (Letter)
Jensen IP (*see* Thorsen et al). 1998;178:580-7
Jeune B (*see* Thorsen et al). 1998;178:580-7
Jiang B-H (*see* Martin et al). 1998;178:527-34
Joao MA (*see* Aparicio et al). 1998;178:1059-66
Jobe AH, Wada N, Berry LM, Ikegami M, Ervin MG. Single and repetitive maternal glucocorticoid exposures reduce fetal growth in sheep. 1998;178:880-5
Joesoef MR (*see* Lepine et al). 1998;178:977-81
Johansson O (*see* Sennström et al). 1998;178:540-5
Johnson PR. Radical hysterectomy: current management guidelines. 1998;178:626-7 (Letter)
Johnson PR (*see* Chen et al). 1998;178:499-503
Johnson RD, Polakoski KL, Huang X, Sadovsky Y, Nelson DM. The release of 15-hydroxyicosatetraenoic acid by human placental trophoblast is increased in preeclampsia. 1998;178:54-8
Johnson RD (*see* Anteby et al). 1998;178:469-73
Jones DR (*see* Penny et al). 1998;178:521-6
Jorizzo G (*see* Vesce et al). 1998;178:759-64

K

- Kaempf JW. Safety of antenatal indomethacin. 1998;178:873 (Letter)
Kaider A (*see* Leitich et al). 1998;178:899-908
Kaider A (*see* Obermair et al). 1998;178:314-9
Kainer F (*see* Weiss et al). 1998;178:830-5
Kaiserling E (*see* Winkler et al). 1998;178:557-61
Kalhan SC (*see* Smigaj et al). 1998;178:1041-7
Kao L (*see* Lim et al). 1998;178:1067-71
Kaplan B (*see* Strom et al). 1998;178:1298-306
Kardel KR, Kase T. Training in pregnant women: effects on fetal development and birth. 1998;178:280-6
Kase T (*see* Kardel and Kase). 1998;178:280-6
Kaufman RH (*see* Adam et al). 1998;178:1235-44
Kauma SW (*see* Matt et al). 1998;178:504-10
Kellner Y (*see* Bornstein et al). 1998;178:80-4
Kemp B (*see* Winkler et al). 1998;178:557-61
Kendrick JS (*see* Saraiya et al). 1998;178:493-8
Kett A, Omoniyei AT, Kim H, Olariu N, Wu D, Szteto HH, Clapp JF III. Baroreflex-mediated bradycardia but not tachycardia is blunted peripherally by intravenous μ -opioid agonists. 1998;178:950-5
Kett A (*see* Clapp et al). 1998;178:397-401
Kettel LM, Murphy AA, Morales AJ, Yen SSC. Preliminary report on the treatment of endometriosis with low-dose mifepristone (RU 486). 1998;178:1151-6
Khan KS (*see* Gupta et al). 1998;178:796-800
Khan RN, Morrison JJ, Smith SK, Ashford MLJ. Activation of large-conductance potassium channels in pregnant human myometrium by pinacidil. 1998;178:1027-34
Khan-Dawood FS (*see* Dawood et al). 1998;178:996-1001
Kilgore M (*see* Price et al). 1998;178:101-7
Kilpatrick SJ (*see* Lim et al). 1998;178:1067-71
Kilpatrick SJ (*see* Robertson et al). 1998;178:1215-21
Kim H (*see* Clapp et al). 1998;178:397-401
Kim H (*see* Kett et al). 1998;178:950-5
Kimberly D (*see* Martin et al). 1998;178:527-34
King TS (*see* Potter et al). 1998;178:118-25

- Kinsella MJ (*see* Magann et al). 1998;178:1279-87
Kinsella SM. Blood pressure measurement in pregnant women in the left lateral recumbent position. 1998;178:867-8 (Letter)
Kirk EP, Santa J, Heckler T, Collins M. Obstetrician-gynecologists as primary care physicians: the Oregon experience—early perceptions regarding the effects of legislative action. 1998;178:1222-8
Kiss T (*see* Szabó et al). 1998;178:1100 (Letter)
Kiviat NB (*see* Watts et al). 1998;178:365-73
Klebanoff MA, Mednick BR, Schulsinger C, Secher NJ, Shiono PH. Father's effect on infant birth weight. 1998;178:1022-6
Kmak DC (*see* McNeeley et al). 1998;178:1272-8
Knapen MFCM, Mulder TPJ, Bisseling JGA, Penders RHMJ, Peters WHM, Steegers EAP. Plasma glutathione S-transferase Alpha 1-1: a more sensitive marker for hepatocellular damage than serum alanine aminotransferase in hypertensive disorders of pregnancy. 1998;178:161-5
Knöfler M (*see* Reisenberger et al). 1998;178:50-3
Knudsen LB (*see* Basso et al). 1998;178:259-63
Kolderup LB, Laros RK, Musci TJ. Persistent brachial plexus injury: the outcome of concern among patients with suspected fetal macrosomia. 1998;178:195-6 (Letter reply)
Komaromy M (*see* Miranda et al). 1998;178:212-7 (Primary care)
Konerding MA (*see* Höckel et al). 1998;178:971-6
Korebits C (*see* Marinoni et al). 1998;178:770-8
Korn AP, Hessel NA, Padian NS, Bolan GA, Donegan E, Landers DV, Schachter J. Risk factors for plasma cell endometritis among women with cervical *Neisseria gonorrhoeae*, cervical *Chlamydia trachomatis*, or bacterial vaginosis. 1998;178:987-90
Köster S (*see* Volz et al). 1998;178:793-5
Kotelchuck M (*see* Bennett et al). 1998;178:346-54
Koutsky LA (*see* Watts et al). 1998;178:365-73
Kovac SR. Guidelines to determine the role of laparoscopically assisted vaginal hysterectomy. 1998;178:1257-63
Koval JJ (*see* Wolfe et al). 1998;178:787-92
Krauß T (*see* Osmer et al). 1998;178:341-5
Krause N (*see* Possover et al). 1998;178:806-10
Krohn MA, Germain M, Mühlemann K, Hickok D. Prior pregnancy outcome and the risk of intraamniotic infection in the following pregnancy. 1998;178:381-5
Kuhn W (*see* Osmer et al). 1998;178:341-5
Kühne-Heid R (*see* Possover et al). 1998;178:806-10
Kühnert M, Seelbach-Göebel B, Butterwegge M. Predictive agreement between the fetal arterial oxygen saturation and fetal scalp pH: results of the German multicenter study. 1998;178:330-5
Kuliev A (*see* Strom et al). 1998;178:1298-306
Kunz K (*see* Van Den Eeden et al). 1998;178:91-100
Kuo S-w (*see* Wu et al). 1998;178:886-91
Kurabayashi T (*see* Tojo et al). 1998;178:180-5
Kurasaki T (*see* Ahdoot et al). 1998;178:1116-20
Kurauchi O (*see* Okamura et al). 1998;178:175-9
Kurosaki T (*see* Buchanan et al). 1998;178:1177-84
Kuypers J (*see* Watts et al). 1998;178:365-73
Kwok L (*see* Gherman et al). 1998;178:423-7
Kyriakides MA (*see* Berger et al). 1998;178:223-7

L

- Laermans IJ (*see* Papadopoulos et al). 1998;178:938-42
Lafferty H (*see* Penalver et al). 1998;178:326-9
Lager DJ (*see* Buller et al). 1998;178:641-9
Lagrew DC Jr, Adashek JA. Lowering the cesarean section rate in a private hospital: comparison of individual physicians' rates, risk factors, and outcomes. 1998;178:1207-14
Lahoud R (*see* Wang et al). 1998;178:146-9
Lam M (*see* Low and Lam). 1998;178:1102-3 (Letter reply)

- Lambert PC (see Penny et al). 1998;178:521-6
Landers DV (see Korn et al). 1998;178:987-90
Landesman S (see Burns et al). 1998;178:355-9
Landesman S (see Minkoff et al). 1998;178:982-6
Lang PFJ (see Tamussino et al). 1998;178:967-70
Langer B (see Carbone et al). 1998;178:1100-1 (Letter reply)
Langer O (see Conway and Langer). 1998;178:922-5
Lantz ME, Spaziani EP, Benoit RR, O'Brien WF. The induction of cyclooxygenase-2 by interleukin-4 in human umbilical vein endothelial cells: a possible role in regulation of fetal vascular tone. 1998;178:255-8
Lanzafame P (see Cauci et al). 1998;178:511-5
Lao TT (see Pun et al). 1998;178:1105 (Letter)
Larmon JE (see Perry et al). 1998;178:1333-40
Laros RK (see Kolderup et al). 1998;178:195-6 (Letter reply)
Larson L (see Powrie et al). 1998;178:394-6
Lau M (see Dawood et al). 1998;178:996-1001
Lavie O (see Granovsky-Grisaru et al). 1998;178:171-4
Ledger WJ (see Sobel et al). 1998;178:203-11 (Clin. opinion)
Lee CP (see Pun et al). 1998;178:1105 (Letter)
Lei H, Wen SW, Central-South China Fetal Growth Study Group. Ultrasonographic examination of intrauterine growth for multiple fetal dimensions in a Chinese population. 1998;178:916-21
Leible S, Muñoz H, Walton R, Sabaj V, Cumsille F, Sepulveda W. Uterine artery blood flow velocity waveforms in pregnant women with müllerian duct anomaly: a biologic model for uteroplacental insufficiency. 1998;178:1048-53
Leitich H, Egarter C, Reisenberger K, Kaider A, Berghammer P. Concomitant use of glucocorticoids: a comparison of two meta-analyses on antibiotic treatment in preterm premature rupture of membranes. 1998;178:899-908
Lejeune V (see Fanchin et al). 1998;178:45-9
Lemen PM, Wigton TR, Miller-McCarthy AJ, Cruikshank DP. Screening for gestational diabetes mellitus in adolescent pregnancies. 1998;178:1251-6
Leodolter S (see Obermair et al). 1998;178:314-9
Lepine LA, Hillis SD, Marchbanks PA, Joeseff MR, Peterson HB, Westrom L. Severity of pelvic inflammatory disease as a predictor of the probability of live birth. 1998;178:977-81
Leppert PC. Proliferation and apoptosis of fibroblasts and smooth muscle cells in rat uterine cervix throughout gestation and the effect of the antiprogesterone onapristone. 1998;178:713-25
Lerut TE (see Papadopoulos et al). 1998;178:938-42
Leveno KJ, Alexander JM, McIntire DD, Lucas MJ. Does magnesium sulfate given for prevention of eclampsia affect the outcome of labor? 1998;178:707-12
Leveno KJ (see Alexander et al). 1998;178:516-20
Levine R (see Sibai et al). 1998;178:870-1 (Letter reply)
Li H (see Adams et al). 1998;178:1321-32
Liberati M (see Tiboni et al). 1998;178:270-9
Lieman H (see Santoro et al). 1998;178:732-41
Lifchez A (see Strom et al). 1998;178:1298-306
Lim K-H, Friedman SA, Ecker JL, Kao L, Kilpatrick SJ. The clinical utility of serum uric acid measurements in hypertensive diseases of pregnancy. 1998;178:1067-71
Lindsay LG (see Porreco et al). 1998;178:20-3
Ling FW (see Lipscomb et al). 1998;178:1354-8
Lipscomb GH, Bran D, McCord ML, Portera JC, Ling FW. Analysis of three hundred fifteen ectopic pregnancies treated with single-dose methotrexate. 1998;178:1354-8
Liu K-Z, Dembinski TC, Mantsch HH. Rapid determination of fetal lung maturity from infrared spectra of amniotic fluid. 1998;178:234-41
Locatelli A (see Vergani et al). 1998;178:218-22
Lockwood CJ (see Sennström et al). 1998;178:540-5
Lopez B (see Clapp et al). 1998;178:594-9
Loriaux DL (see Patton et al). 1998;178:1138-42
Lorincz A (see Wright et al). 1998;178:962-6
Louis-Sylvestre C, Rand JH, Gordon RE, Salafia CM, Berkowitz RL. In vitro studies of the interactions between platelets and amniotic membranes: a potential treatment for preterm premature rupture of the membranes. 1998;178:287-93
Low J, Lam M. Metabolic acidosis and newborn complications: Is a univariate threshold appropriate? 1998;178:1102-3 (Letter reply)
Lucas MJ (see Alexander et al). 1998;178:516-20
Lucas MJ (see Leveno et al). 1998;178:707-12
Lunshof S, Boer K, Wolf H, van Hoffen G, Bayram N, Mirmiran M. Fetal and maternal diurnal rhythms during the third trimester of normal pregnancy: outcomes of computerized analysis of continuous twenty-four-hour fetal heart rate recordings. 1998;178:247-54
Luoto R, Männistö S, Vartiainen E. Hormone replacement therapy and body size: How much does lifestyle explain? 1998;178:66-73
Luther MF (see Potter et al). 1998;178:118-25
Lyles E (see Thorp et al). 1998;178:616-8
- ## M
- MacDonald SR, Skor A, Socol ML, Garcia PM. Human immunodeficiency virus infection and women: a survey of missed opportunities for testing and diagnosis. 1998;178:1264-71
Machado F (see Fiol et al). 1998;178:823-9
MacKay LB (see Miyoshi et al). 1998;178:588-93
Macones GA. Safety of antenatal indomethacin. 1998;178:873-4 (Letter reply)
Macones GA (see Sehdev et al). 1998;178:1103-4 (Letter reply)
Madsen G (see Bisits et al). 1998;178:862-6
Magann EF, Chauhan SP, Nevils BG, McNamara MF, Kinsella MJ, Morrison JC. Management of pregnancies beyond forty-one weeks' gestation with an unfavorable cervix. 1998;178:1279-87
Mahoney MJ (see Bahado-Singh et al). 1998;178:779-82
Mahoney MJ (see Deren et al). 1998;178:441-5
Major FJ (see Creasman et al). 1998;178:62-5
Malinow MR, Rajkovic A, Duell PB, Hess DL, Upson BM. The relationship between maternal and neonatal umbilical cord plasma homocyst(e)ine suggests a potential role for maternal homocyst(e)ine in fetal metabolism. 1998;178:228-33
Malmström A (see Sennström et al). 1998;178:540-5
Mann SE (see Curran et al). 1998;178:484-90
Manning FA, Bondaji N, Harman CR, Casiro O, Menticoglou S, Morrison I, Berck DJ. Fetal assessment based on fetal biophysical profile scoring. VIII. The incidence of cerebral palsy in tested and untested perinates. 1998;178:696-706
Männistö S (see Luoto et al). 1998;178:66-73
Mantsch HH (see Liu et al). 1998;178:234-41
Marchbanks PA (see Lepine et al). 1998;178:977-81
Mårdh P-A, Hellberg D. Vaginal flora changes associated with *Mycoplasma hominis*. 1998;178:415-6 (Letter reply)
Marín R (see Matteo et al). 1998;178:402-8
Marinoni E, Korebrits C, Di Iorio R, Cosmi EV, Challis JRG. Effect of betamethasone in vivo on placental corticotropin-releasing hormone in human pregnancy. 1998;178:770-8
Marom D, Pitlik S, Sagie A, Ovadia Y, Bishara J. Intravenous leiomyomatosis with cardiac involvement in a pregnant woman. 1998;178:620-1
Marshall LA. Intergenerational gamete donation: ethical and societal implications. 1998;178:1171-6
Martin A (see Brown et al). 1998;178:836-42
Martin C, Yu AY, Jiang B-H, Davis L, Kimberly D, Hohimer AR, Semenza GL. Cardiac hypertrophy in chronically anemic fetal sheep: increased vascularization is associated with increased myocardial expression of vascular endothelial growth factor and hypoxia-inducible factor 1. 1998;178:527-34

- Martin GI. Apgar scores. 1998;178:1103 (Letter)
- Martin RW (see Naef et al). 1998;178:126-30
- Martin RW (see Perry et al). 1998;178:1333-40
- Martin S. What is a good doctor? Patient perspective. 1998;178:752-4
- Mastrantonio P (see Zullo et al). 1998;178:108-12
- Masuzaki H (see Yura et al). 1998;178:926-30
- Maternal-Fetal Medicine Units Network of the National Institute of Child Health and Human Development (see Meis et al). 1998;178:562-7
- Mathias SD (see Van Den Eeden et al). 1998;178:91-100
- Matt DW, Kauma SW, Pincus SM, Veldhuis JD, Evans WS. Characteristics of luteinizing hormone secretion in younger versus older premenopausal women. 1998;178:504-10
- Matteo R, Proverbio T, Córdova K, Proverbio F, Marín R. Preeclampsia, lipid peroxidation, and calcium adenosine triphosphatase activity of red blood cell ghosts. 1998;178:402-8
- May WL (see Perry et al). 1998;178:1333-40
- Mazzoni MM (see McNeeley et al). 1998;178:1272-8
- McCord ML (see Lipscomb et al). 1998;178:1354-8
- McCormick EM (see Gonik et al). 1998;178:688-95
- McGonigle KF, Shaw SL, Vasilev SA, Odom-Maryon T, Roy S, Simpson JF. Abnormalities detected on transvaginal ultrasonography in tamoxifen-treated postmenopausal breast cancer patients may represent endometrial cystic atrophy. 1998;178:1145-50
- McIntire DD (see Alexander et al). 1998;178:516-20
- McIntire DD (see Leveno et al). 1998;178:707-12
- McLean M (see Bisits et al). 1998;178:862-6
- McNamara MF (see Magann et al). 1998;178:1279-87
- McNeeley SG, Hendrix SL, Mazzoni MM, Kmak DC, Ransom SB. Medically sound, cost-effective treatment for pelvic inflammatory disease and tuboovarian abscess. 1998;178:1272-8
- McNeil L, Hobson S, Nipper V, Rodland KD. Functional calcium-sensing receptor expression in ovarian surface epithelial cells. 1998;178:305-13
- McNellis D (see Iams et al). 1998;178:1035-40
- McNellis D (see Meis et al). 1998;178:562-7
- Meaddough E (see Hsu et al). 1998;178:428-32
- Mednick BR (see Klebanoff et al). 1998;178:1022-6
- Meis PJ, Goldenberg RL, Mercer BM, Iams JD, Moawad AH, Miodovnik M, Menard MK, Caritis SN, Thurnau GR, Bottoms SF, Das A, Roberts JM, McNellis D, Maternal-Fetal Medicine Units Network of the National Institute of Child Health and Human Development. The preterm prediction study: risk factors for indicated preterm births. 1998;178:562-7
- Meis PJ (see Iams et al). 1998;178:1035-40
- Mekki Y (see Penalver et al). 1998;178:326-9
- Melis GB (see Cagnacci et al). 1998;178:140-5
- Menard MK (see Iams et al). 1998;178:1035-40
- Menard MK (see Meis et al). 1998;178:562-7
- Menard MK (see VanDorsten et al). 1998;178:742-9
- Menéndez M (see Aguado et al). 1998;178:1016-21
- Menko FH (see Zweemer et al). 1998;178:85-90
- Menticoglou S (see Manning et al). 1998;178:696-706
- Mercer BM (see Iams et al). 1998;178:1035-40
- Mercer BM (see Meis et al). 1998;178:562-7
- Meseguer J (see Fiol et al). 1998;178:823-9
- Mettler L. Endometrial cancer represents a contraindication for classic intrafascial supracervical hysterectomy by laparoscopy. 1998;178:628 (Letter)
- Mielzynska I (see Wright et al). 1998;178:962-6
- Miglierina L (see Penotti et al). 1998;178:801-5
- Mignot T-M (see Carbone et al). 1998;178:491-2
- Miller DA (see Gherman et al). 1998;178:423-7
- Miller DA (see Incerpi et al). 1998;178:1121-5
- Miller EI (see Asrat et al). 1998;178:1194-8
- Miller-McCarthy AJ (see Lemen et al). 1998;178:1251-6
- Mimuro S (see Wang et al). 1998;178:146-9
- Minakami H, Sato I. Change in male proportion of newborn infants in Japan. 1998;178:624 (Letter)
- Minkoff H, Ehrlich I, Feldman J, Holman S, Fazili S, Augenbraun M. Reproductive health hospitalizations among women with human immunodeficiency virus infections. 1998;178:166-70
- Minkoff H, Feldman J, DeHovitz J, Landesman S, Burk R. A longitudinal study of human papillomavirus carriage in human immunodeficiency virus-infected and human immunodeficiency virus-uninfected women. 1998;178:982-6
- Minkoff H (see Burns et al). 1998;178:355-9
- Miodovnik M (see Iams et al). 1998;178:1035-40
- Miodovnik M (see Meis et al). 1998;178:562-7
- Miranda J, Azocar F, Komaromy M, Golding JM. Unmet mental health needs of women in public-sector gynecologic clinics. 1998;178:212-7 (Primary care)
- Mirmiran M (see Lunshof et al). 1998;178:247-54
- Mise H (see Yura et al). 1998;178:926-30
- Mitchell RM (see Burns et al). 1998;178:355-9
- Miyoshi H, Boyle MB, MacKay LB, Garfield RE. Gap junction currents in cultured muscle cells from human myometrium. 1998;178:588-93
- Mizutani S (see Okamura et al). 1998;178:175-9
- Moawad A (see Iams et al). 1998;178:1035-40
- Moawad AH (see Meis et al). 1998;178:562-7
- Moise J (see Strom et al). 1998;178:1298-306
- Møller BR (see Thorsen et al). 1998;178:580-7
- Monte R (see Cauci et al). 1998;178:511-5
- Montgomery MA (see Doering et al). 1998;178:1307-12
- Mora G (see Ott et al). 1998;178:1346-53
- Morales AJ (see Kettel et al). 1998;178:1151-6
- Moreno A (see Potter et al). 1998;178:118-25
- Morgan MA (see Sehdev et al). 1998;178:1103-4 (Letter reply)
- Mori T (see Yura et al). 1998;178:926-30
- Morikawa S (see Okamura et al). 1998;178:175-9
- Morrison I (see Manning et al). 1998;178:696-706
- Morrison JC (see Magann et al). 1998;178:1279-87
- Morrison JC (see Naef et al). 1998;178:126-30
- Morrison JJ (see Khan et al). 1998;178:1027-34
- Mueller M (see Durkee et al). 1998;178:1288-97
- Mühlemann K (see Krohn et al). 1998;178:381-5
- Mulder TPJ (see Knapen et al). 1998;178:161-5
- Müller M (see Sethi et al). 1998;178:360-4
- Muñoz H (see Leible et al). 1998;178:1048-53
- Muntz HG (see Cohn et al). 1998;178:1131-7
- Murata Y (see Ikeda et al). 1998;178:24-32
- Murata Y (see Ikeda et al). 1998;178:474-8
- Murphy AA (see Kettel et al). 1998;178:1151-6
- Murphy D. Antenatal factors in relation to neonatal outcome in preterm delivery. 1998;178:629-30 (Letter)
- Murphy DC (see Hall et al). 1998;178:1245-50
- Musci TJ (see Kolderup et al). 1998;178:195-6 (Letter reply)
- Myers MK (see Chervenak et al). 1998;178:678-87

N

- Nachtigall L. Towards better recognition of urogenital aging: chairman's introduction. 1998;178:S243-4
- Nachtigall RD, Becker G, Quiroga SS, Tschann JM. The disclosure decision: concerns and issues of parents of children conceived through donor insemination. 1998;178:1165-70
- Nadeau DA (see Bennett et al). 1998;178:346-54
- Naef RW III, Allbert JR, Ross EL, Weber BM, Martin RW, Morrison JC. Premature rupture of membranes at 34 to 37 weeks' gestation: aggressive versus conservative management. 1998;178:126-30
- Nakao K (see Yura et al). 1998;178:926-30

- Nappi L (see Nappi et al). 1998;178:610-1
 Nappi RG, Di Naro E, D'Aries AP, Nappi L. Natural pregnancy in hypothyroid woman complicated by spontaneous ovarian hyperstimulation syndrome. 1998;178:610-1
 Natale R (see Richardson et al). 1998;178:572-9
 Nathan DM. The Diabetes Control and Complications Trial Research Group. Pregnancy outcome, Diabetes Control and Complications Trial, and intensive glycemic control. 1998;178:416-7 (Letter reply)
 National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network (see Iams et al). 1998;178:1035-40
 Naylor CD (see Feig et al). 1998;178:386-93
 Neesen J (see Pauer et al). 1998;178:629 (Letter)
 Nelson AL, Sinow RM. Real-time ultrasonographically guided removal of nonpalpable and intramuscular Norplant capsules. 1998;178:1185-93
 Nelson AR. Medicine: Business or profession, art or science? 1998;178:755-8
 Nelson DM (see Anteby et al). 1998;178:469-73
 Nelson DM (see Johnson et al). 1998;178:54-8
 Nelson KB (see Grether et al). 1998;178:1-6
 Nelson RL (see Adams et al). 1998;178:1321-32
 Neriaiah ZB (see Yagel et al). 1998;178:40-4
 Neveux LM (see Palomaki et al). 1998;178:871 (Letter)
 Nevils BG (see Magann et al). 1998;178:1279-87
 Newman RB (see Van Dorsten et al). 1998;178:742-9
 Nguyen NJ (see Ahdoot et al). 1998;178:1116-20
 Nicolaides KH (see Jauniaux et al). 1998;178:765-9
 Nielsen HC. Antenatal factors in relation to neonatal outcome in preterm delivery. 1998;178:630 (Letter reply)
 Nigro MA (see Gonik et al). 1998;178:688-95
 Nijland MJM (see Curran et al). 1998;178:484-90
 Nipper V (see McNeil et al). 1998;178:305-13
 Nisell H (see Divon et al). 1998;178:726-31
 Niskier JA (see Wolfe et al). 1998;178:787-92
 Nodwell A (see Richardson et al). 1998;178:572-9
 North RA (see Schellenberg et al). 1998;178:535-9
 Norton P (see Wall et al). 1998;178:877-9 (Clin. opinion)
 Nussey SS (see Holden et al). 1998;178:551-6
 Nyirjesy PR (see Sobel et al). 1998;178:203-11 (Clin. opinion)

O

- Obermair A, Wanner C, Bilgi S, Speiser P, Kaider A, Reinthaller A, Leodolter S, Gitsch G. Tumor angiogenesis in stage IB cervical cancer: correlation of microvessel density with survival. 1998;178:314-9
 O'Brien SN (see Price et al). 1998;178:101-7
 O'Brien WF (see Lantz et al). 1998;178:255-8
 O'Callaghan S (see Bisits et al). 1998;178:862-6
 O'Connell LP, Fries MH, Zeringue E, Brehm W. Triage of abnormal postmenopausal bleeding: a comparison of endometrial biopsy and transvaginal sonohysterography versus fractional curettage with hysteroscopy. 1998;178:956-61
 Odom-Maryon T (see McGonigle et al). 1998;178:1145-50
 Oellerich M (see Osmer et al). 1998;178:341-5
 Ogawa Y (see Yura et al). 1998;178:926-30
 Ogburn PL Jr (see Adams et al). 1998;178:1321-32
 Okamura M, Kurauchi O, Itakura A, Morikawa S, Suganuma N, Mizutani S, Tomoda Y. Hepatocyte growth factor in human amniotic fluid promotes the migration of fetal small intestinal epithelial cells. 1998;178:175-9
 Olariu N (see Clapp et al). 1998;178:397-401
 Olariu N (see Kett et al). 1998;178:950-5
 Olivennes F (see Fanchin et al). 1998;178:45-9
 Olsen J (see Basso et al). 1998;178:259-63
 Omazic B (see Sennström et al). 1998;178:540-5
 Omoniyi AT (see Clapp et al). 1998;178:397-401
 Omoniyi AT (see Kett et al). 1998;178:950-5
 Ordoñez JL (see Papadopoulos et al). 1998;178:938-42
 Osmer RGW, Schütz E, Diedrich F, Wehry B, Krauß T, Oellerich M, Kuhn W. Increased serum levels of hyaluronic acid in pregnancies complicated by preeclampsia or hemolysis, elevated liver enzymes, and low platelets syndrome. 1998;178:341-5
 Ossandon M (see Spong et al). 1998;178:783-6
 Ott WJ, Mora G, Arias F, Sunderji S, Sheldon G. Comparison of the modified biophysical profile to a "new" biophysical profile incorporating the middle cerebral artery to umbilical artery velocity flow systolic/diastolic ratio. 1998;178:1346-53
 Otterblad PO (see Divon et al). 1998;178:726-31
 Ouzounian JG (see Gherman et al). 1998;178:423-7
 Ouzounian JG (see Gherman et al). 1998;178:609-10
 Ouzounian JG (see Gherman et al). 1998;178:1126-30
 Ovadia Y (see Marom et al). 1998;178:620-1
 Oz UA (see Bahado-Singh et al). 1998;178:779-82
 Özsoylu Ş. Oral megadose methylprednisolone for idiopathic thrombocytopenic purpura. 1998;178:1368 (Letter)

P

- Padian NS (see Korn et al). 1998;178:987-90
 Palomaki GE, Neveux LM, Haddow JE. Current Down syndrome risk estimates are reliable. 1998;178:871 (Letter)
 Pals G (see Zweemer et al). 1998;178:85-90
 Paolucci V (see Volz et al). 1998;178:793-5
 Papadopoulos NA, Van Ballaer PP, Ordoñez JL, Laermans JJ, Vandenbergh K, Lerut TE, Deprest JA. Fetal membrane closure techniques after hysterotomy in the midgestational rabbit model. 1998;178:938-42
 Papiernik E (see Carbonne et al). 1998;178:491-2
 Papp Z (see Tóth et al). 1998;178:1101 (Letter)
 Parer JT (see Ikeda et al). 1998;178:24-32
 Parer JT (see Ikeda et al). 1998;178:474-8
 Park S-D (see Ikeda et al). 1998;178:24-32
 Park S-D (see Ikeda et al). 1998;178:474-8
 Parrilla JJ (see Fiol et al). 1998;178:823-9
 Pasquale SA (see Sinofsky and Pasquale). 1998;178:300-4
 Pasta DJ (see Van Den Eeden et al). 1998;178:91-100
 Paterlini G (see Vergani et al). 1998;178:218-22
 Patton PE, Hess DL, Cook DM, Loriaux DL, Braunstein GD. Human chorionic gonadotropin production by the pituitary gland in a premenopausal woman. 1998;178:1138-42
 Pauer H-U, Neesen J, Hinney B. Factor V Leiden and its relevance in patients with recurrent abortions. 1998;178:629 (Letter)
 Pau RH (see Belai et al). 1998;178:13-9
 Pavan B (see Vesce et al). 1998;178:759-64
 Paz Y (see Zimmer et al). 1998;178:436-40
 Peek MJ (see Bajoria et al). 1998;178:264-9
 Peleg D. The Preterm Prediction Study: recurrence risk of spontaneous preterm birth. 1998;178:1105 (Letter reply)
 Pellicano M (see Zullo et al). 1998;178:108-12
 Pelosi MA (see Pelosi and Pelosi). 1998;178:197 (Letter)
 Pelosi MA III, Pelosi MA. Missed uterine malignancy: a compounding of errors. 1998;178:197 (Letter)
 Penalver M, Mekki Y, Lafferty H, Escobar M, Angioli R. Should sacrospinous ligament fixation for the management of pelvic support defects be part of a residency program procedure? The University of Miami experience. 1998;178:326-9
 Penders RHMJ (see Knapen et al). 1998;178:161-5
 Peng T (see Seeds and Peng). 1998;178:658-69
 Penny JA, Halligan AWF, Shennan AH, Lambert PC, Jones DR, de

- Swiet M, Taylor DJ. Automated, ambulatory, or conventional blood pressure measurement in pregnancy: Which is the better predictor of severe hypertension? 1998;178:521-6
- Penotti M, Sironi L, Miglierina L, Farina M, Barletta L, Gabrielli L, Vignali M. The effect of tamoxifen and transdermal 17β -estradiol on cerebral arterial vessels: a randomized controlled study. 1998;178:801-5
- Pérez-Hoyos S (see Rebagliato et al). 1998;178:568-71
- Perkins RP. Immune to the concept. 1998;178:417-8 (Letter)
- Perry KG Jr, Larmon JE, May WL, Robinette LG, Martin RW. Cervical ripening: a randomized comparison between intravaginal misoprostol and an intracervical balloon catheter combined with intravaginal dinoprostone. 1998;178:1333-40
- Pertl B, Sherlock J, Adinolfi M. Rapid prenatal detection of aneuploidies by fluorescent polymerase chain reaction. 1998;178:1101-2 (Letter reply)
- Peters WA III. Bartholinitis after vulvovaginal surgery. 1998;178:1143-4
- Peters WA III (see Cohn et al). 1998;178:1131-7
- Peters WHM (see Knapen et al). 1998;178:161-5
- Petersen OB (see Glavind-Kristensen et al). 1998;178:892-8
- Peterson HB (see Lepine et al). 1998;178:977-81
- Petrivkovsky B. Emergency symphysiotomy—too little, too late. 1998;178:631 (Letter)
- Pezzullo JC (see Spong et al). 1998;178:783-6
- Phillippe M (see Bieber et al). 1998;178:848-54
- Phillips OP (see Velagelati et al). 1998;178:1313-20
- Piccirillo G (see Tiboni et al). 1998;178:270-9
- Pickar JH, Thorneycroft I, Whitehead M. Effects of hormone replacement therapy on the endometrium and lipid parameters: a review of randomized clinical trials 1985 to 1995. 1998;178:1087-99 (Curr. dev.)
- Pihko H (see Tyni et al). 1998;178:603-8
- Pincus SM (see Matt et al). 1998;178:504-10
- Pinto e Silva JLC (see Faúndes et al). 1998;178:1082-6
- Pitlik S (see Marom et al). 1998;178:620-1
- Pitzus E (see Cauci et al). 1998;178:511-5
- Platt LD, Santulli T Jr, Carlson DE, Greene N, Walla CA. Three-dimensional ultrasonography in obstetrics and gynecology: preliminary experience. 1998;178:1199-206
- Plaxe S (see Buller et al). 1998;178:641-9
- Podratz KC. Gynecologic surgery: an imperiled ballet. 1998;178:1229-34 (Pres. address)
- Polakoski KL (see Johnson et al). 1998;178:54-8
- Polo O (see Polo-Kantola et al). 1998;178:1002-9
- Polo-Kantola P, Erkkola R, Helenius H, Irjala K, Polo O. When does estrogen replacement therapy improve sleep quality? 1998;178:1002-9
- Porreco RP, Sabin ED, Heyborne KD, Lindsay LG. Delayed-interval delivery in multifetal pregnancy. 1998;178:20-3
- Portera JC (see Lipscomb et al). 1998;178:1354-8
- Poskin M (see Yeast et al). 1998;178:131-5
- Possover M, Krause N, Kühne-Heid R, Schneider A. Value of laparoscopic evaluation of paraaortic and pelvic lymph nodes for treatment of cervical cancer. 1998;178:806-10
- Potter DA, Moreno A, Luther MF, Eddy CA, Siler-Khodr TM, King TS, Schenken RS. Effects of follicular-phase cocaine administration on menstrual and ovarian cyclicity in rhesus monkeys. 1998;178:118-25
- Powrie RO, Larson L, Rosene-Montella K, Abarca M, Barbour L, Trujillo N. Alveolar-arterial oxygen gradient in acute pulmonary embolism in pregnancy. 1998;178:394-6
- Price TM, O'Brien SN, Welter BH, George R, Anandjiwala J, Kilgore M. Estrogen regulation of adipose tissue lipoprotein lipase—possible mechanism of body fat distribution. 1998;178:101-7
- Proverbio F (see Matteo et al). 1998;178:402-8
- Proverbio T (see Matteo et al). 1998;178:402-8
- Pun TC, Lee CP, Lao TT. The Preterm Prediction Study: recurrence risk of spontaneous preterm birth. 1998;178:1105 (Letter)
- Pürstner P (see Weiss et al). 1998;178:830-5

Q

- Quadrifoglio F (see Cauci et al). 1998;178:511-5
- Queenan JT. What is a good physician in this new era? 1998;178:750-1
- Quesada T (see Fiol et al). 1998;178:823-9
- Quilligan EJ (see Ikeda et al). 1998;178:24-32
- Quilligan EJ (see Ikeda et al). 1998;178:474-8
- Quiroga SS (see Nachtigall et al). 1998;178:1165-70

R

- Rajkovic A (see Malinow et al). 1998;178:228-33
- Ramin SM (see Alexander et al). 1998;178:516-20
- Ramsden CA (see Berger et al). 1998;178:223-7
- Rand JH (see Louis-Sylvestre et al). 1998;178:287-93
- Ransom SB (see McNeeley et al). 1998;178:1272-8
- Rath W (see Winkler et al). 1998;178:557-61
- Rebagliato M, Bolívar F, Florey C du V, Jarvis MJ, Pérez-Hoyos S, Hernández-Aguado I, Aviñó MJ. Variations in cotinine levels in smokers during and after pregnancy. 1998;178:568-71
- Rebeck TR (see Rubin et al). 1998;178:670-7
- Rechitsky S (see Strom et al). 1998;178:1298-306
- Reed BD (see Sobel et al). 1998;178:203-11 (Clin. opinion)
- Reeves WC (see Adam et al). 1998;178:1235-44
- Reinhaller A (see Obermair et al). 1998;178:314-9
- Reisenberger K, Egarter C, Knöfler M, Schiebel I, Gregor H, Hirschl AM, Heinze G, Husslein P. Cytokine and prostaglandin production by amnion cells in response to the addition of different bacteria. 1998;178:50-3
- Reisenberger K (see Leitich et al). 1998;178:899-908
- Revilla M (see Aguado et al). 1998;178:1016-21
- Reynolds HT (see Chen et al). 1998;178:499-503
- Richards DS (see Signore et al). 1998;178:336-40
- Richardson B, Nodwell A, Webster K, Alshimmiri M, Gagnon R, Natale R. Fetal oxygen saturation and fractional extraction at birth and the relationship to measures of acidosis. 1998;178:572-9
- Richart RM (see Wright et al). 1998;178:962-6
- Rickert VI (see Berenson et al). 1998;178:1341-5
- Rico H (see Aguado et al). 1998;178:1016-21
- Righini C (see Fanchin et al). 1998;178:45-9
- Roberts JM (see Iams et al). 1998;178:1035-40
- Roberts JM (see Meis et al). 1998;178:562-7
- Robertson PA, Huang LJ, Croughan-Minihane MS, Kilpatrick SJ. Is there an association between water baths during labor and the development of chorioamnionitis or endometritis? 1998;178:1215-21
- Robinette LG (see Perry et al). 1998;178:1333-40
- Robinson A (see Brown et al). 1998;178:836-42
- Rodland KD (see McNeil et al). 1998;178:305-13
- Roman-Drago NM (see Smigaj et al). 1998;178:1041-7
- Romero R (see Chervenak et al). 1998;178:678-87
- Romney AD (see Walsh et al). 1998;178:7-12
- Roossin MC (see Asrat et al). 1998;178:1194-8
- Rose GS (see Ahdoot et al). 1998;178:1116-20
- Rosendaal FR (see Vandenbroucke et al). 1998;178:1106-7 (Letter reply)
- Rosene-Montella K (see Powrie et al). 1998;178:394-6
- Rosenstein I (see Taylor-Robinson and Rosenstein). 1998;178:415 (Letter)
- Rosenwaks Z (see Chervenak et al). 1998;178:678-87
- Ross EL (see Naef et al). 1998;178:126-30

- Ross MG (see Curran et al). 1998;178:484-90
 Rossman KM (see Gonik et al). 1998;178:688-95
 Roy S (see McGonigle et al). 1998;178:1145-50
 Rubin SC, Blackwood MA, Bandera C, Behbakht K, Benjamin I, Rebbeck TR, Boyd J. BRCA1, BRCA2, and hereditary nonpolyposis colorectal cancer gene mutations in an unselected ovarian cancer population: relationship to family history and implications for genetic testing. 1998;178:670-7
 Rubinstein A (see Burns et al). 1998;178:355-9
 Ruck P (see Winkler et al). 1998;178:557-61
 Russell TL (see Adams et al). 1998;178:843-7
 Rybakowski C (see Tchirikov et al). 1998;178:943-9
 Rydhstroem H. Gestational duration in the pregnancy after a preterm twin delivery. 1998;178:136-9
 Ryskin M (see Spitzer et al). 1998;178:74-9
- S
- Saade GR (see Buhimchi et al). 1998;178:811-22
 Saade GR (see Jain et al). 1998;178:186-91
 Sabaj V (see Leible et al). 1998;178:1048-53
 Sabin ED (see Porreco et al). 1998;178:20-3
 Sadovsky Y (see Anteby et al). 1998;178:469-73
 Sadovsky Y (see Johnson et al). 1998;178:54-8
 Safari HR, Alsulyman OM, Gherman RB, Goodwin TM. Experience with oral methylprednisolone in the treatment of refractory hyperemesis gravidarum. 1998;178:1054-8
 Sagawa N (see Yura et al). 1998;178:926-30
 Sagie A (see Marom et al). 1998;178:620-1
 Salafia CM (see Louis-Sylvestre et al). 1998;178:287-93
 Samadi R (see Incerpi et al). 1998;178:1121-5
 Samsioe G. Urogenital aging—a hidden problem. 1998;178:S245-9
 Sandmire HF. The labor-adjusted cesarean section: a more informative method than the cesarean section "rate" for assessing a practitioner's labor and delivery skills. 1998;178:196 (Letter)
 Sangueza J (see Bieber et al). 1998;178:848-54
 Sanseverino M (see Bieber et al). 1998;178:848-54
 Santa J (see Kirk et al). 1998;178:1222-8
 Santoro N, Banwell T, Tortoriello D, Lieman H, Adel T, Skurnick J. Effects of aging and gonadal failure on the hypothalamic-pituitary axis in women. 1998;178:732-41
 Santulli T Jr (see Platt et al). 1998;178:1199-206
 Saraiya M, Berg CJ, Kendrick JS, Strauss LT, Atrash HK, Ahn YW. Cigarette smoking as a risk factor for ectopic pregnancy. 1998;178:493-8
 Sato I (see Minakami and Sato). 1998;178:624 (Letter)
 Schachter J (see Korn et al). 1998;178:987-90
 Schaeff B (see Volz et al). 1998;178:793-5
 Schellenberg J-C, North RA, Taylor R, Zhou RL. Secretory component of immunoglobulin A in maternal serum and the prediction of preterm delivery. 1998;178:535-9
 Schenken RS (see Potter et al). 1998;178:118-25
 Schiebel I (see Reisenberger et al). 1998;178:50-3
 Schlaeth J (see Buchanan et al). 1998;178:1177-84
 Schmidt R (see Cohn et al). 1998;178:1131-7
 Schneider A. Endometrial cancer represents a contraindication for classic intrafascial supracervical hysterectomy by laparoscopy. 1998;178:628-9 (Letter reply)
 Schneider A. Missed uterine malignancy: a compounding of errors. 1998;178:197-8 (Letter reply)
 Schneider A (see Possover et al). 1998;178:806-10
 Schneider A (see Sethi et al). 1998;178:360-4
 Schröder HJ (see Tchirikov et al). 1998;178:943-9
 Schulsinger C (see Klebanoff et al). 1998;178:1022-6
 Schütz E (see Osmer et al). 1998;178:341-5
 Schwartz R, Teramo KA. Pregnancy outcome, Diabetes Control and Complications Trial, and intensive glycemic control. 1998;178:416 (Letter)
 Scalfani SJ (see Abulafia et al). 1998;178:618-20
 Scott JR. Integrity and common sense in medicine. 1998;178:635-40 (Pres. address)
 Secher NJ (see Klebanoff et al). 1998;178:1022-6
 Seeds JW, Peng T. Impaired growth and risk of fetal death: Is the tenth percentile the appropriate standard? 1998;178:658-69
 Seelbach-Göebel B (see Kühnert et al). 1998;178:330-5
 Sehdev HM. Predictive factors for neonatal morbidity in neonates with an umbilical arterial cord pH <7.00. 1998;178:873 (Letter reply)
 Sehdev HM, Macones GA, Morgan MA. Apgar scores. 1998;178:1103-4 (Letter reply)
 Selvin S (see Grether et al). 1998;178:1-6
 Semenza GL (see Martin et al). 1998;178:527-34
 Sennström MB, Granström LM, Lockwood CJ, Omazic B, Johansson O, Malmström A, Ekman GE. Cervical fetal fibronectin correlates to prostaglandin E₂-induced cervical ripening and can be identified in cervical tissue. 1998;178:540-5
 Sepulveda W (see Leible et al). 1998;178:1048-53
 Sethi S, Müller M, Schneider A, Blettner M, Smith E, Turek L, Wahrendorf J, Gissmann L, Chang-Claude J. Serologic response to the E4, E6, and E7 proteins of human papillomavirus type 16 in pregnant women. 1998;178:360-4
 Settlege RH (see Incerpi et al). 1998;178:1121-5
 Shaffer S (see Yeast et al). 1998;178:131-5
 Shaw SL (see McGonigle et al). 1998;178:1145-50
 Sheldon G (see Ott et al). 1998;178:1346-53
 Shennan AH (see Penny et al). 1998;178:521-6
 Sherer DM (see Abulafia et al). 1998;178:618-20
 Sherlock J (see Pertl et al). 1998;178:1101-2 (Letter reply)
 Shi S-Q (see Jain et al). 1998;178:186-91
 Shields LE, Andrews RG. Gestational age changes in circulating CD34⁺ hematopoietic stem/progenitor cells in fetal cord blood. 1998;178:931-7
 Shifrin A (see Spitzer et al). 1998;178:74-9
 Shimonovitz S, Hurwitz A, Hochner-Celnikier D, Dushnik M, Anteby E, Yagel S. Expression of gelatinase B by trophoblast cells: down-regulation by progesterone. 1998;178:457-61
 Shiono PH (see Klebanoff et al). 1998;178:1022-6
 Shipp TD, Benacerraf BR. The significance of prenatally identified isolated clubfoot: Is amniocentesis indicated? 1998;178:600-2
 Sholl JS (see Adams et al). 1998;178:843-7
 Shulman LP (see Velagelati et al). 1998;178:1313-20
 Sibai BM, Levine R, Ewell M. Diastolic blood pressure and onset of preeclampsia. 1998;178:870-1 (Letter reply)
 Signore CC, Sood AK, Richards DS. Second-trimester vaginal bleeding: correlation of ultrasonographic findings with perinatal outcome. 1998;178:336-40
 Siler-Khodr TM (see Potter et al). 1998;178:118-25
 Silver RK (see Adams et al). 1998;178:843-7
 Simonian S (see Clapp et al). 1998;178:594-9
 Simpson JF (see McGonigle et al). 1998;178:1145-50
 Sinofsky FE, Pasquale SA. The effect of fluconazole on circulating ethinyl estradiol levels in women taking oral contraceptives. 1998;178:300-4
 Sinow RM (see Nelson and Sinow). 1998;178:1185-93
 Sironi L (see Penotti et al). 1998;178:801-5
 Skilling JS (see Buller et al). 1998;178:641-9
 Skor A (see MacDonald et al). 1998;178:1264-71
 Skupski DW (see Chervenak et al). 1998;178:678-87
 Skurnick J (see Santoro et al). 1998;178:732-41
 Smigaj D, Roman-Drago NM, Amini SB, Caritis SN, Kalhan SC, Catalano PM. The effect of oral terbutaline on maternal glucose metabolism and energy expenditure in pregnancy. 1998;178:1041-7

- Smith E (see Sethi et al). 1998;178:360-4
Smith GN, Walker MC. Immune to the concept. 1998;178:418 (Letter reply)
Smith MR (see Cohn et al). 1998;178:1131-7
Smith R (see Bisits et al). 1998;178:862-6
Smith SK (see Khan et al). 1998;178:1027-34
Smith-Levitin M (see Chervenak et al). 1998;178:678-87
Smith-McCune K (see Suh-Burgmann et al). 1998;178:991-5
Smolich JJ (see Berger et al). 1998;178:223-7
Sobel JD, Faro S, Force RW, Foxman B, Ledger WJ, Nyirjesy PR, Reed BD, Summers PR. Vulvovaginal candidiasis: epidemiologic, diagnostic, and therapeutic considerations. 1998;178:203-11 (Clin. opinion)
Socol ML (see MacDonald et al). 1998;178:1264-71
Soldani R (see Cagnacci et al). 1998;178:140-5
Sood AK (see Buller et al). 1998;178:641-9
Sood AK (see Signore et al). 1998;178:336-40
Spaziani EP (see Lantz et al). 1998;178:255-8
Speiser P (see Obermair et al). 1998;178:314-9
Spellacy WN (see Jazayeri et al). 1998;178:433-5
Spitzer M, Chernys AE, Shifrin A, Ryskin M. Indications for cone biopsy: pathologic correlation. 1998;178:74-9
Spitzer WO (see Heinemann et al). 1998;178:1105-6 (Letter)
Spong CY, Ghidini A, Ossandon M, Walker CN, Pezzullo JC. Are the cytokines interleukin-6 and angiogenin stable in frozen amniotic fluid? 1998;178:783-6
Steevers EAP (see Knapen et al). 1998;178:161-5
Stockbauer JW (see Yeast et al). 1998;178:131-5
Stolar Z (see Bornstein et al). 1998;178:80-4
Stratman T (see Bieber et al). 1998;178:848-54
Strauss LT (see Saraiya et al). 1998;178:493-8
Strobel N (see Vergani et al). 1998;178:218-22
Strom CM, Ginsberg N, Rechitsky S, Cieslak J, Ivakhenko V, Wolf G, Lifchez A, Moise J, Valle J, Kaplan B, White M, Barton J, Kuliev A, Verlinsky Y. Three births after preimplantation genetic diagnosis for cystic fibrosis with sequential first and second polar body analysis. 1998;178:1298-306
Sturgeon C (see Aparicio et al). 1998;178:1059-66
Suganuma N (see Okamura et al). 1998;178:175-9
Suh-Burgmann E, Darragh T, Smith-McCune K. Atypical squamous cells of undetermined significance: management patterns at an academic medical center. 1998;178:991-5
Summers PR (see Sobel et al). 1998;178:203-11 (Clin. opinion)
Sunderji S (see Ott et al). 1998;178:1346-53
Swails TL (see Batton et al). 1998;178:909-15
Szabó I, Halvax L, Kiss T. Clinical value of intrapartum fetal pulse oximetry in cases complicated with meconium-stained amniotic fluid. 1998;178:1100 (Letter)
Szeto HH (see Clapp et al). 1998;178:397-401
Szeto HH (see Kett et al). 1998;178:950-5

T

- Takakuwa K (see Tojo et al). 1998;178:180-5
Tamimi HK (see Cohn et al). 1998;178:1131-7
Tamussino KF, Lang PFJ, Breinl E. Ureteral complications with operative gynecologic laparoscopy. 1998;178:967-70
Tanaka K (see Tojo et al). 1998;178:180-5
Taylor DJ (see Penny et al). 1998;178:521-6
Taylor R (see Schellenberg et al). 1998;178:535-9
Taylor-Robinson D, Rosenstein I. Vaginal flora changes associated with *Mycoplasma hominis*. 1998;178:415 (Letter)
Tchirikov M, Rybakowski C, Hüneke B, Schröder HJ. Blood flow through the ductus venosus in singleton and multifetal pregnancies and in fetuses with intrauterine growth retardation. 1998;178:943-9

- Teigen GA (see Chen et al). 1998;178:499-503
Teramo KA (see Schwartz and Teramo). 1998;178:416 (Letter)
Tewari DS (see Ahdoot et al). 1998;178:1116-20
Thaler HT (see Chervenak et al). 1998;178:678-87
Tharapel AT (see Velagelati et al). 1998;178:1313-20
Tharapel SA (see Velagelati et al). 1998;178:1313-20
Thom E, Das A. Statisticians' advice to obstetricians. 1998;178:192-3 (Letter)
Thom E (see Iams et al). 1998;178:1035-40
Thorneycroft I (see Pickar et al). 1998;178:1087-99 (Curr. dev.)
Thorp JM Jr, Wells SR, Wiest HH, Jeffries L, Lyles E. First-trimester diagnosis of placenta previa percreta by magnetic resonance imaging. 1998;178:616-8
Thorsen P, Jensen IP, Jeune B, Ebbesen N, Arpi M, Bremmelgaard A, Møller BR. Few microorganisms associated with bacterial vaginosis may constitute the pathologic core: a population-based microbiologic study among 3596 pregnant women. 1998;178:580-7
Thurnau GR (see Iams et al). 1998;178:1035-40
Thurnau GR (see Meis et al). 1998;178:562-7
Tiboni GM, Iammarrone E, Piccirillo G, Liberati M, Bellati U. Aspirin pretreatment potentiates hyperthermia-induced teratogenesis in the mouse. 1998;178:270-9
Timor-Tritsch IE. Is it safe to use methotrexate for selective injection in heterotopic pregnancy? 1998;178:193-4 (Letter)
Tjalma W, De Cuyper E, Weyler J, Van Marck E, De Pooter C, Albertyn G, van Dam P. Expression of *bcl-2* in invasive and in situ carcinoma of the uterine cervix. 1998;178:113-7
Tojo Y, Kurabayashi T, Honda A, Yamamoto Y, Yahata T, Takakuwa K, Tanaka K. Bone structural and metabolic changes at the end of pregnancy and lactation in rats. 1998;178:180-5
Tomoda Y (see Okamura et al). 1998;178:175-9
Tortoriello D (see Santoro et al). 1998;178:732-41
Tóth T, Papp Z, Findlay I. Rapid prenatal detection of aneuploidies by fluorescent polymerase chain reaction. 1998;178:1101 (Letter)
Trudinger B (see Wang et al). 1998;178:146-9
Trujillo N (see Powrie et al). 1998;178:394-6
Tschan JM (see Nachtigall et al). 1998;178:1165-70
Tsibris JCM (see Jazayeri et al). 1998;178:433-5
Tucker MJ. Multiple pregnancy rates in in vitro fertilization: three embryos is too many for good-prognosis patients. 1998;178:1369 (Letter reply)
Tucker MJ (see Bennett et al). 1998;178:346-54
Turek L (see Sethi et al). 1998;178:360-4
Tyni T, Ekholm E, Pihko H. Pregnancy complications are frequent in long-chain 3-hydroxyacyl-coenzyme A dehydrogenase deficiency. 1998;178:603-8

U

- Ulmsten U (see Çiray et al). 1998;178:855-61
Upson BM (see Malinow et al). 1998;178:228-33

V

- Vaginal Infections and Prematurity Study Group (see Cotch et al). 1998;178:374-80
Valle J (see Strom et al). 1998;178:1298-306
Van Ballaer PP (see Papadopoulos et al). 1998;178:938-42
van Dam P (see Tjalma et al). 1998;178:113-7
Vandenbergh K (see Papadopoulos et al). 1998;178:938-42
Vandenbroucke JP, Rosendaal FR, Helmerhorst FM. Scientific problems with a noncausal artifact. 1998;178:1106-7 (Letter reply)
Van Den Eeden SK, Glasser M, Mathias SD, Colwell HH, Pasta DJ, Kunz K. Quality of life, health care utilization, and costs among women undergoing hysterectomy in a managed-care setting. 1998;178:91-100

- van Diest PJ (*see* Zweemer et al). 1998;178:85-90
- VanDorsten JP, Hulsey TC, Newman RB, Menard MK. Fetal anomaly detection by second-trimester ultrasonography in a tertiary center. 1998;178:742-9
- van Hoffen G (*see* Lunshof et al). 1998;178:247-54
- Van Marck E (*see* Tjalma et al). 1998;178:113-7
- Van Nostrand KM (*see* Ahdoot et al). 1998;178:1116-20
- Vartiainen E (*see* Luoto et al). 1998;178:66-73
- Vasilev SA (*see* McGonigle et al). 1998;178:1145-50
- Vedernikov YP (*see* Jain et al). 1998;178:186-91
- Velagelati GVN, Shulman LP, Phillips OP, Tharapel SA, Tharapel AT. Primed in situ labeling for rapid prenatal diagnosis. 1998;178:1313-20
- Veldhuis JD (*see* Matt et al). 1998;178:504-10
- Vergani P, Locatelli A, Strobel N, Cavallone M, Ceruti P, Paterlini G, Ghidini A. Clinical outcome of mild fetal ventriculomegaly. 1998;178:218-22
- Verheijen RHM (*see* Zweemer et al). 1998;178:85-90
- Verlinsky Y (*see* Strom et al). 1998;178:1298-306
- Vermillion ST. Fetal ductus arteriosus constriction, indomethacin, and gestational age. 1998;178:626 (Letter reply)
- Vermillion ST. Indomethacin tocolysis. 1998;178:198 (Letter reply)
- Versi E (*see* Wall et al). 1998;178:877-9 (Clin. opinion)
- Verweij BH (*see* Gonik et al). 1998;178:688-95
- Vesce F, Buzzi M, Ferretti ME, Pavan B, Bianciotto A, Jorizzo G, Biondi C. Inhibition of amniotic prostaglandin E release by ampicillin. 1998;178:759-64
- Vignali M (*see* Penotti et al). 1998;178:801-5
- Villa LF (*see* Aguado et al). 1998;178:1016-21
- Volante M (*see* Fanchin et al). 1998;178:45-9
- Volpe A (*see* Cagnacci et al). 1998;178:140-5
- Volz J, Köster S, Schaeff B, Paolucci V. Laparoscopic surgery: the effects of insufflation gas on tumor-induced lethality in nude mice. 1998;178:793-5
- Vosatka RJ, Hassoun PM, Harvey-Wilkes KB. Dietary L-arginine prevents fetal growth restriction in rats. 1998;178:242-6
- W
- Wada N (*see* Jobe et al). 1998;178:880-5
- Wadsworth LD (*see* Grange et al). 1998;178:156-60
- Wahrendorf J (*see* Sethi et al). 1998;178:360-4
- Walker AM (*see* Berger et al). 1998;178:223-7
- Walker CN (*see* Spong et al). 1998;178:783-6
- Walker MC (*see* Smith and Walker). 1998;178:418 (Letter reply)
- Wall LL, Versi E, Norton P, Bump R. Evaluating the outcome of surgery for pelvic organ prolapse. 1998;178:877-9 (Clin. opinion)
- Walla CA (*see* Platt et al). 1998;178:1199-206
- Walsh MD (*see* Walsh et al). 1998;178:7-12
- Walsh SW, Romney AD, Wang Y, Walsh MD. Magnesium sulfate attenuates peroxide-induced vasoconstriction in the human placenta. 1998;178:7-12
- Walther FJ (*see* Belai et al). 1998;178:13-9
- Walton R (*see* Leible et al). 1998;178:1048-53
- Wang J, Mimuro S, Lahoud R, Trudinger B, Wang XL. Elevated levels of lipoprotein(a) in women with preeclampsia. 1998;178:146-9
- Wang XL (*see* Wang et al). 1998;178:146-9
- Wang Y (*see* Walsh et al). 1998;178:7-12
- Wanner C (*see* Obermair et al). 1998;178:314-9
- Waters D (*see* Burns et al). 1998;178:355-9
- Watts DH, Koutsky LA, Holmes KK, Goldman D, Kuypers J, Kiviat NB, Galloway DA. Low risk of perinatal transmission of human papillomavirus: results from a prospective cohort study. 1998;178:365-73
- Wax JR, Gallagher MW, Eggleston MK. Adjunctive color Doppler ultrasonography in second-trimester transabdominal amniocentesis. 1998;178:622-3
- Weber AM. Evaluation of postmenopausal bleeding. 1998;178:870 (Letter reply)
- Weber AM. Postmenopausal bleeding: cost-effective evaluation. 1998;178:1370 (Letter reply)
- Weber BM (*see* Naef et al). 1998;178:126-30
- Webster K (*see* Richardson et al). 1998;178:572-9
- Wehrmann M (*see* Winkler et al). 1998;178:557-61
- Wehry B (*see* Osmers et al). 1998;178:341-5
- Weiner Z (*see* Zimmer et al). 1998;178:436-40
- Weiss PAM, Haeusler M, Kainer F, Pürstner P, Haas J. Toward universal criteria for gestational diabetes: relationships between seventy-five and one hundred gram glucose loads and between capillary and venous glucose concentrations. 1998;178:830-5
- Welch GE, Gabbe SG. Databases and the statistical usage of (perinatal) results. 1998;178:193 (Letter reply)
- Welch GE, Gabbe SG. Statisticians' advice to obstetricians. 1998;178:193 (Letter reply)
- Wells SR (*see* Thorp et al). 1998;178:616-8
- Welter BH (*see* Price et al). 1998;178:101-7
- Wen SW (*see* Lei et al). 1998;178:916-21
- Wenstrom KD, Andrews WW, Hauth JC, Goldenberg RL, DuBard MB, Cliver SP. Elevated second-trimester amniotic fluid interleukin-6 levels predict preterm delivery. 1998;178:546-50
- Werschkul JD (*see* Hoeldtke et al). 1998;178:612-3
- Westgren M (*see* Divon et al). 1998;178:726-31
- Westrom L (*see* Lepine et al). 1998;178:977-81
- Weyler J (*see* Tjalma et al). 1998;178:113-7
- White M (*see* Strom et al). 1998;178:1298-306
- Whitehead M (*see* Pickar et al). 1998;178:1087-99 (Curr. dev.)
- Whitley GS (*see* Holden et al). 1998;178:551-6
- Wiemann CM (*see* Berenson et al). 1998;178:1341-5
- Wiest HH (*see* Thorp et al). 1998;178:616-8
- Wigton TR (*see* Lemen et al). 1998;178:1251-6
- Williams KP, Galerneau F, Wilson S. Effect of labor on maternal cerebral blood flow velocity. 1998;178:59-61
- Williams SB (*see* Golditch et al). 1998;178:1157-64
- Williamson R (*see* Yankowitz et al). 1998;178:446-50
- Willoughby A (*see* Burns et al). 1998;178:355-9
- Wilson S (*see* Williams et al). 1998;178:59-61
- Winkler M, Ruck P, Horny H-P, Wehrmann M, Kemp B, Kaiserling E, Rath W. Expression of cell adhesion molecules by endothelium in the human lower uterine segment during parturition at term. 1998;178:557-61
- Winkler UH (*see* Heinemann et al). 1998;178:1105-6 (Letter)
- Wolf G (*see* Strom et al). 1998;178:1298-306
- Wolf H (*see* Lunshof et al). 1998;178:247-54
- Wolfe BMJ, Koval JJ, Nisker JA. Effects of adding C-19 versus C-21 progestin to conjugated estrogen in moderately hypercholesterolemic postmenopausal women. 1998;178:787-92
- Wong WW (*see* Highman et al). 1998;178:1010-5
- Wright DJ (*see* Burns et al). 1998;178:355-9
- Wright HJ. The female perspective: women's attitudes toward urogenital aging. 1998;178:S250-3
- Wright TC Jr, Lorincz A, Ferris DG, Richart RM, Ferenczy A, Mielzynska I, Borgatta L. Reflex human papillomavirus deoxyribonucleic acid testing in women with abnormal Papanicolaou smears. 1998;178:962-6
- Wu D (*see* Clapp et al). 1998;178:397-401
- Wu D (*see* Kett et al). 1998;178:950-5
- Wu R (*see* Cohn et al). 1998;178:1131-7
- Wu S-y, Fisher DA, Huang W-s, Beck-Peccoz P, Emerson CH, Kuo S-

w, Chen W-l. Urinary compound W in pregnant women is a potential marker for fetal thyroid function. 1998;178:886-91

Y

- Yagel S, Anteby EY, Hochner-Celnikier D, Ariel I, Chaap T, Neria ZB. The role of midtrimester targeted fetal organ screening combined with the "triple test" and maternal age in the diagnosis of trisomy 21: a retrospective study. 1998;178:40-4
- Yagel S (see Shimonovitz et al). 1998;178:457-61
- Yahata T (see Tojo et al). 1998;178:180-5
- Yamamoto Y (see Tojo et al). 1998;178:180-5
- Yankowitz J, Fulton A, Williamson R, Grant SS, Budelier WT. Prospective evaluation of prenatal maternal serum screening for trisomy 18. 1998;178:446-50
- Yeast JD, Poskin M, Stockbauer JW, Shaffer S. Changing patterns in regionalization of perinatal care and the impact on neonatal mortality. 1998;178:131-5
- Yen SSC (see Kettel et al). 1998;178:1151-6
- Yon JL (see Cohn et al). 1998;178:1131-7
- Younis JS. Factor V Leiden—a novel etiology of the long-standing thrombosis theory for recurrent pregnancy loss. 1998;178:1107 (Letter)

Yu AY (see Martin et al). 1998;178:527-34

Yura S, Sagawa N, Mise H, Mori T, Masuzaki H, Ogawa Y, Nakao K. A positive umbilical venous-arterial difference of leptin level and its rapid decline after birth. 1998;178:926-30

Z

- Zaino RJ (see Creasman et al). 1998;178:62-5
- Zeringue E (see O'Connell et al). 1998;178:956-61
- Zhou RL (see Schellenberg et al). 1998;178:535-9
- Zimmer EZ, Paz Y, Copel JA, Weiner Z. The effect of uterine contractions on intrapartum fetal heart rate analyzed by a computerized system. 1998;178:436-40
- Zinaman M (see Durkee et al). 1998;178:1288-97
- Zullo F, Pellicano M, De Stefano R, Zupi E, Mastrantonio P. A prospective randomized study to evaluate leuprolide acetate treatment before laparoscopic myomectomy: efficacy and ultrasonographic predictors. 1998;178:108-12
- Zupi E (see Zullo et al). 1998;178:108-12
- Zweemer RP, Verheijen RHM, Gille JJP, van Diest PJ, Pals G, Menko FH. Clinical and genetic evaluation of thirty ovarian cancer families. 1998;178:85-90

Subject index*

A

Abdomen

Uterine activity during pregnancy and labor assessed by simultaneous recordings from the myometrium and abdominal surface in the rat (Buhimschi et al). 1998;178:811-22

Abnormalities

Aspirin pretreatment potentiates hyperthermia-induced teratogenesis in the mouse (Tiboni et al). 1998;178:270-9

Fetal anomaly detection by second-trimester ultrasonography in a tertiary center (VanDorsten et al). 1998;178:742-9

Subtle ultrasonographic anomalies: Do they improve the Down syndrome detection rate? (Deren et al). 1998;178:441-5

Three-dimensional ultrasonography in obstetrics and gynecology: preliminary experience (Platt et al). 1998;178:1199-206

Abortion

Is it safe to use methotrexate for selective injection in heterotopic pregnancy? (Timor-Tritsch) (Letter); (Baker) (Reply). 1998;178:193-4

Prior pregnancy outcome and the risk of intraamniotic infection in the following pregnancy (Krohn et al). 1998;178:381-5

Abortion, habitual

Factor V Leiden—a novel etiology of the long-standing thrombosis theory for recurrent pregnancy loss (Younis) (Letter); (Dizon-Townson) (Reply). 1998;178:1107-8

Factor V Leiden and its relevance in patients with recurrent abortions (Pauer et al). 1998;178:629 (Letter)

Abstracts

Abstracts of the Society of Perinatal Obstetricians. 1998;178:S1-242

Academic medical centers

Atypical squamous cells of undetermined significance: management patterns at an academic medical center (Suh-Burgmann et al). 1998;178:991-5

Integrity and common sense in medicine (Scott). 1998;178:635-40 (Pres. address)

Acidosis

Fetal oxygen saturation and fractional extraction at birth and the relationship to measures of acidosis (Richardson et al). 1998;178:572-9

Metabolic acidosis and newborn complications: Is a univariate threshold appropriate? (Farina et al) (Letter); (Low and Lam) (Reply). 1998;178:1102-3

Umbilical arteriovenous PO_2 and PCO_2 differences and neonatal morbidity in term infants with severe acidosis (Belai et al). 1998;178:13-9

*January, part 1, 1-202; part 2, S1-S242; February, 203-420; March, 421-634; April, 635-876; May, 877-1110, S243-S260; June, 1111-1434. The index to the Society of Perinatal Obstetricians meeting abstracts is located in the January, part 2, issue.

Acquired immunodeficiency syndrome

The influence of pregnancy on human immunodeficiency virus type 1 infection: antepartum and postpartum changes in human immunodeficiency virus type 1 viral load (Burns et al). 1998;178:355-9

Adenocarcinoma

Adenocarcinoma of the uterine cervix metastatic to lymph nodes (Cohn et al). 1998;178:1131-7

Adenosine triphosphatase

Preeclampsia, lipid peroxidation, and calcium adenosine triphosphatase activity of red blood cell ghosts (Matteo et al). 1998;178:402-8

Adhesions

Laparoscopy versus laparotomy: an evaluation of adhesion formation after pelvic and paraaortic lymphadenectomy in a porcine model (Chen et al). 1998;178:499-503

Adipose tissue

Estrogen regulation of adipose tissue lipoprotein lipase—possible mechanism of body fat distribution (Price et al). 1998;178:101-7

Administration, intravaginal

Cervical ripening: a randomized comparison between intravaginal misoprostol and an intracervical balloon catheter combined with intravaginal dinoprostone (Perry et al). 1998;178:1333-40

Administration, oral

The effect of oral terbutaline on maternal glucose metabolism and energy expenditure in pregnancy (Smigaj et al). 1998;178:1041-7

Experience with oral methylprednisolone in the treatment of refractory hyperemesis gravidarum (Safari et al). 1998;178:1054-8

Oral megadose methylprednisolone for idiopathic thrombocytopenic purpura (Özsoylu) (Letter); (Goodwin) (Reply). 1998;178:1368

Administration, topical

Clobetasol dipropionate 0.05% versus testosterone propionate 2% topical application for severe vulvar lichen sclerosus (Bornstein et al). 1998;178:80-4

Adnexitis

Severity of pelvic inflammatory disease as a predictor of the probability of live birth (Lepine et al). 1998;178:977-81

Medically sound, cost-effective treatment for pelvic inflammatory disease and tuboovarian abscess. (McNeeley et al). 1998;178:1272-8

Adolescent pregnancy; see Pregnancy in adolescence

Adrenal cortex hormones

Collaborative trial of prenatal thyrotropin-releasing hormone and corticosteroids for prevention of respiratory distress syndrome (Collaborative Santiago Surfactant Group). 1998;178:33-9

Adrenergic receptors; see Receptors, adrenergic

Africa

Higher endothelin concentrations in the fetoplacental unit of pregnant women of African ancestry (Carbonne et al). 1998;178:491-2

Age factors

- Characteristics of luteinizing hormone secretion in younger versus older premenopausal women (Matt et al). 1998;178:504-10
Indications for cone biopsy: pathologic correlation (Spitzer et al). 1998;178:74-9

Aging

- The clinical platform for the 17 β -estradiol vaginal releasing ring (Bachmann). 1998;178:S257-60
Effects of aging and gonadal failure on the hypothalamic-pituitary axis in women (Santoro et al). 1998;178:732-41
The female perspective: women's attitudes toward urogenital aging (Wright). 1998;178:S250-3
Towards better recognition of urogenital aging: chairman's introduction (Nachtigall). 1998;178:S243-4
Urogenital aging—creation of improved awareness (Dören). 1998;178:S254-6
Urogenital aging—a hidden problem (Samsioe). 1998;178:S245-9

Alanine aminotransferase

- Plasma glutathione S-transferase Alpha 1-1: a more sensitive marker for hepatocellular damage than serum alanine aminotransferase in hypertensive disorders of pregnancy (Knapen et al). 1998;178:161-5

Alpha fetoproteins

- Current Down syndrome risk estimates are reliable (Palomaki et al) (Letter); (Chik and Evans) (Reply). 1998;178:871-2

Alveolar-arterial oxygen gradient; see Blood gas analysis

Ambulatory care

- Perinatal outcome associated with outpatient management of triplet pregnancy (Adams et al). 1998;178:843-7

The American Board of Obstetrics and Gynecology

- New certifications: principal specialty 1998;178:1375-85

The American Gynecological and Obstetrical Society

- Transactions of the sixteenth annual meeting of The American Gynecological and Obstetrical Society. 1998;178:635-758

American Journal of Obstetrics and Gynecology

- Databases and the statistical usage of (perinatal) results (Egberts) (Letter); (Welch and Gabbe) (Reply). 1998;178:192-3
Never cite sight unseen (Gordon). 1998;178:627 (Letter)
Statisticians' advice to obstetricians (Thom and Das) (Letter); (Welch and Gabbe) (Reply). 1998;178:192-3

Amniocentesis

- The significance of prenatally identified isolated clubfoot: Is amniocentesis indicated? (Shipp and Benacerraf). 1998;178:600-2

Amnion

- Cytokine and prostaglandin production by amnion cells in response to the addition of different bacteria (Reisenberger et al). 1998;178:50-3
Inhibition of amniotic prostaglandin E release by ampicillin (Vesce et al). 1998;178:759-64

Amniotic fluid

- Adjunctive color Doppler ultrasonography in second-trimester transabdominal amniocentesis (Wax et al). 1998;178:622-3
Are the cytokines interleukin-6 and angiogenin stable in frozen amniotic fluid? (Spong et al). 1998;178:783-6
Clinical value of intrapartum fetal pulse oximetry in cases complicated with meconium-stained amniotic fluid (Szabó et al) (Letter); (Carbonne et al) (Reply). 1998;178:1100-1
Elevated second-trimester amniotic fluid interleukin-6 levels predict preterm delivery (Wenstrom et al). 1998;178:546-50
Fetal membrane closure techniques after hysteroamniotomy in the

- midgestational rabbit model (Papadopoulos et al). 1998;178:938-42

- Hepatocyte growth factor in human amniotic fluid promotes the migration of fetal small intestinal epithelial cells (Okamura et al). 1998;178:175-9

- Human amniotic fluid mathematical model: determination and effect of intramembranous sodium flux (Curran et al). 1998;178:484-90

- Rapid determination of fetal lung maturity from infrared spectra of amniotic fluid (Liu et al). 1998;178:234-41

- The role of amniotic fluid L-selectin, GRO- α , and interleukin-8 in the pathogenesis of intraamniotic infection (Hsu et al). 1998;178:428-32

Amniotic membranes; see Fetal membranes

Ampicillin

- Inhibition of amniotic prostaglandin E release by ampicillin (Vesce et al). 1998;178:759-64
Medically sound, cost-effective treatment for pelvic inflammatory disease and tuboovarian abscess. (McNeeley et al). 1998;178:1272-8

Analgesia, epidural

- The course of labor with and without epidural analgesia (Alexander et al). 1998;178:516-20

Analgesics

- Cardiovascular and metabolic responses to two receptor-selective opioid agonists in pregnant sheep (Clapp et al). 1998;178:397-401

Androgens

- Estrogen-androgen hepatotoxicity? (Ettinger and Fireman). 1998;178:627-8 (Letter)

Anemia

- Cardiac hypertrophy in chronically anemic fetal sheep: increased vascularization is associated with increased myocardial expression of vascular endothelial growth factor and hypoxia-inducible factor 1 (Martin et al). 1998;178:527-34

Aneuploidy

- Rapid prenatal detection of aneuploidies by fluorescent polymerase chain reaction (Tóth et al) (Letter); (Pertl et al) (Reply). 1998;178:1101-2

Angiogenin

- Are the cytokines interleukin-6 and angiogenin stable in frozen amniotic fluid? (Spong et al). 1998;178:783-6

Angiotensin

- The role of AT₁ angiotensin receptor activation in the pathogenesis of preeclampsia (Doering et al). 1998;178:1307-12

Anoxia

- Cardiac hypertrophy in chronically anemic fetal sheep: increased vascularization is associated with increased myocardial expression of vascular endothelial growth factor and hypoxia-inducible factor 1 (Martin et al). 1998;178:527-34
Dietary L-arginine prevents fetal growth restriction in rats (Vosarka et al). 1998;178:242-6
Fetal oxygen saturation and fractional extraction at birth and the relationship to measures of acidosis (Richardson et al). 1998;178:572-9

Antibiotics

- Concomitant use of glucocorticoids: a comparison of two meta-analyses on antibiotic treatment in preterm premature rupture of membranes (Leitich et al). 1998;178:899-908
Medically sound, cost-effective treatment for pelvic inflammatory disease and tuboovarian abscess. (McNeeley et al). 1998;178:1272-8

Antibiotics—cont'd

Use of antibiotics to prevent preterm birth (Hauth and Andrews) (Letter); (Gibbs and Eschenbach) (Reply). 1998;178:624-5

Antioxidants

Brain lipid peroxidation and antioxidant levels in fetal lambs 72 hours after asphyxia by partial umbilical cord occlusion (Ikeda et al). 1998;178:474-8

Antiprogesterones; see Progesterone**Anxiety**

Use of video eyeglasses to decrease anxiety among children undergoing genital examinations (Berenson et al). 1998;178:1341-5

Aorta

Laparoscopy versus laparotomy: an evaluation of adhesion formation after pelvic and paraaortic lymphadenectomy in a porcine model (Chen et al). 1998;178:499-503

Apgar score

Apgar scores (Martin) (Letter); (Sehdev et al) (Reply). 1998;178:1103-4

Apoptosis

Proliferation and apoptosis of fibroblasts and smooth muscle cells in rat uterine cervix throughout gestation and the effect of the antiprogesterone onapristone (Leppert). 1998;178:713-25

Arginine

Dietary L-arginine prevents fetal growth restriction in rats (Vosatka et al). 1998;178:242-6

Asphyxia

Brain lipid peroxidation and antioxidant levels in fetal lambs 72 hours after asphyxia by partial umbilical cord occlusion (Ikeda et al). 1998;178:474-8

Physiologic and histologic changes in near-term fetal lambs exposed to asphyxia by partial umbilical cord occlusion (Ikeda et al). 1998;178:24-32

Aspirin

Aspirin pretreatment potentiates hyperthermia-induced teratogenesis in the mouse (Tiboni et al). 1998;178:270-9

AT₁ angiotensin receptor; see Angiotensin**Atrophy**

Abnormalities detected on transvaginal ultrasonography in tamoxifen-treated postmenopausal breast cancer patients may represent endometrial cystic atrophy (McGonigle et al). 1998;178:1145-50

Attitude

The female perspective: women's attitudes toward urogenital aging (Wright). 1998;178:S250-3

Attitude to health

Self-perceived health status of women three to five years after the diagnosis of gestational diabetes: a survey of cases and matched controls (Feig et al). 1998;178:386-93

Autopsy

Stillbirth evaluation: What tests are needed? (Incerpi et al). 1998;178:1121-5

Awareness

Urogenital aging—creation of improved awareness (Dören). 1998;178:S254-6

B**Bacteria**

Cytokine and prostaglandin production by amnion cells in response to the addition of different bacteria (Reisenberger et al). 1998;178:50-3

Vaginal flora changes associated with *Mycoplasma hominis* (Taylor-Robinson and Rosenstein) (Letter); (Mårdh and Hellberg) (Reply). 1998;178:415-6

Bacterial vaginosis; see Vaginosis, bacterial**Bacteroides fragilis**

Cytokine and prostaglandin production by amnion cells in response to the addition of different bacteria (Reisenberger et al). 1998;178:50-3

Balloon dilatation

Cervical ripening: a randomized comparison between intravaginal misoprostol and an intracervical balloon catheter combined with intravaginal dinoprostone (Perry et al). 1998;178:1333-40

Percutaneous transluminal endovascular graft placement for massive hemorrhage caused by recurrent cervical carcinoma—associated erosion of the external iliac artery (Abulafia et al). 1998;178:618-20

Baroreflex

Baroreflex-mediated bradycardia but not tachycardia is blunted peripherally by intravenous μ -opioid agonists (Kett et al). 1998;178:950-5

Bartholin's glands

Bartholinitis after vulvovaginal surgery (Peters). 1998;178:1143-4

Baths

Is there an association between water baths during labor and the development of chorioamnionitis or endometritis? (Robertson et al). 1998;178:1215-21

bcl-2 oncogene; see Oncogene proteins**Bed rest**

Perinatal outcome associated with outpatient management of triplet pregnancy (Adams et al). 1998;178:843-7

Betamethasone

Effect of betamethasone in vivo on placental corticotropin-releasing hormone in human pregnancy (Marinoni et al). 1998;178:770-8

Single and repetitive maternal glucocorticoid exposures reduce fetal growth in sheep (Jobe et al). 1998;178:880-5

Biochemistry

Biochemical analyses of mesenchymal fluid in early pregnancy (Jauniaux et al). 1998;178:765-9

Biological markers

Corticotropin-releasing hormone: a biochemical predictor of preterm delivery in a pilot randomized trial of the treatment of preterm labor (Bisits et al). 1998;178:862-6

Biometry

How accurate is fetal biometry in the assessment of fetal age? (Chervenak et al). 1998;178:678-87

Biophysical profile; see Fetal monitoring**Biopsy**

Evaluation of postmenopausal bleeding (Creinin) (Letter); (Weber) (Reply). 1998;178:868-70

Indications for cone biopsy: pathologic correlation (Spitzer et al). 1998;178:74-9

Open surgical biopsy for nonpalpable mammographic abnormalities: still an option compared with core needle biopsy (Hall et al). 1998;178:1245-50

Triage of abnormal postmenopausal bleeding: a comparison of endometrial biopsy and transvaginal sonohysterography versus fractional curettage with hysteroscopy (O'Connell et al). 1998;178:956-61

Biopsy, needle

Open surgical biopsy for nonpalpable mammographic abnormali-

ties: still an option compared with core needle biopsy (Hall et al). 1998;178:1245-50

Birth; see Labor

Birth injuries

Birth injury and macrosomic fetuses: association with mode of delivery (Farina et al). 1998;178:867 (Letter)

Persistent brachial plexus injury: the outcome of concern among patients with suspected fetal macrosomia (Gherman) (Letter); (Kolderup et al) (Reply). 1998;178:195-6

Birth intervals

Low birth weight and preterm birth after short interpregnancy intervals (Basso et al). 1998;178:259-63

Birth weight

Father's effect on infant birth weight (Klebanoff et al). 1998;178:1022-6

Impaired growth and risk of fetal death: Is the tenth percentile the appropriate standard? (Seeds and Peng). 1998;178:658-69

Bleeding, uterine; see Uterine hemorrhage

Blood coagulation

Scientific problems with a noncausal artifact (Heinemann et al) (Letter); (Vandenbroucke et al) (Reply). 1998;178:1105-7

Blood flow velocity

Blood flow through the ductus venosus in singleton and multifetal pregnancies and in fetuses with intrauterine growth retardation (Tchirikov et al). 1998;178:943-9

Comparison of the modified biophysical profile to a "new" biophysical profile incorporating the middle cerebral artery to umbilical artery velocity flow systolic/diastolic ratio (Ott et al). 1998;178:1346-53

Doppler velocimetry determined redistribution of fetal blood flow: correlation with growth restriction in diamniotic monochorionic and dizygotic twins (Gaziano et al). 1998;178:1359-67

Effect of labor on maternal cerebral blood flow velocity (Williams et al). 1998;178:59-61

Uterine artery blood flow velocity waveforms in pregnant women with müllerian duct anomaly: a biologic model for uteroplacental insufficiency (Leible et al). 1998;178:1048-53

Blood gas analysis

Alveolar-arterial oxygen gradient in acute pulmonary embolism in pregnancy (Powrie et al). 1998;178:394-6

Fetal oxygen saturation and fractional extraction at birth and the relationship to measures of acidosis (Richardson et al). 1998;178:572-9

Umbilical arteriovenous PO_2 and PCO_2 differences and neonatal morbidity in term infants with severe acidosis (Belai et al). 1998;178:13-9

Blood platelets

In vitro studies of the interactions between platelets and amniotic membranes: a potential treatment for preterm premature rupture of the membranes (Louis-Sylvestre et al). 1998;178:287-93

Increased serum levels of hyaluronic acid in pregnancies complicated by preeclampsia or hemolysis, elevated liver enzymes, and low platelets syndrome (Osmers et al). 1998;178:341-5

Blood pressure

Blood pressure measurement in pregnant women in the left lateral recumbent position (Kinsella) (Letter); (Goldkrand) (Reply). 1998;178:867-8

Diastolic blood pressure and onset of preeclampsia (Farina et al) (Letter); (Sibai et al) (Reply). 1998;178:870-1

In vivo effects of corticotropin-releasing factor in pregnant rats (Jain et al). 1998;178:186-91

Blood pressure monitors

Ambulatory blood pressure monitoring in pregnancy: What is normal? (Brown et al). 1998;178:836-42

Automated, ambulatory, or conventional blood pressure measurement in pregnancy: Which is the better predictor of severe hypertension? (Penny et al). 1998;178:521-6

Blood transfusion, autologous

The use of acute hemodilution in parturients undergoing cesarean section (Grange et al). 1998;178:156-60

Blood vessel, transplantation

Percutaneous transluminal endovascular graft placement for massive hemorrhage caused by recurrent cervical carcinoma-associated erosion of the external iliac artery (Abulafia et al). 1998;178:618-20

Blood vessels

Cardiac hypertrophy in chronically anemic fetal sheep: increased vascularization is associated with increased myocardial expression of vascular endothelial growth factor and hypoxia-inducible factor 1 (Martin et al). 1998;178:527-34

Tumor angiogenesis in stage IB cervical cancer: correlation of microvessel density with survival (Obermair et al). 1998;178:314-9

Blood volume

Role of nitric oxide on the central hemodynamic response to acute volume expansion in the pregnant rat (Fiol et al). 1998;178:823-9

Body composition

Longitudinal changes in maternal serum leptin concentrations, body composition, and resting metabolic rate in pregnancy (Highman et al). 1998;178:1010-5

Body constitution

Hormone replacement therapy and body size: How much does lifestyle explain? (Luoto et al). 1998;178:66-73

Body fat; see Fats

Bone and bones

Bone structural and metabolic changes at the end of pregnancy and lactation in rats (Tojo et al). 1998;178:180-5

Bone density

Effects of LY-117018 HCl on bone remodeling and mineral density in the oophorectomized rat (Curiel et al). 1998;178:320-5

Ultrasonographic bone velocity in pregnancy: a longitudinal study (Aguado et al). 1998;178:1016-21

Bone remodeling

Effects of LY-117018 HCl on bone remodeling and mineral density in the oophorectomized rat (Curiel et al). 1998;178:320-5

Books

Books received. 1998;178:1371-4

Brachial plexus

Persistent brachial plexus injury: the outcome of concern among patients with suspected fetal macrosomia (Gherman) (Letter); (Kolderup et al) (Reply). 1998;178:195-6

The timing of congenital brachial plexus injury: a study of electromyography findings in the newborn piglet (Gonik et al). 1998;178:688-95

Bradycardia

Baroreflex-mediated bradycardia but not tachycardia is blunted peripherally by intravenous μ -opioid agonists (Kett et al). 1998;178:950-5

Brain

Brain lipid peroxidation and antioxidant levels in fetal lambs 72

Brain—cont'd

hours after asphyxia by partial umbilical cord occlusion (Ikeda et al). 1998;178:474-8

Effect of labor on maternal cerebral blood flow velocity (Williams et al). 1998;178:59-61

Physiologic and histologic changes in near-term fetal lambs exposed to asphyxia by partial umbilical cord occlusion (Ikeda et al). 1998;178:24-32

Brain neoplasms

Neonatal cranial ultrasonographic findings in preterm twins complicated by severe fetofetal transfusion syndrome (Denbow et al). 1998;178:479-83

BRCA1 mutation; see Mutation**Breast**

Open surgical biopsy for nonpalpable mammographic abnormalities: still an option compared with core needle biopsy (Hall et al). 1998;178:1245-50

Breast neoplasms

Abnormalities detected on transvaginal ultrasonography in tamoxifen-treated postmenopausal breast cancer patients may represent endometrial cystic atrophy (McGonigle et al). 1998;178:1145-50

Breech presentation

Breech delivery protocol (Escamilla) (Letter); (Albrechtsen et al) (Reply). 1998;178:1104-5

C**C-19 progesterin; see Progestational hormones****Cadherins**

E-cadherin and its messenger ribonucleic acid in periimplantation phase human endometrium in normal and clomiphene-treated cycles (Dawood et al). 1998;178:996-1001

Calcium

Functional calcium-sensing receptor expression in ovarian surface epithelial cells (McNeil et al). 1998;178:305-13

Preeclampsia, lipid peroxidation, and calcium adenosine triphosphatase activity of red blood cell ghosts (Matteo et al). 1998;178:402-8

Caliceal diameter; see Kidney calices**Candida**

Epidemiology and outcomes associated with moderate to heavy *Candida* colonization during pregnancy (Cotch et al). 1998;178:374-80

Candidiasis, vulvovaginal

Vulvovaginal candidiasis: epidemiologic, diagnostic, and therapeutic considerations (Sobel et al). 1998;178:203-11 (Clin. opinion)

Capillaries

Toward universal criteria for gestational diabetes: relationships between seventy-five and one hundred gram glucose loads and between capillary and venous glucose concentrations (Weiss et al). 1998;178:830-5

Carbon dioxide

Laparoscopic surgery: the effects of insufflation gas on tumor-induced lethality in nude mice (Volz et al). 1998;178:793-5

Carcinoma

Early invasive carcinoma of the cervix (3 to 5 mm invasion): risk factors and prognosis—a Gynecologic Oncology Group study (Creasman et al). 1998;178:62-5

Expression of *bcl-2* in invasive and in situ carcinoma of the uterine cervix (Tjalma et al). 1998;178:113-7

Percutaneous transluminal endovascular graft placement for massive hemorrhage caused by recurrent cervical carcinoma—associated erosion of the external iliac artery (Abulafia et al). 1998;178:618-20

Carcinoma, squamous cell

Atypical squamous cells of undetermined significance: management patterns at an academic medical center (Suh-Burgmann et al). 1998;178:991-5

Cardiac hypertrophy; see Heart hypertrophy**Cardiovascular diseases**

The effect of tamoxifen and transdermal 17 β -estradiol on cerebral arterial vessels: a randomized controlled study (Penotti et al). 1998;178:801-5

Cardiovascular system

Cardiovascular and metabolic responses to two receptor-selective opioid agonists in pregnant sheep (Clapp et al). 1998;178:397-401

Cavernous angioma; see Hemangioma, cavernous**Cefotetan**

Medically sound, cost-effective treatment for pelvic inflammatory disease and tuboovarian abscess. (McNeeley et al). 1998;178:1272-8

Cell adhesion molecules

Expression of cell adhesion molecules by endothelium in the human lower uterine segment during parturition at term (Winkler et al). 1998;178:557-61

The role of amniotic fluid L-selectin, GRO- α , and interleukin-8 in the pathogenesis of intraamniotic infection (Hsu et al). 1998;178:428-32

Cell movement

Hepatocyte growth factor in human amniotic fluid promotes the migration of fetal small intestinal epithelial cells (Okamura et al). 1998;178:175-9

Cells

The effect of route of delivery on regression of abnormal cervical cytologic findings in the postpartum period (Ahdoot et al). 1998;178:1116-20

Cells, cultured

Gap junction currents in cultured muscle cells from human myometrium (Miyoshi et al). 1998;178:588-93

The Central Association of Obstetricians and Gynecologists

Transactions of the sixty-fifth annual meeting of The Central Association of Obstetricians and Gynecologists. 1998;178:1229-367

Cerebral arteries

Comparison of the modified biophysical profile to a "new" biophysical profile incorporating the middle cerebral artery to umbilical artery velocity flow systolic/diastolic ratio (Ott et al). 1998;178:1346-53

The effect of tamoxifen and transdermal 17 β -estradiol on cerebral arterial vessels: a randomized controlled study (Penotti et al). 1998;178:801-5

Cerebral palsy

Fetal assessment based on fetal biophysical profile scoring. VIII. The incidence of cerebral palsy in tested and untested perinates (Manning et al). 1998;178:696-706

Cerebral ventricles, abnormalities

Clinical outcome of mild fetal ventriculomegaly (Vergani et al). 1998;178:218-22

Cerebrum; see Brain

Cervical ripening; see Labor stage, first

Cervix

Cervical fetal fibronectin correlates to prostaglandin E₂-induced cervical ripening and can be identified in cervical tissue (Sennström et al). 1998;178:540-5

Management of pregnancies beyond forty-one weeks' gestation with an unfavorable cervix (Magann et al). 1998;178:1279-87

The Preterm Prediction Study: recurrence risk of spontaneous preterm birth (Iams et al). 1998;178:1035-40

Proliferation and apoptosis of fibroblasts and smooth muscle cells in rat uterine cervix throughout gestation and the effect of the anti-progesterone onapristone (Leppert). 1998;178:713-25

Cervix diseases

A longitudinal study of human papillomavirus carriage in human immunodeficiency virus-infected and human immunodeficiency virus-uninfected women (Minkoff et al). 1998;178:982-6

Cervix neoplasms

Adenocarcinoma of the uterine cervix metastatic to lymph nodes (Cohn et al). 1998;178:1131-7

Early invasive carcinoma of the cervix (3 to 5 mm invasion): risk factors and prognosis—a Gynecologic Oncology Group study (Creasman et al). 1998;178:62-5

The effect of route of delivery on regression of abnormal cervical cytologic findings in the postpartum period (Ahdoot et al). 1998;178:1116-20

Endometrial cancer represents a contraindication for classic intrafascial supracervical hysterectomy by laparoscopy (Mettler) (Letter); (Schneider) (Reply). 1998;178:628-9

Expression of *bcl-2* in invasive and in situ carcinoma of the uterine cervix (Tjalma et al). 1998;178:113-7

Indications for cone biopsy: pathologic correlation (Spitzer et al). 1998;178:74-9

Is human papillomavirus testing an effective triage method for detection of high-grade (grade 2 or 3) cervical intraepithelial neoplasia? (Adam et al). 1998;178:1235-44

Liposuction-assisted nerve-sparing extended radical hysterectomy: oncologic rationale, surgical anatomy, and feasibility study (Höckel et al). 1998;178:971-6

Percutaneous transluminal endovascular graft placement for massive hemorrhage caused by recurrent cervical carcinoma—associated erosion of the external iliac artery (Abulafia et al). 1998;178:618-20

Reflex human papillomavirus deoxyribonucleic acid testing in women with abnormal Papanicolaou smears (Wright et al). 1998;178:962-6

Tumor angiogenesis in stage IB cervical cancer: correlation of microvessel density with survival (Obermair et al). 1998;178:314-9

Value of laparoscopic evaluation of paraaortic and pelvic lymph nodes for treatment of cervical cancer (Possover et al). 1998;178:806-10

Cesarean section

Breech delivery protocol (Escamilla) (Letter); (Albrechtsen et al) (Reply). 1998;178:1104-5

The labor-adjusted cesarean section: a more informative method than the cesarean section "rate" for assessing a practitioner's labor and delivery skills (Sandmire) (Letter); (Elliott) (Reply). 1998;178:196-7

Lowering the cesarean section rate in a private hospital: comparison

of individual physicians' rates, risk factors, and outcomes (Lagrew and Adashek). 1998;178:1207-14

The use of acute hemodilution in parturients undergoing cesarean section (Grange et al). 1998;178:156-60

Child abuse, sexual

Use of video eyeglasses to decrease anxiety among children undergoing genital examinations (Berenson et al). 1998;178:1341-5

Child development

The one-year morphometric and neurodevelopmental outcome of the offspring of women who continued to exercise regularly throughout pregnancy (Clapp et al). 1998;178:594-9

Chlamydia trachomatis

Risk factors for plasma cell endometritis among women with cervical *Neisseria gonorrhoeae*, cervical *Chlamydia trachomatis*, or bacterial vaginosis (Korn et al). 1998;178:987-90

Chorioamnionitis

Is there an association between water baths during labor and the development of chorioamnionitis or endometritis? (Robertson et al). 1998;178:1215-21

Prior pregnancy outcome and the risk of intraamniotic infection in the following pregnancy (Krohn et al). 1998;178:381-5

Cigarette smoking; see Smoking

Circadian rhythm

Diurnal rhythms of labor and delivery in women: modulation by parity and seasons (Cagnacci et al). 1998;178:140-5

Fetal and maternal diurnal rhythms during the third trimester of normal pregnancy: outcomes of computerized analysis of continuous twenty-four-hour fetal heart rate recordings (Lunshof et al). 1998;178:247-54

Pregnant women with impaired tolerance to an oral glucose load in the afternoon: evidence suggesting that they behave metabolically as patients with gestational diabetes (Aparicio et al). 1998;178:1059-66

Clavicle

The Preterm Prediction Study: recurrence risk of spontaneous preterm birth (Pun et al) (Letter); (Peleg) (Reply). 1998;178:1105

Climacteric

When does estrogen replacement therapy improve sleep quality? (Polo-Kantola et al). 1998;178:1002-9

Clindamycin

Medically sound, cost-effective treatment for pelvic inflammatory disease and tuboovarian abscess. (McNeeley et al). 1998;178:1272-8

Clinical opinion

Clinical opinion. 1998;178:203-11, 877-9

Clinical protocols

Breech delivery protocol (Escamilla) (Letter); (Albrechtsen et al) (Reply). 1998;178:1104-5

Clobetasol

Clobetasol dipropionate 0.05% versus testosterone propionate 2% topical application for severe vulvar lichen sclerosus (Bornstein et al). 1998;178:80-4

Clomiphene

E-cadherin and its messenger ribonucleic acid in periimplantation phase human endometrium in normal and clomiphene-treated cycles (Dawood et al). 1998;178:996-1001

Clubfoot

The significance of prenatally identified isolated clubfoot: Is amniocentesis indicated? (Shipp and Benacerraf). 1998;178:600-2

Cocaine

Cocaine augments contractility of the pregnant human uterus by both adrenergic and nonadrenergic mechanisms (Hurd et al). 1998;178:1077-81

Effects of follicular-phase cocaine administration on menstrual and ovarian cyclicity in rhesus monkeys (Potter et al). 1998;178:118-25

Collagen

Urethral prolapse after collagen injection (Harris et al). 1998;178:614-5

Color Doppler ultrasonography, prenatal; see Ultrasonography, prenatal**Colorectal neoplasms, hereditary nonpolyposis**

BRCA1, BRCA2, and hereditary nonpolyposis colorectal cancer gene mutations in an unselected ovarian cancer population: relationship to family history and implications for genetic testing (Rubin et al). 1998;178:670-7

Compound W

Urinary compound W in pregnant women is a potential marker for fetal thyroid function (Wu et al). 1998;178:886-91

Computers

The effect of uterine contractions on intrapartum fetal heart rate analyzed by a computerized system (Zimmer et al). 1998;178:436-40

Fetal and maternal diurnal rhythms during the third trimester of normal pregnancy: outcomes of computerized analysis of continuous twenty-four-hour fetal heart rate recordings (Lunshof et al). 1998;178:247-54

Cone biopsy; see Biopsy**Confidentiality**

The disclosure decision: concerns and issues of parents of children conceived through donor insemination (Nachtigall et al). 1998;178:1165-70

Conjugated estrogen; see Estrogenic substances, conjugated**Contraceptives, oral**

The effect of fluconazole on circulating ethinyl estradiol levels in women taking oral contraceptives (Sinojsky and Pasquale). 1998;178:300-4

Scientific problems with a noncausal artifact (Heinemann et al) (Letter); (Vandenbroucke et al) (Reply). 1998;178:1105-7

Contraction, uterine; see Uterine contraction**Correspondence**

Letters. 1998;178:192-8, 415-8, 624-32, 867-74, 1100-8, 1368-70

Corticosteroids; see Adrenal cortex hormones**Corticotropin-releasing hormone**

Corticotropin-releasing hormone: a biochemical predictor of preterm delivery in a pilot randomized trial of the treatment of preterm labor (Bisits et al). 1998;178:862-6

Effect of betamethasone in vivo on placental corticotropin-releasing hormone in human pregnancy (Marinoni et al). 1998;178:770-8

In vivo effects of corticotropin-releasing factor in pregnant rats (Jain et al). 1998;178:186-91

Cost-benefit analysis

Evaluation of postmenopausal bleeding (Creinin) (Letter); (Weber) (Reply). 1998;178:868-70

Gynecologic surgery: an imperiled ballet (Podratz). 1998;178:1229-34 (Pres. address)

Postmenopausal bleeding: cost-effective evaluation (Esen) (Letter); (Weber) (Reply). 1998;178:1369-70

Quality of life, health care utilization, and costs among women un-

dergoing hysterectomy in a managed-care setting (Van Den Eden et al). 1998;178:91-100

Cotinine

Variations in cotinine levels in smokers during and after pregnancy (Rebagliato et al). 1998;178:568-71

Counseling

Human immunodeficiency virus infection and women: a survey of missed opportunities for testing and diagnosis (MacDonald et al). 1998;178:1264-71

Cranium; see Skull**Criteria; see Guidelines****Cultured muscle cells; see Cells, cultured****Curettage**

Triage of abnormal postmenopausal bleeding: a comparison of endometrial biopsy and transvaginal sonohysterography versus fractional curettage with hysteroscopy (O'Connell et al). 1998;178:956-61

Current developments

Current developments. 1998;178:409-14

Cycle, menstrual; see Menstrual cycle**Cyclooxygenase; see Prostaglandin-endoperoxide synthase****Cystic fibrosis**

Three births after preimplantation genetic diagnosis for cystic fibrosis with sequential first and second polar body analysis (Strom et al). 1998;178:1298-306

Cysts

Abnormalities detected on transvaginal ultrasonography in tamoxifen-treated postmenopausal breast cancer patients may represent endometrial cystic atrophy (McGonigle et al). 1998;178:1145-50

Cytogenetics

Primed in situ labeling for rapid prenatal diagnosis (Velagelati et al). 1998;178:1313-20

Cytokines

Are the cytokines interleukin-6 and angiogenin stable in frozen amniotic fluid? (Spong et al). 1998;178:783-6

Cytokine and prostaglandin production by amnion cells in response to the addition of different bacteria (Reisenberger et al). 1998;178:50-3

Cytology

Atypical squamous cells of undetermined significance: management patterns at an academic medical center (Suh-Burgmann et al). 1998;178:991-5

D**Databases, bibliographic**

Databases and the statistical usage of (perinatal) results (Egberts) (Letter); (Welch and Gabbe) (Reply). 1998;178:192-3

Statisticians' advice to obstetricians (Thom and Das) (Letter); (Welch and Gabbe) (Reply). 1998;178:192-3

Dehydrogenases; see Oxidoreductases**Delivery**

Breech delivery protocol (Escamilla) (Letter); (Albrechtsen et al) (Reply). 1998;178:1104-5

Delayed-interval delivery in multifetal pregnancy (Porreco et al). 1998;178:20-3

Diurnal rhythms of labor and delivery in women: modulation by parity and seasons (Cagnacci et al). 1998;178:140-5

The effect of route of delivery on regression of abnormal cervical

cytologic findings in the postpartum period (Ahdoot et al). 1998;178:1116-20

The labor-adjusted cesarean section: a more informative method than the cesarean section "rate" for assessing a practitioner's labor and delivery skills (Sandmire) (Letter); (Elliott) (Reply). 1998;178:196-7

Massive decline in lung liquid before vaginal delivery at term in the fetal lamb (Berger et al). 1998;178:223-7

Delivery, injuries

Birth injury and macrosomic fetuses: association with mode of delivery (Farina et al). 1998;178:867 (Letter)

Catastrophic shoulder dystocia—What is the etiology? (Gherman). 1998;178:417 (Letter)

Elective delivery of infants with macrosomia in diabetic women: reduced shoulder dystocia versus increased cesarean deliveries (Conway and Langer). 1998;178:922-5

Emergency symphysiotomy—too little, too late (Petrikovsky) (Letter); (Goodwin) (Reply). 1998;178:631-2

Inferences from symphysiotomy experience (Jennett) (Letter); (Goodwin) (Reply). 1998;178:631-2

Obstetric maneuvers for shoulder dystocia and associated fetal morbidity (Gherman et al). 1998;178:1126-30

The Preterm Prediction Study: recurrence risk of spontaneous preterm birth (Pun et al) (Letter); (Peleg) (Reply). 1998;178:1105

Spontaneous vaginal delivery: A risk factor for Erb's palsy? (Gherman et al). 1998;178:423-7

Symphysiotomy (Escamilla) (Letter); (Goodwin) (Reply). 1998;178:630-2

The timing of congenital brachial plexus injury: a study of electromyography findings in the newborn piglet (Gonik et al). 1998;178:688-95

Delivery of health care

Quality of life, health care utilization, and costs among women undergoing hysterectomy in a managed-care setting (Van Den Eeden et al). 1998;178:91-100

Deoxyribonucleic acid; see DNA

Diabetes, gestational

Pregnant women with impaired tolerance to an oral glucose load in the afternoon: evidence suggesting that they behave metabolically as patients with gestational diabetes (Aparicio et al). 1998;178:1059-66

Screening for gestational diabetes mellitus in adolescent pregnancies (Lemen et al). 1998;178:1251-6

Self-perceived health status of women three to five years after the diagnosis of gestational diabetes: a survey of cases and matched controls (Feig et al). 1998;178:386-93

Sequelae of unrecognized gestational diabetes (Adams et al). 1998;178:1321-32

Toward universal criteria for gestational diabetes: relationships between seventy-five and one hundred gram glucose loads and between capillary and venous glucose concentrations (Weiss et al). 1998;178:830-5

Diabetes Control and Complications Trial

Pregnancy outcome, Diabetes Control and Complications Trial, and intensive glycemic control (Schwartz and Teramo) (Letter); (Nathan and The Diabetes Control and Complications Trial Research Group) (Reply). 1998;178:416-7

Diabetic pregnancy; see Pregnancy in diabetes

Diagnosis

Human immunodeficiency virus infection and women: a survey of missed opportunities for testing and diagnosis (MacDonald et al). 1998;178:1264-71

Vulvovaginal candidiasis: epidemiologic, diagnostic, and therapeutic considerations (Sobel et al). 1998;178:203-11 (Clin. opinion)

Diagnosis, prenatal; see Prenatal diagnosis

Diamniotic monochorionic twins; see Twins

Diastole

Comparison of the modified biophysical profile to a "new" biophysical profile incorporating the middle cerebral artery to umbilical artery velocity flow systolic/diastolic ratio (Ott et al). 1998;178:1346-53

Diastolic blood pressure and onset of preeclampsia (Farina et al) (Letter); (Sibai et al) (Reply). 1998;178:870-1

Diiodothyronines

Urinary compound W in pregnant women is a potential marker for fetal thyroid function (Wu et al). 1998;178:886-91

Dilatation

Dilatation of the urinary tract during pregnancy: proposal of a curve of maximal caliceal diameter by gestational age (Faúndes et al). 1998;178:1082-6

Dimethylarginine

Plasma concentrations of asymmetric dimethylarginine, a natural inhibitor of nitric oxide synthase, in normal pregnancy and preeclampsia (Holden et al). 1998;178:551-6

Dinoprostone

Cervical fetal fibronectin correlates to prostaglandin E₂-induced cervical ripening and can be identified in cervical tissue (Sennström et al). 1998;178:540-5

Cervical ripening: a randomized comparison between intravaginal misoprostol and an intracervical balloon catheter combined with intravaginal dinoprostone (Perry et al). 1998;178:1333-40

Inhibition of amniotic prostaglandin E release by ampicillin (Vesce et al). 1998;178:759-64

Management of pregnancies beyond forty-one weeks' gestation with an unfavorable cervix (Magann et al). 1998;178:1279-87

Disclosure; see Truth disclosure

Diurnal rhythm; see Circadian rhythm

Dizygotic twins; see Twins

DNA

Reflex human papillomavirus deoxyribonucleic acid testing in women with abnormal Papanicolaou smears (Wright et al). 1998;178:962-6

DNA mutational analysis

Clinical and genetic evaluation of thirty ovarian cancer families (Zweemer et al). 1998;178:85-90

Donor insemination; see Insemination, artificial

Doppler ultrasonography, prenatal; see Ultrasonography, prenatal

Doppler velocimetry; see Rheology

Dose-response relationship, drug

Analysis of three hundred fifteen ectopic pregnancies treated with single-dose methotrexate (Lipscomb et al). 1998;178:1354-8

Oral megadose methylprednisolone for idiopathic thrombocytopenic purpura (Özsoylu) (Letter); (Goodwin) (Reply). 1998;178:1368

Preliminary report on the treatment of endometriosis with low-dose mifepristone (RU 486) (Kettel et al). 1998;178:1151-6

Down syndrome

- Current Down syndrome risk estimates are reliable (Palomaki et al) (Letter); (Chik and Evans) (Reply). 1998;178:871-2
- A new screening protocol combining urine β -core fragment and ultrasonography for Down syndrome detection (Bahado-Singh et al). 1998;178:779-82
- The role of midtrimester targeted fetal organ screening combined with the "triple test" and maternal age in the diagnosis of trisomy 21: a retrospective study (Yagel et al). 1998;178:40-4
- Subtle ultrasonographic anomalies: Do they improve the Down syndrome detection rate? (Deren et al). 1998;178:441-5

Doxycycline

- Medically sound, cost-effective treatment for pelvic inflammatory disease and tuboovarian abscess. (McNeeley et al). 1998;178:1272-8

Ductus arteriosus

- Fetal ductus arteriosus constriction, indomethacin, and gestational age (Farina et al) (Letter); (Vermillion) (Reply). 1998;178:625-6

Ductus venosus

- Blood flow through the ductus venosus in singleton and multifetal pregnancies and in fetuses with intrauterine growth retardation (Tchirikov et al). 1998;178:943-9

Dystocia

- Catastrophic shoulder dystocia—What is the etiology? (Gherman). 1998;178:417 (Letter)
- Elective delivery of infants with macrosomia in diabetic women: reduced shoulder dystocia versus increased cesarean deliveries (Conway and Langer). 1998;178:922-5
- Emergency symphysiotomy—too little, too late (Petrikovsky) (Letter); (Goodwin) (Reply). 1998;178:631-2
- Inferences from symphysiotomy experience (Jennett) (Letter); (Goodwin) (Reply). 1998;178:631-2
- Obstetric maneuvers for shoulder dystocia and associated fetal morbidity (Gherman et al). 1998;178:1126-30
- Spontaneous vaginal delivery: A risk factor for Erb's palsy? (Gherman et al). 1998;178:423-7
- Symphysiotomy (Escamilla) (Letter); (Goodwin) (Reply). 1998;178:630-2
- The timing of congenital brachial plexus injury: a study of electromyography findings in the newborn piglet (Gonik et al). 1998;178:688-95

E**E4 proteins; see Proteins****Early pregnancy; see Pregnancy trimester, first****Eclampsia**

- Does magnesium sulfate given for prevention of eclampsia affect the outcome of labor? (Leveno et al). 1998;178:707-12

Ectopic pregnancy; see Pregnancy, ectopic**Editorial**

- Summary of analysis of published articles. 1998;178:421-2

Education

- Gynecologic surgery: an imperiled ballet (Podratz). 1998; 178:1229-34 (Pres. address)
- Integrity and common sense in medicine (Scott). 1998;178:635-40 (Pres. address)
- Managed health care and resident education (Golditch et al). 1998;178:1157-64
- Should sacrospinous ligament fixation for the management of pelvic support defects be part of a residency program procedure?

- The University of Miami experience (Penalver et al). 1998;178:326-9

- What is a good doctor? Patient perspective (Martin). 1998;178: 752-4

- What is a good physician in this new era? (Queenan). 1998; 178:750-1

Electromyography

- The timing of congenital brachial plexus injury: a study of electromyography findings in the newborn piglet (Gonik et al). 1998;178:688-95
- Uterine activity during pregnancy and labor assessed by simultaneous recordings from the myometrium and abdominal surface in the rat (Buhimschi et al). 1998;178:811-22

Embryo

- Female and male human embryo growth rates are similar before the eight-cell stage (Fanchin et al). 1998;178:45-9
- Multiple pregnancy rates in in vitro fertilization: three embryos is too many for good-prognosis patients (Coetsier and Dhont) (Letter); (Tucker) (Reply). 1998;178:1368-9

Endometrial neoplasms

- Abnormalities detected on transvaginal ultrasonography in tamoxifen-treated postmenopausal breast cancer patients may represent endometrial cystic atrophy (McGonigle et al). 1998;178:1145-50
- Endometrial cancer represents a contraindication for classic intrafascial supracervical hysterectomy by laparoscopy (Mettler) (Letter); (Schneider) (Reply). 1998;178:628-9

Endometriosis

- Preliminary report on the treatment of endometriosis with low-dose mifepristone (RU 486) (Kettel et al). 1998;178:1151-6

Endometritis

- Is there an association between water baths during labor and the development of chorioamnionitis or endometritis? (Robertson et al). 1998;178:1215-21
- Risk factors for plasma cell endometritis among women with cervical *Neisseria gonorrhoeae*, cervical *Chlamydia trachomatis*, or bacterial vaginosis (Korn et al). 1998;178:987-90

Endometrium

- E-cadherin and its messenger ribonucleic acid in perimplantation phase human endometrium in normal and clomiphene-treated cycles (Dawood et al). 1998;178:996-1001
- Effects of hormone replacement therapy on the endometrium and lipid parameters: a review of randomized clinical trials 1985 to 1995 (Pickar et al). 1998;178:1087-99 (Curr. dev.)
- Triage of abnormal postmenopausal bleeding: a comparison of endometrial biopsy and transvaginal sonohysterography versus fractional curettage with hysteroscopy (O'Connell et al). 1998;178:956-61

Endorphins

- Cardiovascular and metabolic responses to two receptor-selective opioid agonists in pregnant sheep (Clapp et al). 1998; 178:397-401

Endothelial growth factors

- Cardiac hypertrophy in chronically anemic fetal sheep: increased vascularization is associated with increased myocardial expression of vascular endothelial growth factor and hypoxia-inducible factor 1 (Martin et al). 1998;178:527-34

Endothelins

- Higher endothelin concentrations in the fetoplacental unit of pregnant women of African ancestry (Carbonne et al). 1998;178: 491-2

Endothelium

Expression of cell adhesion molecules by endothelium in the human lower uterine segment during parturition at term (Winkler et al). 1998;178:557-61

Endothelium, vascular

Cardiac hypertrophy in chronically anemic fetal sheep: increased vascularization is associated with increased myocardial expression of vascular endothelial growth factor and hypoxia-inducible factor 1 (Martin et al). 1998;178:527-34

The induction of cyclooxygenase-2 by interleukin-4 in human umbilical vein endothelial cells: a possible role in regulation of fetal vascular tone (Lantz et al). 1998;178:255-8

Endovascular graft; see Blood vessel, transplantation

Energy metabolism

The effect of oral terbutaline on maternal glucose metabolism and energy expenditure in pregnancy (Smigaj et al). 1998;178:1041-7

Enzymes

Increased serum levels of hyaluronic acid in pregnancies complicated by preeclampsia or hemolysis, elevated liver enzymes, and low platelets syndrome (Osmers et al). 1998;178:341-5

Epidemiology

Epidemiology and outcomes associated with moderate to heavy *Candida* colonization during pregnancy (Cotch et al). 1998;178:374-80

Vulvovaginal candidiasis: epidemiologic, diagnostic, and therapeutic considerations (Sobel et al). 1998;178:203-11 (Clin. opinion)

Epidural analgesia; see Analgesia, epidural

Epithelial cells

Hepatocyte growth factor in human amniotic fluid promotes the migration of fetal small intestinal epithelial cells (Okamura et al). 1998;178:175-9

Epithelium

Functional calcium-sensing receptor expression in ovarian surface epithelial cells (McNeil et al). 1998;178:305-13

Erb's palsy; see Paralysis

Erythrocyte membrane

Preeclampsia, lipid peroxidation, and calcium adenosine triphosphatase activity of red blood cell ghosts (Matteo et al). 1998;178:402-8

Erythromycin

Effects of erythromycin on contractility of isolated myometrium from pregnant rats (Granovsky-Grisaru et al). 1998;178:171-4

Erythropoietin

Umbilical cord plasma erythropoietin levels in pregnancies complicated by maternal smoking (Jazayeri et al). 1998;178:433-5

Escherichia coli

Cytokine and prostaglandin production by amnion cells in response to the addition of different bacteria (Reisenberger et al). 1998;178:50-3

Estradiol

The clinical platform for the 17 β -estradiol vaginal releasing ring (Bachmann). 1998;178:S257-60

The effect of tamoxifen and transdermal 17 β -estradiol on cerebral arterial vessels: a randomized controlled study (Penotti et al). 1998;178:801-5

Estrogen receptors; see Receptors, estrogen

Estrogen replacement therapy

Effects of hormone replacement therapy on the endometrium and lipid parameters: a review of randomized clinical trials 1985 to 1995 (Pickar et al). 1998;178:1087-99 (Curr. dev.)

Hormone replacement therapy and body size: How much does lifestyle explain? (Luoto et al). 1998;178:66-73

Urogenital aging—creation of improved awareness (Dören). 1998;178:S254-6

When does estrogen replacement therapy improve sleep quality? (Polo-Kantola et al). 1998;178:1002-9

Estrogenic substances, conjugated

Effects of adding C-19 versus C-21 progestin to conjugated estrogen in moderately hypercholesterolemic postmenopausal women (Wolfe et al). 1998;178:787-92

Estrogens

Estrogen-androgen hepatotoxicity? (Ettinger and Fireman). 1998;178:627-8 (Letter)

Estrogen regulation of adipose tissue lipoprotein lipase—possible mechanism of body fat distribution (Price et al). 1998;178:101-7

Urogenital aging—a hidden problem (Samsioe). 1998;178:S245-9

Ethics

Intergenerational gamete donation: ethical and societal implications (Marshall). 1998;178:1171-6

Never cite sight unseen (Gordon). 1998;178:627 (Letter)

Ethinyl estradiol

The effect of fluconazole on circulating ethinyl estradiol levels in women taking oral contraceptives (Sinofsky and Pasquale). 1998;178:300-4

Etiology

Factor V Leiden—a novel etiology of the long-standing thrombosis theory for recurrent pregnancy loss (Younis) (Letter); (Dizon-Townson) (Reply). 1998;178:1107-8

Exercise

The one-year morphometric and neurodevelopmental outcome of the offspring of women who continued to exercise regularly throughout pregnancy (Clapp et al). 1998;178:594-9

Training in pregnant women: effects on fetal development and birth (Kardel and Kase). 1998;178:280-6

Extremely low birth weight infant; see Infant, low birth weight

Eyeglasses

Use of video eyeglasses to decrease anxiety among children undergoing genital examinations (Berenson et al). 1998;178:1341-5

F

Factor V

Factor V Leiden—a novel etiology of the long-standing thrombosis theory for recurrent pregnancy loss (Younis) (Letter); (Dizon-Townson) (Reply). 1998;178:1107-8

Factor V Leiden and its relevance in patients with recurrent abortions (Pauer et al). 1998;178:629 (Letter)

Family

BRCA1, BRCA2, and hereditary nonpolyposis colorectal cancer gene mutations in an unselected ovarian cancer population: relationship to family history and implications for genetic testing (Rubin et al). 1998;178:670-7

Intergenerational gamete donation: ethical and societal implications (Marshall). 1998;178:1171-6

Fathers

Father's effect on infant birth weight (Klebanoff et al). 1998;178:1022-6

Fats

Estrogen regulation of adipose tissue lipoprotein lipase—possible mechanism of body fat distribution (Price et al). 1998;178:101-7

Femur

Symphyseal separation and transient femoral neuropathy associated with the McRoberts' maneuver (Gherman et al). 1998;178:609-10

Fertilization

Immune to the concept (Perkins) (Letter); (Smith and Walker) (Reply). 1998;178:417-8

Fertilization in vitro

Female and male human embryo growth rates are similar before the eight-cell stage (Fanchin et al). 1998;178:45-9

How accurate is fetal biometry in the assessment of fetal age? (Chervenak et al). 1998;178:678-87

Multiple pregnancy rates in in vitro fertilization: three embryos is too many for good-prognosis patients (Coetsier and Dhont) (Letter); (Tucker) (Reply). 1998;178:1368-9

Fetal age; see Gestational age**Fetal blood**

Doppler velocimetry determined redistribution of fetal blood flow: correlation with growth restriction in diamniotic monochorionic and dizygotic twins (Gaziano et al). 1998;178:1359-67

Gestational age changes in circulating CD34+ hematopoietic stem/progenitor cells in fetal cord blood (Shields and Andrews). 1998;178:931-7

The induction of cyclooxygenase-2 by interleukin-4 in human umbilical vein endothelial cells: a possible role in regulation of fetal vascular tone (Lantz et al). 1998;178:255-8

Predictive agreement between the fetal arterial oxygen saturation and fetal scalp pH: results of the German multicenter study (Kühnert et al). 1998;178:330-5

Umbilical arteriovenous PO_2 and PCO_2 differences and neonatal morbidity in term infants with severe acidosis (Belai et al). 1998;178:13-9

Fetal death

Fetal and neonatal mortality in the postterm pregnancy: the impact of gestational age and fetal growth restriction (Divon et al). 1998;178:726-31

The impact of fetal compromise on outcome at the border of viability (Baton et al). 1998;178:909-15

Impaired growth and risk of fetal death: Is the tenth percentile the appropriate standard? (Seeds and Peng). 1998;178:658-69

Stillbirth evaluation: What tests are needed? (Incerpi et al). 1998;178:1121-5

Fetal development

Training in pregnant women: effects on fetal development and birth (Kardel and Kase). 1998;178:280-6

Ultrasonographic examination of intrauterine growth for multiple fetal dimensions in a Chinese population (Lei et al). 1998;178:916-21

Fetal diseases

Cardiac hypertrophy in chronically anemic fetal sheep: increased vascularization is associated with increased myocardial expression of vascular endothelial growth factor and hypoxia-inducible factor 1 (Martin et al). 1998;178:527-34

Fetal ductus arteriosus constriction, indomethacin, and gestational age (Farina et al) (Letter); (Vermillion) (Reply). 1998;178:625-6

Fetal growth retardation

Blood flow through the ductus venosus in singleton and multifetal pregnancies and in fetuses with intrauterine growth retardation (Tchirikov et al). 1998;178:943-9

Dietary L-arginine prevents fetal growth restriction in rats (Vosatka et al). 1998;178:242-6

Doppler velocimetry determined redistribution of fetal blood flow: correlation with growth restriction in diamniotic monochorionic and dizygotic twins (Gaziano et al). 1998;178:1359-67

Doppler velocimetry of growth-restricted fetuses in an ovine model of placental insufficiency (Galan et al). 1998;178:451-6

Fetal and neonatal mortality in the postterm pregnancy: the impact of gestational age and fetal growth restriction (Divon et al). 1998;178:726-31

Single and repetitive maternal glucocorticoid exposures reduce fetal growth in sheep (Jobe et al). 1998;178:880-5

Fetal heart rate; see Heart rate, fetal**Fetal macrosomia**

Birth injury and macrosomic fetuses: association with mode of delivery (Farina et al). 1998;178:867 (Letter)

Elective delivery of infants with macrosomia in diabetic women: reduced shoulder dystocia versus increased cesarean deliveries (Conway and Langer). 1998;178:922-5

Persistent brachial plexus injury: the outcome of concern among patients with suspected fetal macrosomia (Gherman) (Letter); (Kolderup et al) (Reply). 1998;178:195-6

Pregnancy outcome, Diabetes Control and Complications Trial, and intensive glycemic control (Schwartz and Teramo) (Letter); (Nathan and The Diabetes Control and Complications Trial Research Group) (Reply). 1998;178:416-7

Sequelae of unrecognized gestational diabetes (Adams et al). 1998;178:1321-32

Fetal membranes

Human amniotic fluid mathematical model: determination and effect of intramembranous sodium flux (Curran et al). 1998;178:484-90

In vitro studies of the interactions between platelets and amniotic membranes: a potential treatment for preterm premature rupture of the membranes (Louis-Sylvestre et al). 1998;178:287-93

Management of pregnancies beyond forty-one weeks' gestation with an unfavorable cervix (Magann et al). 1998;178:1279-87

Fetal membranes, premature rupture

Concomitant use of glucocorticoids: a comparison of two meta-analyses on antibiotic treatment in preterm premature rupture of membranes (Leitich et al). 1998;178:899-908

Fetal membrane closure techniques after hysterotomy in the midgestational rabbit model (Papadopoulos et al). 1998;178:938-42

In vitro studies of the interactions between platelets and amniotic membranes: a potential treatment for preterm premature rupture of the membranes (Louis-Sylvestre et al). 1998;178:287-93

Premature rupture of membranes at 34 to 37 weeks' gestation: aggressive versus conservative management (Naef et al). 1998;178:126-30

Fetal monitoring

Comparison of the modified biophysical profile to a "new" biophysical profile incorporating the middle cerebral artery to umbilical artery velocity flow systolic/diastolic ratio (Ott et al). 1998;178:1346-53

The effect of uterine contractions on intrapartum fetal heart rate analyzed by a computerized system (Zimmer et al). 1998;178:436-40

Fetal assessment based on fetal biophysical profile scoring. VIII.

The incidence of cerebral palsy in tested and untested perinates (Manning et al). 1998;178:696-706

How accurate is fetal biometry in the assessment of fetal age? (Chervenak et al). 1998;178:678-87

Fetal organ maturity

Rapid determination of fetal lung maturity from infrared spectra of amniotic fluid (Liu et al). 1998;178:234-41

The role of midtrimester targeted fetal organ screening combined with the "triple test" and maternal age in the diagnosis of trisomy 21: a retrospective study (Yagel et al). 1998;178:40-4

Fetal viability

The impact of fetal compromise on outcome at the border of viability (Baton et al). 1998;178:909-15

Severity of pelvic inflammatory disease as a predictor of the probability of live birth (Lepine et al). 1998;178:977-81

Fetofetal transfusion

Neonatal cranial ultrasonographic findings in preterm twins complicated by severe fetofetal transfusion syndrome (Denbow et al). 1998;178:479-83

Fetus

Brain lipid peroxidation and antioxidant levels in fetal lambs 72 hours after asphyxia by partial umbilical cord occlusion (Ikeda et al). 1998;178:474-8

Cervical fetal fibronectin correlates to prostaglandin E_2 -induced cervical ripening and can be identified in cervical tissue (Sennström et al). 1998;178:540-5

Fetal oxygen saturation and fractional extraction at birth and the relationship to measures of acidosis (Richardson et al). 1998;178:572-9

Higher endothelin concentrations in the fetoplacental unit of pregnant women of African ancestry (Carbonne et al). 1998;178:491-2

Massive decline in lung liquid before vaginal delivery at term in the fetal lamb (Berger et al). 1998;178:223-7

Physiologic and histologic changes in near-term fetal lambs exposed to asphyxia by partial umbilical cord occlusion (Ikeda et al). 1998;178:24-32

Urinary compound W in pregnant women is a potential marker for fetal thyroid function (Wu et al). 1998;178:886-91

Fetus, abnormalities

Clinical outcome of mild fetal ventriculomegaly (Vergani et al). 1998;178:218-22

Factor V Leiden—a novel etiology of the long-standing thrombosis theory for recurrent pregnancy loss (Younis) (Letter); (Dizon-Townson) (Reply). 1998;178:1107-8

Fever

Aspirin pretreatment potentiates hyperthermia-induced teratogenesis in the mouse (Tiboni et al). 1998;178:270-9

Fibroblasts

Proliferation and apoptosis of fibroblasts and smooth muscle cells in rat uterine cervix throughout gestation and the effect of the anti-progesterone onapristone (Leppert). 1998;178:713-25

Fibronectins

Cervical fetal fibronectin correlates to prostaglandin E_2 -induced cervical ripening and can be identified in cervical tissue (Sennström et al). 1998;178:540-5

The Preterm Prediction Study: recurrence risk of spontaneous preterm birth (Iams et al). 1998;178:1035-40

First trimester of pregnancy; see Pregnancy trimester, first

Flow velocity; see Blood flow velocity

Fluconazole

The effect of fluconazole on circulating ethinyl estradiol levels in women taking oral contraceptives (Sinofsky and Pasquale). 1998;178:300-4

Fluorescence

Rapid prenatal detection of aneuploidies by fluorescent polymerase

chain reaction (Tóth et al) (Letter); (Pertl et al) (Reply). 1998;178:1101-2

Follicular phase

Effects of follicular-phase cocaine administration on menstrual and ovarian cyclicity in rhesus monkeys (Potter et al). 1998;178:118-25

Folliculogenesis; see Ovary

Freezing

Are the cytokines interleukin-6 and angiogenin stable in frozen amniotic fluid? (Spong et al). 1998;178:783-6

G

Gamete donation

Intergenerational gamete donation: ethical and societal implications (Marshall). 1998;178:1171-6

Gap junction

Gap junction currents in cultured muscle cells from human myometrium (Miyoshi et al). 1998;178:588-93

Gardnerella vaginalis

Immunoglobulin A response against *Gardnerella vaginalis* hemolysin and sialidase activity in bacterial vaginosis (Cauci et al). 1998;178:511-5

Gases

Laparoscopic surgery: the effects of insufflation gas on tumor-induced lethality in nude mice (Volz et al). 1998;178:793-5

Gelatinase

Expression of gelatinase B by trophoblast cells: down-regulation by progesterone (Shimonovitz et al). 1998;178:457-61

Genes

BRCA1, BRCA2, and hereditary nonpolyposis colorectal cancer gene mutations in an unselected ovarian cancer population: relationship to family history and implications for genetic testing (Rubin et al). 1998;178:670-7

Lipopolysaccharide enhances the transcription of prostaglandin H synthase-2 gene in primary human trophoblasts (Anteby et al). 1998;178:469-73

Genetics

Clinical and genetic evaluation of thirty ovarian cancer families (Zweemer et al). 1998;178:85-90

Father's effect on infant birth weight (Klebanoff et al). 1998;178:1022-6

Three births after preimplantation genetic diagnosis for cystic fibrosis with sequential first and second polar body analysis (Strom et al). 1998;178:1298-306

Genitalia, female

Use of video eyeglasses to decrease anxiety among children undergoing genital examinations (Berenson et al). 1998;178:1341-5

Gentamicins

Medically sound, cost-effective treatment for pelvic inflammatory disease and tuboovarian abscess (McNeeley et al). 1998;178:1272-8

Gestational age

Dilatation of the urinary tract during pregnancy: proposal of a curve of maximal caliceal diameter by gestational age (Faúndes et al). 1998;178:1082-6

Fetal ductus arteriosus constriction, indomethacin, and gestational age (Farina et al) (Letter); (Vermillion) (Reply). 1998;178:625-6

Fetal and neonatal mortality in the postterm pregnancy: the impact of gestational age and fetal growth restriction (Divon et al). 1998;178:726-31

Gestational age—cont'd

Gestational age changes in circulating CD34⁺ hematopoietic stem/progenitor cells in fetal cord blood (Shields and Andrews). 1998;178:931-7

How accurate is fetal biometry in the assessment of fetal age? (Chervenak et al). 1998;178:678-87

Gestational diabetes; see Diabetes, gestational**Glucocorticoids**

Concomitant use of glucocorticoids: a comparison of two meta-analyses on antibiotic treatment in preterm premature rupture of membranes (Leitich et al). 1998;178:899-908

Single and repetitive maternal glucocorticoid exposures reduce fetal growth in sheep (Jobe et al). 1998;178:880-5

Glucose

The effect of oral terbutaline on maternal glucose metabolism and energy expenditure in pregnancy (Smigaj et al). 1998;178:1041-7

Pregnancy outcome, Diabetes Control and Complications Trial, and intensive glycemic control (Schwartz and Teramo) (Letter); (Nathan and The Diabetes Control and Complications Trial Research Group) (Reply). 1998;178:416-7

Glucose tolerance test

Pregnant women with impaired tolerance to an oral glucose load in the afternoon: evidence suggesting that they behave metabolically as patients with gestational diabetes (Aparicio et al). 1998;178:1059-66

Screening for gestational diabetes mellitus in adolescent pregnancies (Lemen et al). 1998;178:1251-6

Sequelae of unrecognized gestational diabetes (Adams et al). 1998;178:1321-32

Toward universal criteria for gestational diabetes: relationships between seventy-five and one hundred gram glucose loads and between capillary and venous glucose concentrations (Weiss et al). 1998;178:830-5

Glutathione transferases

Plasma glutathione S-transferase Alpha 1-1: a more sensitive marker for hepatocellular damage than serum alanine aminotransferase in hypertensive disorders of pregnancy (Knapen et al). 1998;178:161-5

Gonadotropins, chorionic

Human chorionic gonadotropin production by the pituitary gland in a premenopausal woman (Patton et al). 1998;178:1138-42

Gonads

Effects of aging and gonadal failure on the hypothalamic-pituitary axis in women (Santoro et al). 1998;178:732-41

GRO- α

The role of amniotic fluid L-selectin, GRO- α , and interleukin-8 in the pathogenesis of intraamniotic infection (Hsu et al). 1998;178:428-32

Growth disorders

Impaired growth and risk of fetal death: Is the tenth percentile the appropriate standard? (Seeds and Peng). 1998;178:658-69

Growth restriction, fetal; see Fetal growth retardation**Guidelines**

Guidelines to determine the role of laparoscopically assisted vaginal hysterectomy (Kovac). 1998;178:1257-63

Toward universal criteria for gestational diabetes: relationships between seventy-five and one hundred gram glucose loads and between capillary and venous glucose concentrations (Weiss et al). 1998;178:830-5

Gynecologic surgery; see Surgery, gynecologic**Gynecology**

Integrity and common sense in medicine (Scott). 1998;178:635-40 (Pres. address)

Obstetrician-gynecologists as primary care physicians: the Oregon experience—early perceptions regarding the effects of legislative action (Kirk et al). 1998;178:1222-8

Three-dimensional ultrasonography in obstetrics and gynecology: preliminary experience (Platt et al). 1998;178:1199-206

Unmet mental health needs of women in public-sector gynecologic clinics (Miranda et al). 1998;178:212-7 (Primary care)

H**Health**

Reproductive health hospitalizations among women with human immunodeficiency virus infections (Minkoff et al). 1998;178:166-70

Health care delivery; see Delivery of health care**Health status**

Self-perceived health status of women three to five years after the diagnosis of gestational diabetes: a survey of cases and matched controls (Feig et al). 1998;178:386-93

Heart

Intravenous leiomyomatosis with cardiac involvement in a pregnant woman (Marom et al). 1998;178:620-1

Heart failure, congestive

Peripartum cardiomyopathy: a comprehensive review (Brown and Bertolet). 1998;178:409-14 (Curr. dev.)

Heart hypertrophy

Cardiac hypertrophy in chronically anemic fetal sheep: increased vascularization is associated with increased myocardial expression of vascular endothelial growth factor and hypoxia-inducible factor 1 (Martin et al). 1998;178:527-34

Heart rate, fetal

The effect of uterine contractions on intrapartum fetal heart rate analyzed by a computerized system (Zimmer et al). 1998;178:436-40

Fetal and maternal diurnal rhythms during the third trimester of normal pregnancy: outcomes of computerized analysis of continuous twenty-four-hour fetal heart rate recordings (Lunshof et al). 1998;178:247-54

Helium

Laparoscopic surgery: the effects of insufflation gas on tumor-induced lethality in nude mice (Volz et al). 1998;178:793-5

HELLP syndrome

Increased serum levels of hyaluronic acid in pregnancies complicated by preeclampsia or hemolysis, elevated liver enzymes, and low platelets syndrome (Osmers et al). 1998;178:341-5

Hemangioma, cavernous

Intracranial cavernous angioma initially presenting in pregnancy with new-onset seizures (Hoeldtke et al). 1998;178:612-3

Hematopoietic stem cells

Gestational age changes in circulating CD34⁺ hematopoietic stem/progenitor cells in fetal cord blood (Shields and Andrews). 1998;178:931-7

Hemodilution

The use of acute hemodilution in parturients undergoing cesarean section (Grange et al). 1998;178:156-60

Hemodynamics

Role of nitric oxide on the central hemodynamic response to acute volume expansion in the pregnant rat (Fiol et al). 1998;178:823-9

Hemolysins

Immunoglobulin A response against *Gardnerella vaginalis* hemolysin and sialidase activity in bacterial vaginosis (Cauci et al). 1998;178:511-5

Hemolysis

Increased serum levels of hyaluronic acid in pregnancies complicated by preeclampsia or hemolysis, elevated liver enzymes, and low platelets syndrome (Osmers et al). 1998;178:341-5

Hemorrhage

Percutaneous transluminal endovascular graft placement for massive hemorrhage caused by recurrent cervical carcinoma-associated erosion of the external iliac artery (Abulafia et al). 1998;178:618-20

Hepatocellular damage; see Liver

Hepatocyte growth factor

Hepatocyte growth factor in human amniotic fluid promotes the migration of fetal small intestinal epithelial cells (Okamura et al). 1998;178:175-9

Hepatotoxicity; see Liver, toxicity

Hereditary nonpolyposis colorectal cancer; see Colorectal neoplasms, hereditary nonpolyposis

HIV

Human immunodeficiency virus infection and women: a survey of missed opportunities for testing and diagnosis (MacDonald et al). 1998;178:1264-71

A longitudinal study of human papillomavirus carriage in human immunodeficiency virus-infected and human immunodeficiency virus-uninfected women (Minkoff et al). 1998;178:982-6

Reproductive health hospitalizations among women with human immunodeficiency virus infections (Minkoff et al). 1998;178:166-70

HIV-1

The influence of pregnancy on human immunodeficiency virus type 1 infection: antepartum and postpartum changes in human immunodeficiency virus type 1 viral load (Burns et al). 1998;178:355-9

Homocysteine

The relationship between maternal and neonatal umbilical cord plasma homocyst(e)ine suggests a potential role for maternal homocyst(e)ine in fetal metabolism (Malinow et al). 1998;178:228-33

Hormone replacement therapy; see Estrogen replacement therapy

Hospitalization

Pregnancy-associated hospitalizations in the United States in 1991 and 1992: a comprehensive view of maternal morbidity (Bennett et al). 1998;178:346-54

Reproductive health hospitalizations among women with human immunodeficiency virus infections (Minkoff et al). 1998;178:166-70

Hospitals, private

Lowering the cesarean section rate in a private hospital: comparison of individual physicians' rates, risk factors, and outcomes (Lagrew and Adashek). 1998;178:1207-14

Human chorionic gonadotropins; see Gonadotropins, chorionic

Human immunodeficiency virus; see HIV

Hyaluronic acid

Increased serum levels of hyaluronic acid in pregnancies complicated by preeclampsia or hemolysis, elevated liver enzymes, and low platelets syndrome (Osmers et al). 1998;178:341-5

Hydrogen-ion concentration

Apgar scores (Martin) (Letter); (Sehdev et al) (Reply). 1998;178:1103-4

Predictive agreement between the fetal arterial oxygen saturation and fetal scalp pH: results of the German multicenter study (Kühnert et al). 1998;178:330-5

Predictive factors for neonatal morbidity in neonates with an umbilical arterial cord pH <7.00 (Ayres) (Letter); (Sehdev) (Reply). 1998;178:872-3

Hydronephrosis

Dilatation of the urinary tract during pregnancy: proposal of a curve of maximal caliceal diameter by gestational age (Faúndes et al). 1998;178:1082-6

3-Hydroxyacyl CoA dehydrogenases

Pregnancy complications are frequent in long-chain 3-hydroxyacyl-coenzyme A dehydrogenase deficiency (Tyni et al). 1998;178:603-8

Hydroxyeicosatetraenoic acids

The release of 15-hydroxyeicosatetraenoic acid by human placental trophoblast is increased in preeclampsia (Johnson et al). 1998;178:54-8

Hypercholesterolemia

Effects of adding C-19 versus C-21 progestin to conjugated estrogen in moderately hypercholesterolemic postmenopausal women (Wolfe et al). 1998;178:787-92

Hyperemesis gravidarum

Experience with oral methylprednisolone in the treatment of refractory hyperemesis gravidarum (Safari et al). 1998;178:1054-8

Hypertension

Ambulatory blood pressure monitoring in pregnancy: What is normal? (Brown et al). 1998;178:836-42

Automated, ambulatory, or conventional blood pressure measurement in pregnancy: Which is the better predictor of severe hypertension? (Penny et al). 1998;178:521-6

The clinical utility of serum uric acid measurements in hypertensive diseases of pregnancy (Lim et al). 1998;178:1067-71

Lipid peroxide and vitamin E patterns in pregnant women with different types of hypertension in pregnancy (Gratacós et al). 1998;178:1072-6

Plasma glutathione S-transferase Alpha 1-1: a more sensitive marker for hepatocellular damage than serum alanine aminotransferase in hypertensive disorders of pregnancy (Knapen et al). 1998;178:161-5

Hyperthermia; see Fever

Hypothalamus

Effects of aging and gonadal failure on the hypothalamic-pituitary axis in women (Santoro et al). 1998;178:732-41

Hypothyroidism

Natural pregnancy in hypothyroid woman complicated by spontaneous ovarian hyperstimulation syndrome (Nappi et al). 1998;178:610-1

Hypoxia; see Anoxia

Hysterectomy

Endometrial cancer represents a contraindication for classic intrafascial supracervical hysterectomy by laparoscopy (Mettler) (Letter); (Schneider) (Reply). 1998;178:628-9

Liposuction-assisted nerve-sparing extended radical hysterectomy: oncologic rationale, surgical anatomy, and feasibility study (Höckel et al). 1998;178:971-6

Missed uterine malignancy: a compounding of errors (Pelosi and Pelosi) (Letter); (Schneider) (Reply). 1998;178:197-8

To peritonealize or not to peritonealize? A randomized trial at abdominal hysterectomy (Gupta et al). 1998;178:796-800

Hysterectomy—cont'd

Quality of life, health care utilization, and costs among women undergoing hysterectomy in a managed-care setting (Van Den Eeden et al). 1998;178:91-100

Radical hysterectomy: current management guidelines (Johnson) (Letter); (Helmkamp) (Reply). 1998;178:626-7

Ureteral complications with operative gynecologic laparoscopy (Tamussino et al). 1998;178:967-70

Hysterectomy, vaginal

Guidelines to determine the role of laparoscopically assisted vaginal hysterectomy (Kovac). 1998;178:1257-63

Hysteroamniotomy; see Uterus, surgery**Hysteroscopy**

Triage of abnormal postmenopausal bleeding: a comparison of endometrial biopsy and transvaginal sonohysterography versus fractional curettage with hysteroscopy (O'Connell et al). 1998;178:956-61

I

IgA

Immunoglobulin A response against *Gardnerella vaginalis* hemolysin and sialidase activity in bacterial vaginosis (Cauci et al). 1998;178:511-5

Secretory component of immunoglobulin A in maternal serum and the prediction of preterm delivery (Schellenberg et al). 1998;178:535-9

Iliac artery

Percutaneous transluminal endovascular graft placement for massive hemorrhage caused by recurrent cervical carcinoma-associated erosion of the external iliac artery (Abulafia et al). 1998;178:618-20

Immune system

Immune to the concept (Perkins) (Letter); (Smith and Walker) (Reply). 1998;178:417-8

Immunoglobulin A; see IgA**Impaired growth; see Growth disorders****In situ hybridization**

Primed in situ labeling for rapid prenatal diagnosis (Velagelati et al). 1998;178:1313-20

In vitro fertilization; see Fertilization in vitro**Indomethacin**

Fetal ductus arteriosus constriction, indomethacin, and gestational age (Farina et al) (Letter); (Vermillion) (Reply). 1998;178:625-6

Indomethacin tocolysis (Hein) (Letter); (Vermillion) (Reply). 1998;178:198

Safety of antenatal indomethacin (Kaempf) (Letter); (Macones) (Reply). 1998;178:873-4

Infant

Father's effect on infant birth weight (Klebanoff et al). 1998;178:1022-6

Infant, low birth weight

Changing patterns in regionalization of perinatal care and the impact on neonatal mortality (Yeast et al). 1998;178:131-5

Low birth weight and preterm birth after short interpregnancy intervals (Basso et al). 1998;178:259-63

Prenatal prediction of neonatal outcome in the extremely low-birth-weight infant (Bahado-Singh et al). 1998;178:462-8

Infant, newborn

Antenatal factors in relation to neonatal outcome in preterm delivery (Murphy) (Letter); (Nielsen) (Reply). 1998;178:629-30

Change in male proportion of newborn infants in Japan (Minakami and Sato). 1998;178:624 (Letter)

A positive umbilical venous-arterial difference of leptin level and its rapid decline after birth (Yura et al). 1998;178:926-30

Prenatal prediction of neonatal outcome in the extremely low-birth-weight infant (Bahado-Singh et al). 1998;178:462-8

The relationship between maternal and neonatal umbilical cord plasma homocyst(e)ine suggests a potential role for maternal homocyst(e)ine in fetal metabolism (Malinow et al). 1998;178:228-33

Safety of antenatal indomethacin (Kaempf) (Letter); (Macones) (Reply). 1998;178:873-4

The timing of congenital brachial plexus injury: a study of electromyography findings in the newborn piglet (Gonik et al). 1998;178:688-95

Infant, newborn, diseases

Apgar scores (Martin) (Letter); (Sehdev et al) (Reply). 1998;178:1103-4

Metabolic acidosis and newborn complications: Is a univariate threshold appropriate? (Farina et al) (Letter); (Low and Lam) (Reply). 1998;178:1102-3

Neonatal cranial ultrasonographic findings in preterm twins complicated by severe fetofetal transfusion syndrome (Denbow et al). 1998;178:479-83

Predictive factors for neonatal morbidity in neonates with an umbilical arterial cord pH <7.00 (Ayres) (Letter); (Sehdev) (Reply). 1998;178:872-3

Infant, premature

Elevated second-trimester amniotic fluid interleukin-6 levels predict preterm delivery (Wenstrom et al). 1998;178:546-50

Low birth weight and preterm birth after short interpregnancy intervals (Basso et al). 1998;178:259-63

Infant, premature, diseases

Neonatal cranial ultrasonographic findings in preterm twins complicated by severe fetofetal transfusion syndrome (Denbow et al). 1998;178:479-83

Infant mortality

Apgar scores (Martin) (Letter); (Sehdev et al) (Reply). 1998;178:1103-4

Changing patterns in regionalization of perinatal care and the impact on neonatal mortality (Yeast et al). 1998;178:131-5

Fetal and neonatal mortality in the postterm pregnancy: the impact of gestational age and fetal growth restriction (Divon et al). 1998;178:726-31

Magnesium sulfate tocolysis and risk of neonatal death (Grether et al). 1998;178:1-6

Predictive factors for neonatal morbidity in neonates with an umbilical arterial cord pH <7.00 (Ayres) (Letter); (Sehdev) (Reply). 1998;178:872-3

Umbilical arteriovenous Po₂ and Pco₂ differences and neonatal morbidity in term infants with severe acidosis (Belai et al). 1998;178:13-9

Infection

Bartholinitis after vulvovaginal surgery (Peters). 1998;178:1143-4

Few microorganisms associated with bacterial vaginosis may constitute the pathologic core: a population-based microbiologic study among 3596 pregnant women (Thorsen et al). 1998;178:580-7

Prior pregnancy outcome and the risk of intraamniotic infection in the following pregnancy (Krohn et al). 1998;178:381-5

- The role of amniotic fluid L-selectin, GRO- α , and interleukin-8 in the pathogenesis of intraamniotic infection (Hsu et al). 1998;178:428-32
- Infertility, female**
- Immune to the concept (Perkins) (Letter); (Smith and Walker) (Reply). 1998;178:417-8
- Infrared rays**
- Rapid determination of fetal lung maturity from infrared spectra of amniotic fluid (Liu et al). 1998;178:234-41
- Infusions, intravenous**
- Baroreflex-mediated bradycardia but not tachycardia is blunted peripherally by intravenous μ -opioid agonists (Kett et al). 1998;178:950-5
- Injections**
- Urethral prolapse after collagen injection (Harris et al). 1998;178:614-5
- Injury, birth; see Birth injuries**
- Insemination, artificial**
- The disclosure decision: concerns and issues of parents of children conceived through donor insemination (Nachtigall et al). 1998;178:1165-70
- Immune to the concept (Perkins) (Letter); (Smith and Walker) (Reply). 1998;178:417-8
- Insufflation**
- Laparoscopic surgery: the effects of insufflation gas on tumor-induced lethality in nude mice (Volz et al). 1998;178:793-5
- Insurance, health**
- What is a good doctor? Patient perspective (Martin). 1998;178:752-4
- Intercellular junctions**
- Ineffectiveness of oxytocin on intercellular communication between term pregnant human myometrial cells before labor (Çiray et al). 1998;178:855-61
- Interleukin-4**
- The induction of cyclooxygenase-2 by interleukin-4 in human umbilical vein endothelial cells: a possible role in regulation of fetal vascular tone (Lantz et al). 1998;178:255-8
- Interleukin-6**
- Are the cytokines interleukin-6 and angiogenin stable in frozen amniotic fluid? (Spong et al). 1998;178:783-6
- Elevated second-trimester amniotic fluid interleukin-6 levels predict preterm delivery (Wenstrom et al). 1998;178:546-50
- Interleukin-8**
- Evidence for a neutrophil-interleukin-8 system in human folliculogenesis (Chang et al). 1998;178:650-7
- The role of amniotic fluid L-selectin, GRO- α , and interleukin-8 in the pathogenesis of intraamniotic infection (Hsu et al). 1998;178:428-32
- Internship and residency**
- Managed health care and resident education (Golditch et al). 1998;178:1157-64
- Should sacrospinous ligament fixation for the management of pelvic support defects be part of a residency program procedure? The University of Miami experience (Penalver et al). 1998;178:326-9
- Interpregnancy intervals; see Birth intervals**
- Intestine, small**
- Hepatocyte growth factor in human amniotic fluid promotes the migration of fetal small intestinal epithelial cells (Okamura et al). 1998;178:175-9
- Intracranium; see Skull**
- Intramembranous flux; see Fetal membranes**
- Intrauterine growth; see Fetal development**
- Intravaginal administration; see Administration, intravaginal**
- Items**
- Items. 1998;178:201-2, 419-20, 633-4, 875-6, 1109-10, 1386
- J
- Japan**
- Change in male proportion of newborn infants in Japan (Minakami and Sato). 1998;178:624 (Letter)
- K
- Kidney, pathology**
- Ultrasonographic detection of ureteral jets in normal pregnancy (Asrat et al). 1998;178:1194-8
- Kidney calices**
- Dilatation of the urinary tract during pregnancy: proposal of a curve of maximal caliceal diameter by gestational age (Faúndes et al). 1998;178:1082-6
- L
- L-selectin; see Cell adhesion molecules**
- Labor**
- Cardiovascular and metabolic responses to two receptor-selective opioid agonists in pregnant sheep (Clapp et al). 1998;178:397-401
- The course of labor with and without epidural analgesia (Alexander et al). 1998;178:516-20
- Diurnal rhythms of labor and delivery in women: modulation by parity and seasons (Cagnacci et al). 1998;178:140-5
- Does magnesium sulfate given for prevention of eclampsia affect the outcome of labor? (Leveno et al). 1998;178:707-12
- Effect of labor on maternal cerebral blood flow velocity (Williams et al). 1998;178:59-61
- The effect of uterine contractions on intrapartum fetal heart rate analyzed by a computerized system (Zimmer et al). 1998;178:436-40
- Expression of cell adhesion molecules by endothelium in the human lower uterine segment during parturition at term (Winkler et al). 1998;178:557-61
- Fetal oxygen saturation and fractional extraction at birth and the relationship to measures of acidosis (Richardson et al). 1998;178:572-9
- In vivo effects of corticotropin-releasing factor in pregnant rats (Jain et al). 1998;178:186-91
- Ineffectiveness of oxytocin on intercellular communication between term pregnant human myometrial cells before labor (Çiray et al). 1998;178:855-61
- Is there an association between water baths during labor and the development of chorioamnionitis or endometritis? (Robertson et al). 1998;178:1215-21
- The labor-adjusted cesarean section: a more informative method than the cesarean section "rate" for assessing a practitioner's labor and delivery skills (Sandmire) (Letter); (Elliott) (Reply). 1998;178:196-7
- Massive decline in lung liquid before vaginal delivery at term in the fetal lamb (Berger et al). 1998;178:223-7
- A positive umbilical venous-arterial difference of leptin level and its rapid decline after birth (Yura et al). 1998;178:926-30

Labor—cont'd

- Training in pregnant women: effects on fetal development and birth (Kardel and Kase). 1998;178:280-6
- The use of acute hemodilution in parturients undergoing cesarean section (Grange et al). 1998;178:156-60
- Uterine activity during pregnancy and labor assessed by simultaneous recordings from the myometrium and abdominal surface in the rat (Buhimschi et al). 1998;178:811-22

Labor, induced

- Premature rupture of membranes at 34 to 37 weeks' gestation: aggressive versus conservative management (Naef et al). 1998;178:126-30

Labor, premature

- Activation of large-conductance potassium channels in pregnant human myometrium by pinacidil (Khan et al). 1998;178:1027-34
- Antenatal factors in relation to neonatal outcome in preterm delivery (Murphy) (Letter); (Nielsen) (Reply). 1998;178:629-30
- Cocaine augments contractility of the pregnant human uterus by both adrenergic and nonadrenergic mechanisms (Hurd et al). 1998;178:1077-81
- Corticotropin-releasing hormone: a biochemical predictor of preterm delivery in a pilot randomized trial of the treatment of preterm labor (Bisits et al). 1998;178:862-6
- Effects of erythromycin on contractility of isolated myometrium from pregnant rats (Granovsky-Grisaru et al). 1998;178:171-4
- Gestational duration in the pregnancy after a preterm twin delivery (Rydhstroem). 1998;178:136-9
- Inhibition of amniotic prostaglandin E release by ampicillin (Vesce et al). 1998;178:759-64
- The Preterm Prediction Study: recurrence risk of spontaneous preterm birth (Iams et al). 1998;178:1035-40
- The Preterm Prediction Study: recurrence risk of spontaneous preterm birth (Pun et al) (Letter); (Peleg) (Reply). 1998;178:1105
- The preterm prediction study: risk factors for indicated preterm births (Meis et al). 1998;178:562-7
- Safety of antenatal indomethacin (Kaempf) (Letter); (Macones) (Reply). 1998;178:873-4
- Secretory component of immunoglobulin A in maternal serum and the prediction of preterm delivery (Schellenberg et al). 1998;178:535-9
- Single and repetitive maternal glucocorticoid exposures reduce fetal growth in sheep (Jobe et al). 1998;178:880-5
- Use of antibiotics to prevent preterm birth (Hauth and Andrews) (Letter); (Gibbs and Eschenbach) (Reply). 1998;178:624-5

Labor stage, first

- Cervical fetal fibronectin correlates to prostaglandin E₂-induced cervical ripening and can be identified in cervical tissue (Sennström et al). 1998;178:540-5
- Cervical ripening: a randomized comparison between intravaginal misoprostol and an intracervical balloon catheter combined with intravaginal dinoprostone (Perry et al). 1998;178:1333-40
- The course of labor with and without epidural analgesia (Alexander et al). 1998;178:516-20

Labor stage, second

- The course of labor with and without epidural analgesia (Alexander et al). 1998;178:516-20

Lactation

- Bone structural and metabolic changes at the end of pregnancy and lactation in rats (Tojo et al). 1998;178:180-5

Laparoscopic surgery; see Surgery, laparoscopic**Laparoscopy**

- Guidelines to determine the role of laparoscopically assisted vaginal hysterectomy (Kovac). 1998;178:1257-63
- Laparoscopy versus laparotomy: an evaluation of adhesion formation after pelvic and paraaortic lymphadenectomy in a porcine model (Chen et al). 1998;178:499-503
- Value of laparoscopic evaluation of paraaortic and pelvic lymph nodes for treatment of cervical cancer (Possover et al). 1998;178:806-10

Laparotomy

- Laparoscopy versus laparotomy: an evaluation of adhesion formation after pelvic and paraaortic lymphadenectomy in a porcine model (Chen et al). 1998;178:499-503

Lateral recumbent position

- Blood pressure measurement in pregnant women in the left lateral recumbent position (Kinsella) (Letter); (Goldkrand) (Reply). 1998;178:867-8

Legislation

- Obstetrician-gynecologists as primary care physicians: the Oregon experience—early perceptions regarding the effects of legislative action (Kirk et al). 1998;178:1222-8

Leiden mutation; see Mutation**Leiomyoma**

- Intravenous leiomyomatosis with cardiac involvement in a pregnant woman (Marom et al). 1998;178:620-1

Leptin

- Longitudinal changes in maternal serum leptin concentrations, body composition, and resting metabolic rate in pregnancy (Highman et al). 1998;178:1010-5
- A positive umbilical venous-arterial difference of leptin level and its rapid decline after birth (Yura et al). 1998;178:926-30

Letters

- Letters. 1998;178:192-8, 415-8, 624-32, 867-74, 1100-8, 1368-70

Leuprolide

- A prospective randomized study to evaluate leuprolide acetate treatment before laparoscopic myomectomy: efficacy and ultrasonographic predictors (Zullo et al). 1998;178:108-12

Levonorgestrel

- Real-time ultrasonographically guided removal of nonpalpable and intramuscular Norplant capsules (Nelson and Sinow). 1998;178:1185-93

LH

- Characteristics of luteinizing hormone secretion in younger versus older premenopausal women (Matt et al). 1998;178:504-10

Lichen sclerosis

- Clobetasol dipropionate 0.05% versus testosterone propionate 2% topical application for severe vulvar lichen sclerosis (Bornstein et al). 1998;178:80-4

Lifestyle

- Hormone replacement therapy and body size: How much does lifestyle explain? (Luoto et al). 1998;178:66-73

Ligaments

- Should sacrospinous ligament fixation for the management of pelvic support defects be part of a residency program procedure? The University of Miami experience (Penalver et al). 1998;178:326-9

Lipectomy

- Liposuction-assisted nerve-sparing extended radical hysterectomy: oncologic rationale, surgical anatomy, and feasibility study (Höckel et al). 1998;178:971-6

Lipid peroxidation

Brain lipid peroxidation and antioxidant levels in fetal lambs 72 hours after asphyxia by partial umbilical cord occlusion (Ikeda et al). 1998;178:474-8

Preeclampsia, lipid peroxidation, and calcium adenosine triphosphatase activity of red blood cell ghosts (Matteo et al). 1998;178:402-8

Lipid peroxides

Lipid peroxide and vitamin E patterns in pregnant women with different types of hypertension in pregnancy (Gratacós et al). 1998;178:1072-6

Lipids

Effects of hormone replacement therapy on the endometrium and lipid parameters: a review of randomized clinical trials 1985 to 1995 (Pickar et al). 1998;178:1087-99 (Curr. dev.)

Lipopolysaccharides

Lipopolysaccharide enhances the transcription of prostaglandin H synthase-2 gene in primary human trophoblasts (Anteby et al). 1998;178:469-73

Lipoprotein lipase

Estrogen regulation of adipose tissue lipoprotein lipase—possible mechanism of body fat distribution (Price et al). 1998;178:101-7

Lipoproteins

Elevated levels of lipoprotein(a) in women with preeclampsia (Wang et al). 1998;178:146-9

Liver

Increased serum levels of hyaluronic acid in pregnancies complicated by preeclampsia or hemolysis, elevated liver enzymes, and low platelets syndrome (Osmers et al). 1998;178:341-5

Plasma glutathione S-transferase Alpha 1-1: a more sensitive marker for hepatocellular damage than serum alanine aminotransferase in hypertensive disorders of pregnancy (Knapen et al). 1998;178:161-5

Liver, toxicity

Estrogen-androgen hepatotoxicity? (Ettinger and Fireman). 1998;178:627-8 (Letter)

Low birth weight infant; see Infant, low birth weight

Lung

Massive decline in lung liquid before vaginal delivery at term in the fetal lamb (Berger et al). 1998;178:223-7

Luteinizing hormone; see LH

LY-117018 HCl; see Receptors, estrogen

Lymph nodes

Adenocarcinoma of the uterine cervix metastatic to lymph nodes (Cohn et al). 1998;178:1131-7

Value of laparoscopic evaluation of paraaortic and pelvic lymph nodes for treatment of cervical cancer (Possover et al). 1998;178:806-10

Lymph nodes, surgery

Laparoscopy versus laparotomy: an evaluation of adhesion formation after pelvic and paraaortic lymphadenectomy in a porcine model (Chen et al). 1998;178:499-503

M

Macrosomia, fetal; see Fetal macrosomia

Magnesium sulfate

Does magnesium sulfate given for prevention of eclampsia affect the outcome of labor? (Leveno et al). 1998;178:707-12

Magnesium sulfate attenuates peroxide-induced vasoconstriction in the human placenta (Walsh et al). 1998;178:7-12

Magnesium sulfate tocolysis and risk of neonatal death (Grether et al). 1998;178:1-6

Magnetic resonance imaging

First-trimester diagnosis of placenta previa percreta by magnetic resonance imaging (Thorp et al). 1998;178:616-8

Male

Change in male proportion of newborn infants in Japan (Minakami and Sato). 1998;178:624 (Letter)

Malpractice

Never cite sight unseen (Gordon). 1998;178:627 (Letter)

What is a good physician in this new era? (Queenan). 1998;178:750-1

Mammography

Open surgical biopsy for nonpalpable mammographic abnormalities: still an option compared with core needle biopsy (Hall et al). 1998;178:1245-50

Managed care programs

Managed health care and resident education (Golditch et al). 1998;178:1157-64

Quality of life, health care utilization, and costs among women undergoing hysterectomy in a managed-care setting (Van Den Eeden et al). 1998;178:91-100

What is a good physician in this new era? (Queenan). 1998;178:750-1

Mass screening

A new screening protocol combining urine β -core fragment and ultrasonography for Down syndrome detection (Bahado-Singh et al). 1998;178:779-82

Prospective evaluation of prenatal maternal serum screening for trisomy 18 (Yankowitz et al). 1998;178:446-50

The role of midtrimester targeted fetal organ screening combined with the "triple test" and maternal age in the diagnosis of trisomy 21: a retrospective study (Yagel et al). 1998;178:40-4

Screening for gestational diabetes mellitus in adolescent pregnancies (Lemen et al). 1998;178:1251-6

Maternal age

The role of midtrimester targeted fetal organ screening combined with the "triple test" and maternal age in the diagnosis of trisomy 21: a retrospective study (Yagel et al). 1998;178:40-4

Maternal behavior

The one-year morphometric and neurodevelopmental outcome of the offspring of women who continued to exercise regularly throughout pregnancy (Clapp et al). 1998;178:594-9

Training in pregnant women: effects on fetal development and birth (Kardel and Kase). 1998;178:280-6

Umbilical cord plasma erythropoietin levels in pregnancies complicated by maternal smoking (Jazayeri et al). 1998;178:433-5

Variations in cotinine levels in smokers during and after pregnancy (Rebagliato et al). 1998;178:568-71

Maternal-fetal exchange

Low risk of perinatal transmission of human papillomavirus: results from a prospective cohort study (Watts et al). 1998;178:365-73

Maternal-to-fetal transfer of thyrotropin-releasing hormone in vivo (Bajoria et al). 1998;178:264-9

The relationship between maternal and neonatal umbilical cord plasma homocyst(e)ine suggests a potential role for maternal homocyst(e)ine in fetal metabolism (Malinow et al). 1998;178:228-33

Maternal mortality

Pregnancy-associated hospitalizations in the United States in 1991 and 1992: a comprehensive view of maternal morbidity (Bennett et al). 1998;178:346-54

Mathematical models; see Models, theoretical**McRoberts' maneuver**

Symphysal separation and transient femoral neuropathy associated with the McRoberts' maneuver (Gherman et al). 1998;178:609-10

Meconium

Clinical value of intrapartum fetal pulse oximetry in cases complicated with meconium-stained amniotic fluid (Szabó et al) (Letter); (Carbonne et al) (Reply). 1998;178:1100-1

Medicine

Integrity and common sense in medicine (Scott). 1998;178:635-40 (Pres. address)

Medicine: Business or profession, art or science? (Nelson). 1998;178:755-8

Melanoma

Primary vaginal melanoma: thirteen-year disease-free survival after wide local excision and review of recent literature (Buchanan et al). 1998;178:1177-84

Menopause

Abnormalities detected on transvaginal ultrasonography in tamoxifen-treated postmenopausal breast cancer patients may represent endometrial cystic atrophy (McGonigle et al). 1998;178:1145-50

Characteristics of luteinizing hormone secretion in younger versus older premenopausal women (Matt et al). 1998;178:504-10

Effects of adding C-19 versus C-21 progestin to conjugated estrogen in moderately hypercholesterolemic postmenopausal women (Wolfe et al). 1998;178:787-92

Effects of aging and gonadal failure on the hypothalamic-pituitary axis in women (Santoro et al). 1998;178:732-41

Evaluation of postmenopausal bleeding (Creinin) (Letter); (Weber) (Reply). 1998;178:868-70

The female perspective: women's attitudes toward urogenital aging (Wright). 1998;178:S250-3

Human chorionic gonadotropin production by the pituitary gland in a premenopausal woman (Patton et al). 1998;178:1138-42

Postmenopausal bleeding: cost-effective evaluation (Esen) (Letter); (Weber) (Reply). 1998;178:1369-70

Triage of abnormal postmenopausal bleeding: a comparison of endometrial biopsy and transvaginal sonohysterography versus fractional curettage with hysteroscopy (O'Connell et al). 1998;178:956-61

When does estrogen replacement therapy improve sleep quality? (Polo-Kantola et al). 1998;178:1002-9

Menstrual cycle

E-cadherin and its messenger ribonucleic acid in periimplantation phase human endometrium in normal and clomiphene-treated cycles (Dawood et al). 1998;178:996-1001

Effects of follicular-phase cocaine administration on menstrual and ovarian cyclicity in rhesus monkeys (Potter et al). 1998;178:118-25

Mental health

Unmet mental health needs of women in public-sector gynecologic clinics (Miranda et al). 1998;178:212-7 (Primary care)

Mentors

Mentors I have known (Caillouette). 1998;178:1111-5 (Pres. address)

Mesoderm

Biochemical analyses of mesenchymal fluid in early pregnancy (Jauniaux et al). 1998;178:765-9

Messenger ribonucleic acid; see RNA, messenger**Metabolism**

Bone structural and metabolic changes at the end of pregnancy and lactation in rats (Tojo et al). 1998;178:180-5

Cardiovascular and metabolic responses to two receptor-selective opioid agonists in pregnant sheep (Clapp et al). 1998;178:397-401

The effect of oral terbutaline on maternal glucose metabolism and energy expenditure in pregnancy (Smigaj et al). 1998;178:1041-7

Longitudinal changes in maternal serum leptin concentrations, body composition, and resting metabolic rate in pregnancy (Highman et al). 1998;178:1010-5

Metabolic acidosis and newborn complications: Is a univariate threshold appropriate? (Farina et al) (Letter); (Low and Lam) (Reply). 1998;178:1102-3

Pregnant women with impaired tolerance to an oral glucose load in the afternoon: evidence suggesting that they behave metabolically as patients with gestational diabetes (Aparicio et al). 1998;178:1059-66

The relationship between maternal and neonatal umbilical cord plasma homocyst(e)ine suggests a potential role for maternal homocyst(e)ine in fetal metabolism (Malinow et al). 1998;178:228-33

Metastasis; see Neoplasm metastasis**Methotrexate**

Analysis of three hundred fifteen ectopic pregnancies treated with single-dose methotrexate (Lipscomb et al). 1998;178:1354-8

Is it safe to use methotrexate for selective injection in heterotopic pregnancy? (Timor-Tritsch) (Letter); (Baker) (Reply). 1998;178:193-4

Methylprednisolone

Experience with oral methylprednisolone in the treatment of refractory hyperemesis gravidarum (Safari et al). 1998;178:1054-8

Oral megadose methylprednisolone for idiopathic thrombocytopenic purpura (Özsoylu) (Letter); (Goodwin) (Reply). 1998;178:1368

Microbiology

Few microorganisms associated with bacterial vaginosis may constitute the pathologic core: a population-based microbiologic study among 3596 pregnant women (Thorsen et al). 1998;178:580-7

Microorganisms; see Infection**Microvessels; see Blood vessels****Midtrimester of pregnancy; see Pregnancy trimester, second****Mifepristone**

Preliminary report on the treatment of endometriosis with low-dose mifepristone (RU 486) (Kettel et al). 1998;178:1151-6

Migration, cellular; see Cell movement**Misoprostol**

Cervical ripening: a randomized comparison between intravaginal misoprostol and an intracervical balloon catheter combined with intravaginal dinoprostone (Perry et al). 1998;178:1333-40

Models, theoretical

Human amniotic fluid mathematical model: determination and effect of intramembranous sodium flux (Curran et al). 1998;178:484-90

Morbidity

Obstetric maneuvers for shoulder dystocia and associated fetal morbidity (Gherman et al). 1998;178:1126-30

- Sequelae of unrecognized gestational diabetes (Adams et al). 1998;178:1321-32
- Müllerian ducts**
- Uterine artery blood flow velocity waveforms in pregnant women with müllerian duct anomaly: a biologic model for uteroplacental insufficiency (Leible et al). 1998;178:1048-53
- Multiple pregnancy; see Pregnancy, multiple**
- Muscle, smooth**
- Proliferation and apoptosis of fibroblasts and smooth muscle cells in rat uterine cervix throughout gestation and the effect of the anti-progesterone onapristone (Leppert). 1998;178:713-25
- Mutation**
- BRCA1, BRCA2, and hereditary nonpolyposis colorectal cancer gene mutations in an unselected ovarian cancer population: relationship to family history and implications for genetic testing (Rubin et al). 1998;178:670-7
- Factor V Leiden—a novel etiology of the long-standing thrombosis theory for recurrent pregnancy loss (Younis) (Letter); (Dizon-Townson) (Reply). 1998;178:1107-8
- Factor V Leiden and its relevance in patients with recurrent abortions (Pauer et al). 1998;178:629 (Letter)
- Mycoplasma hominis**
- Cytokine and prostaglandin production by amnion cells in response to the addition of different bacteria (Reisenberger et al). 1998;178:50-3
- Vaginal flora changes associated with *Mycoplasma hominis* (Taylor-Robinson and Rosenstein) (Letter); (Mårdh and Hellberg) (Reply). 1998;178:415-6
- Myocardial diseases**
- Peripartum cardiomyopathy: a comprehensive review (Brown and Bertolet). 1998;178:409-14 (Curr. dev.)
- Myocardium**
- Cardiac hypertrophy in chronically anemic fetal sheep: increased vascularization is associated with increased myocardial expression of vascular endothelial growth factor and hypoxia-inducible factor 1 (Martin et al). 1998;178:527-34
- Myoma**
- A prospective randomized study to evaluate leuprolide acetate treatment before laparoscopic myomectomy: efficacy and ultrasonographic predictors (Zullo et al). 1998;178:108-12
- Myometrium**
- Activation of large-conductance potassium channels in pregnant human myometrium by pinacidil (Khan et al). 1998;178:1027-34
- Cocaine augments contractility of the pregnant human uterus by both adrenergic and nonadrenergic mechanisms (Hurd et al). 1998;178:1077-81
- Effects of erythromycin on contractility of isolated myometrium from pregnant rats (Granovsky-Grisaru et al). 1998;178:171-4
- Gap junction currents in cultured muscle cells from human myometrium (Miyoshi et al). 1998;178:588-93
- Ineffectiveness of oxytocin on intercellular communication between term pregnant human myometrial cells before labor (Çiray et al). 1998;178:855-61
- Phosphatidylinositol-specific phospholipase C isoform expression in pregnant and nonpregnant rat myometrial tissue (Bieber et al). 1998;178:848-54
- Uterine activity during pregnancy and labor assessed by simultaneous recordings from the myometrium and abdominal surface in the rat (Buhimschi et al). 1998;178:811-22

N

Narcotics

- Baroreflex-mediated bradycardia but not tachycardia is blunted peripherally by intravenous μ -opioid agonists (Kett et al). 1998;178:950-5

Needle biopsy; see Biopsy, needle

Neisseria gonorrhoeae

- Risk factors for plasma cell endometritis among women with cervical *Neisseria gonorrhoeae*, cervical *Chlamydia trachomatis*, or bacterial vaginosis (Korn et al). 1998;178:987-90

Neonatal mortality; see Infant mortality

Neonatal outcome; see Pregnancy outcome

Neonate; see Infant, newborn

Neoplasm metastasis

- Adenocarcinoma of the uterine cervix metastatic to lymph nodes (Cohn et al). 1998;178:1131-7

Neoplasm recurrence

- Field cancerization: why late "recurrent" ovarian cancer is not recurrent (Buller et al). 1998;178:641-9

Neoplasms

- Laparoscopic surgery: the effects of insufflation gas on tumor-induced lethality in nude mice (Volz et al). 1998;178:793-5

Neovascularization

- Tumor angiogenesis in stage IB cervical cancer: correlation of microvessel density with survival (Obermair et al). 1998;178:314-9

Neuraminidase

- Immunoglobulin A response against *Gardnerella vaginalis* hemolysin and sialidase activity in bacterial vaginosis (Cauci et al). 1998;178:511-5

Neurodevelopmental outcome; see Child development

Neutrophils

- Evidence for a neutrophil-interleukin-8 system in human folliculogenesis (Chang et al). 1998;178:650-7

Newborn infant; see Infant, newborn

Nitric oxide

- Plasma concentrations of asymmetric dimethylarginine, a natural inhibitor of nitric oxide synthase, in normal pregnancy and preeclampsia (Holden et al). 1998;178:551-6
- Role of nitric oxide on the central hemodynamic response to acute volume expansion in the pregnant rat (Fiol et al). 1998;178:823-9

Nitroglycerin

- Corticotropin-releasing hormone: a biochemical predictor of preterm delivery in a pilot randomized trial of the treatment of preterm labor (Bisits et al). 1998;178:862-6

Nomegestrol

- Effects of nomegestrol acetate on spontaneous and sulprostone-induced uterine contractions in pregnant cynomolgus monkeys monitored by telemetry (Carbonne et al). 1998;178:150-5

Norplant; see Levonorgestrel

O

Obstetrics

- Integrity and common sense in medicine (Scott). 1998;178:635-40 (Pres. address)
- Obstetrician-gynecologists as primary care physicians: the Oregon experience—early perceptions regarding the effects of legislative action (Kirk et al). 1998;178:1222-8
- Three-dimensional ultrasonography in obstetrics and gynecology: preliminary experience (Platt et al). 1998;178:1199-206

Oligohydramnios

Adjunctive color Doppler ultrasonography in second-trimester transabdominal amniocentesis (Wax et al). 1998;178:622-3

Onapristone

Proliferation and apoptosis of fibroblasts and smooth muscle cells in rat uterine cervix throughout gestation and the effect of the anti-progesterone onapristone (Leppert). 1998;178:713-25

Oncogene proteins

Expression of *bcl-2* in invasive and in situ carcinoma of the uterine cervix (Tjalma et al). 1998;178:113-7

Operative gynecologic laparoscopy; see Surgery, laparoscopic**Opioid peptide; see Endorphins****Opioids; see Narcotics****Oral administration; see Administration, oral****Oral contraceptives; see Contraceptives, oral****Osteoporosis**

Effects of LY-117018 HCl on bone remodeling and mineral density in the oophorectomized rat (Curiel et al). 1998;178:320-5

Ouabain

Effects of ouabain on the isolated human uteroplacental vasculature (Glavind-Kristensen et al). 1998;178:892-8

Outcome assessment

Evaluating the outcome of surgery for pelvic organ prolapse (Wall et al). 1998;178:877-9 (Clin. opinion)

Outcome of pregnancy; see Pregnancy outcome**Outpatient care; see Ambulatory care****Ovarian hyperstimulation syndrome**

Natural pregnancy in hypothyroid woman complicated by spontaneous ovarian hyperstimulation syndrome (Nappi et al). 1998;178:610-1

Ovarian neoplasms

BRCA1, BRCA2, and hereditary nonpolyposis colorectal cancer gene mutations in an unselected ovarian cancer population: relationship to family history and implications for genetic testing (Rubin et al). 1998;178:670-7

Clinical and genetic evaluation of thirty ovarian cancer families (Zweemer et al). 1998;178:85-90

Field cancerization: why late "recurrent" ovarian cancer is not recurrent (Buller et al). 1998;178:641-9

Functional calcium-sensing receptor expression in ovarian surface epithelial cells (McNeil et al). 1998;178:305-13

Ovariectomy

Effects of LY-117018 HCl on bone remodeling and mineral density in the oophorectomized rat (Curiel et al). 1998;178:320-5

Ovary

Evidence for a neutrophil-interleukin-8 system in human folliculogenesis (Chang et al). 1998;178:650-7

Oxidoreductases

Pregnancy complications are frequent in long-chain 3-hydroxyacyl-coenzyme A dehydrogenase deficiency (Tyni et al). 1998;178:603-8

Oximetry

Clinical value of intrapartum fetal pulse oximetry in cases complicated with meconium-stained amniotic fluid (Szabó et al) (Letter); (Carbonne et al) (Reply). 1998;178:1100-1

Oxygen

Fetal oxygen saturation and fractional extraction at birth and the relationship to measures of acidosis (Richardson et al). 1998;178:572-9

Predictive agreement between the fetal arterial oxygen saturation and fetal scalp pH: results of the German multicenter study (Kühnert et al). 1998;178:330-5

Oxytocin

Ineffectiveness of oxytocin on intercellular communication between term pregnant human myometrial cells before labor (Çiray et al). 1998;178:855-61

P**Pacific Coast Obstetrical and Gynecological Society**

Transactions of the sixty-fourth annual meeting of the Pacific Coast Obstetrical and Gynecological Society. 1998;178:1111-228

Papanicolaou smears; see Vaginal smears**Papillomaviruses**

Is human papillomavirus testing an effective triage method for detection of high-grade (grade 2 or 3) cervical intraepithelial neoplasia? (Adam et al). 1998;178:1235-44

A longitudinal study of human papillomavirus carriage in human immunodeficiency virus-infected and human immunodeficiency virus-uninfected women (Minkoff et al). 1998;178:982-6

Low risk of perinatal transmission of human papillomavirus: results from a prospective cohort study (Watts et al). 1998;178:365-73

Reflex human papillomavirus deoxyribonucleic acid testing in women with abnormal Papanicolaou smears (Wright et al). 1998;178:962-6

Serologic response to the E4, E6, and E7 proteins of human papillomavirus type 16 in pregnant women (Sethi et al). 1998;178:360-4

Para-aorta; see Aorta**Paralysis**

Spontaneous vaginal delivery: A risk factor for Erb's palsy? (Gherman et al). 1998;178:423-7

Parents

The disclosure decision: concerns and issues of parents of children conceived through donor insemination (Nachtigall et al). 1998;178:1165-70

Parity

Diurnal rhythms of labor and delivery in women: modulation by parity and seasons (Cagnacci et al). 1998;178:140-5

Parturition; see Labor**Patient care**

Integrity and common sense in medicine (Scott). 1998;178:635-40 (Pres. address)

Pelvic inflammatory disease; see Adnexitis**Pelvic organ prolapse; see Uterine prolapse****Pelvic support defects; see Uterine prolapse****Pelvis**

Laparoscopy versus laparotomy: an evaluation of adhesion formation after pelvic and paraaortic lymphadenectomy in a porcine model (Chen et al). 1998;178:499-503

Value of laparoscopic evaluation of paraaortic and pelvic lymph nodes for treatment of cervical cancer (Possover et al). 1998;178:806-10

Perinatal outcome; see Pregnancy outcome**Perinatal transmission; see Maternal-fetal exchange****Peripartum cardiomyopathy; see Myocardial diseases****Peritoneum**

To peritonealize or not to peritonealize? A randomized trial at abdominal hysterectomy (Gupta et al). 1998;178:796-800

Peroxides

Magnesium sulfate attenuates peroxide-induced vasoconstriction in the human placenta (Walsh et al). 1998;178:7-12

pH; see Hydrogen-ion concentration

Phosphatidylinositols

Phosphatidylinositol-specific phospholipase C isoform expression in pregnant and nonpregnant rat myometrial tissue (Bieber et al). 1998;178:848-54

Phospholipase C

Phosphatidylinositol-specific phospholipase C isoform expression in pregnant and nonpregnant rat myometrial tissue (Bieber et al). 1998;178:848-54

Physician-patient relations

The female perspective: women's attitudes toward urogenital aging (Wright). 1998;178:S250-3

Medicine: Business or profession, art or science? (Nelson). 1998;178:755-8

What is a good doctor? Patient perspective (Martin). 1998;178:752-4

What is a good physician in this new era? (Queenan). 1998;178:750-1

Physicians, family

Obstetrician-gynecologists as primary care physicians: the Oregon experience—early perceptions regarding the effects of legislative action (Kirk et al). 1998;178:1222-8

Physician's practice patterns

Lowering the cesarean section rate in a private hospital: comparison of individual physicians' rates, risk factors, and outcomes (Lagrew and Adashek). 1998;178:1207-14

Pinacidil

Activation of large-conductance potassium channels in pregnant human myometrium by pinacidil (Khan et al). 1998;178:1027-34

Pituitary gland

Effects of aging and gonadal failure on the hypothalamic-pituitary axis in women (Santoro et al). 1998;178:732-41

Human chorionic gonadotropin production by the pituitary gland in a premenopausal woman (Patton et al). 1998;178:1138-42

Placenta

Doppler velocimetry of growth-restricted fetuses in an ovine model of placental insufficiency (Galan et al). 1998;178:451-6

Effect of betamethasone in vivo on placental corticotropin-releasing hormone in human pregnancy (Marinoni et al). 1998;178:770-8

Higher endothelin concentrations in the fetoplacental unit of pregnant women of African ancestry (Carbonne et al). 1998;178:491-2

The release of 15-hydroxyeicosatetraenoic acid by human placental trophoblast is increased in preeclampsia (Johnson et al). 1998;178:54-8

Placenta, blood supply

Effects of ouabain on the isolated human uteroplacental vasculature (Glavind-Kristensen et al). 1998;178:892-8

Magnesium sulfate attenuates peroxide-induced vasoconstriction in the human placenta (Walsh et al). 1998;178:7-12

Uterine artery blood flow velocity waveforms in pregnant women with müllerian duct anomaly: a biologic model for uteroplacental insufficiency (Leible et al). 1998;178:1048-53

Placenta, pathology

Stillbirth evaluation: What tests are needed? (Incerpi et al). 1998;178:1121-5

Placenta percreta

First-trimester diagnosis of placenta previa percreta by magnetic resonance imaging (Thorpe et al). 1998;178:616-8

Placenta previa

First-trimester diagnosis of placenta previa percreta by magnetic resonance imaging (Thorpe et al). 1998;178:616-8

Plasma

Elevated levels of lipoprotein(a) in women with preeclampsia (Wang et al). 1998;178:146-9

Plasma concentrations of asymmetric dimethylarginine, a natural inhibitor of nitric oxide synthase, in normal pregnancy and preeclampsia (Holden et al). 1998;178:551-6

The relationship between maternal and neonatal umbilical cord plasma homocyst(e)ine suggests a potential role for maternal homocyst(e)ine in fetal metabolism (Malinow et al). 1998;178:228-33

Umbilical cord plasma erythropoietin levels in pregnancies complicated by maternal smoking (Jazayeri et al). 1998;178:433-5

Plasma cells

Risk factors for plasma cell endometritis among women with cervical *Neisseria gonorrhoeae*, cervical *Chlamydia trachomatis*, or bacterial vaginosis (Korn et al). 1998;178:987-90

Platelets; see Blood platelets

Pneumoperitoneum

Laparoscopic surgery: the effects of insufflation gas on tumor-induced lethality in nude mice (Volz et al). 1998;178:793-5

PO₂ analysis; see Blood gas analysis

Polar bodies

Three births after preimplantation genetic diagnosis for cystic fibrosis with sequential first and second polar body analysis (Strom et al). 1998;178:1298-306

Polymerase chain reaction

Rapid prenatal detection of aneuploidies by fluorescent polymerase chain reaction (Tóth et al) (Letter); (Pertl et al) (Reply). 1998;178:1101-2

Postmenopausal women; see Menopause

Postoperative care

To peritonealize or not to peritonealize? A randomized trial at abdominal hysterectomy (Gupta et al). 1998;178:796-800

Radical hysterectomy: current management guidelines (Johnson) (Letter); (Helmkamp) (Reply). 1998;178:626-7

Postoperative complications

Bartholinitis after vulvovaginal surgery (Peters). 1998;178:1143-4

Postpartum period; see Puerperium

Postterm pregnancy; see Pregnancy, prolonged

Potassium channels

Activation of large-conductance potassium channels in pregnant human myometrium by pinacidil (Khan et al). 1998;178:1027-34

Predictive value of tests

Elevated second-trimester amniotic fluid interleukin-6 levels predict preterm delivery (Wenstrom et al). 1998;178:546-50

Predictive agreement between the fetal arterial oxygen saturation and fetal scalp pH: results of the German multicenter study (Kühnert et al). 1998;178:330-5

Predictive factors for neonatal morbidity in neonates with an umbilical arterial cord pH <7.00 (Ayres) (Letter); (Sehdev) (Reply). 1998;178:872-3

Prenatal prediction of neonatal outcome in the extremely low-birth-weight infant (Bahado-Singh et al). 1998;178:462-8

The Preterm Prediction Study: recurrence risk of spontaneous preterm birth (Iams et al). 1998;178:1035-40

The preterm prediction study: risk factors for indicated preterm births (Meis et al). 1998;178:562-7

A prospective randomized study to evaluate leuprolide acetate treatment before laparoscopic myomectomy: efficacy and ultrasonographic predictors (Zullo et al). 1998;178:108-12

Predictive value of tests—cont'd

Secretory component of immunoglobulin A in maternal serum and the prediction of preterm delivery (Schellenberg et al). 1998;178:535-9

Preeclampsia

Ambulatory blood pressure monitoring in pregnancy: What is normal? (Brown et al). 1998;178:836-42

The clinical utility of serum uric acid measurements in hypertensive diseases of pregnancy (Lim et al). 1998;178:1067-71

Diastolic blood pressure and onset of preeclampsia (Farina et al) (Letter); (Sibai et al) (Reply). 1998;178:870-1

Elevated levels of lipoprotein(a) in women with preeclampsia (Wang et al). 1998;178:146-9

Immune to the concept (Perkins) (Letter); (Smith and Walker) (Reply). 1998;178:417-8

Increased serum levels of hyaluronic acid in pregnancies complicated by preeclampsia or hemolysis, elevated liver enzymes, and low platelets syndrome (Osmers et al). 1998;178:341-5

Lipid peroxide and vitamin E patterns in pregnant women with different types of hypertension in pregnancy (Gratacós et al). 1998;178:1072-6

Plasma concentrations of asymmetric dimethylarginine, a natural inhibitor of nitric oxide synthase, in normal pregnancy and preeclampsia (Holden et al). 1998;178:551-6

Preeclampsia, lipid peroxidation, and calcium adenosine triphosphatase activity of red blood cell ghosts (Matteo et al). 1998;178:402-8

The release of 15-hydroxyicosatetraenoic acid by human placental trophoblast is increased in preeclampsia (Johnson et al). 1998;178:54-8

The role of AT₁ angiotensin receptor activation in the pathogenesis of preeclampsia (Doering et al). 1998;178:1307-12

Pregnancy

The one-year morphometric and neurodevelopmental outcome of the offspring of women who continued to exercise regularly throughout pregnancy (Clapp et al). 1998;178:594-9

Training in pregnant women: effects on fetal development and birth (Kardel and Kase). 1998;178:280-6

Pregnancy, ectopic

Analysis of three hundred fifteen ectopic pregnancies treated with single-dose methotrexate (Lipscomb et al). 1998;178:1354-8

Cigarette smoking as a risk factor for ectopic pregnancy (Saraiya et al). 1998;178:493-8

Pregnancy, multiple

Blood flow through the ductus venosus in singleton and multifetal pregnancies and in fetuses with intrauterine growth retardation (Tchirikov et al). 1998;178:943-9

Delayed-interval delivery in multifetal pregnancy (Porreco et al). 1998;178:20-3

Doppler velocimetry determined redistribution of fetal blood flow: correlation with growth restriction in diamniotic monochorionic and dizygotic twins (Gaziano et al). 1998;178:1359-67

Gestational duration in the pregnancy after a preterm twin delivery (Rydstroem). 1998;178:136-9

Is it safe to use methotrexate for selective injection in heterotopic pregnancy? (Timor-Tritsch) (Letter); (Baker) (Reply). 1998;178:193-4

Multiple pregnancy rates in *in vitro* fertilization: three embryos is too many for good-prognosis patients (Coetsier and Dhont) (Letter); (Tucker) (Reply). 1998;178:1368-9

Neonatal cranial ultrasonographic findings in preterm twins complicated by severe fetofetal transfusion syndrome (Denbow et al). 1998;178:479-83

Perinatal outcome associated with outpatient management of triplet pregnancy (Adams et al). 1998;178:843-7

Pregnancy, physiology

Activation of large-conductance potassium channels in pregnant human myometrium by pinacidil (Khan et al). 1998;178:1027-34

Dilatation of the urinary tract during pregnancy: proposal of a curve of maximal caliceal diameter by gestational age (Faúndes et al). 1998;178:1082-6

Effect of betamethasone *in vivo* on placental corticotropin-releasing hormone in human pregnancy (Marinoni et al). 1998;178:770-8

The effect of oral terbutaline on maternal glucose metabolism and energy expenditure in pregnancy (Smigaj et al). 1998;178:1041-7

Expression of gelatinase B by trophoblast cells: down-regulation by progesterone (Shimonovitz et al). 1998;178:457-61

Higher endothelin concentrations in the fetoplacental unit of pregnant women of African ancestry (Carbonne et al). 1998;178:491-2

In vivo effects of corticotropin-releasing factor in pregnant rats (Jain et al). 1998;178:186-91

Longitudinal changes in maternal serum leptin concentrations, body composition, and resting metabolic rate in pregnancy (Highman et al). 1998;178:1010-5

Phosphatidylinositol-specific phospholipase C isoform expression in pregnant and nonpregnant rat myometrial tissue (Bieber et al). 1998;178:848-54

Plasma concentrations of asymmetric dimethylarginine, a natural inhibitor of nitric oxide synthase, in normal pregnancy and preeclampsia (Holden et al). 1998;178:551-6

A positive umbilical venous-arterial difference of leptin level and its rapid decline after birth (Yura et al). 1998;178:926-30

Role of nitric oxide on the central hemodynamic response to acute volume expansion in the pregnant rat (Fiol et al). 1998;178:823-9

Ultrasonographic bone velocity in pregnancy: a longitudinal study (Aguado et al). 1998;178:1016-21

Urinary compound W in pregnant women is a potential marker for fetal thyroid function (Wu et al). 1998;178:886-91

Variations in cotinine levels in smokers during and after pregnancy (Rebagliato et al). 1998;178:568-71

Pregnancy, prolonged

Fetal and neonatal mortality in the postterm pregnancy: the impact of gestational age and fetal growth restriction (Divon et al). 1998;178:726-31

Management of pregnancies beyond forty-one weeks' gestation with an unfavorable cervix (Magann et al). 1998;178:1279-87

Pregnancy complications

Experience with oral methylprednisolone in the treatment of refractory hyperemesis gravidarum (Safari et al). 1998;178:1054-8

Human amniotic fluid mathematical model: determination and effect of intramembranous sodium flux (Curran et al). 1998;178:484-90

Low birth weight and preterm birth after short interpregnancy intervals (Basso et al). 1998;178:259-63

Massive decline in lung liquid before vaginal delivery at term in the fetal lamb (Berger et al). 1998;178:223-7

Natural pregnancy in hypothyroid woman complicated by sponta-

- neous ovarian hyperstimulation syndrome (Nappi et al). 1998;178:610-1
- Pregnancy-associated hospitalizations in the United States in 1991 and 1992: a comprehensive view of maternal morbidity (Bennett et al). 1998;178:346-54
- Pregnant women with impaired tolerance to an oral glucose load in the afternoon: evidence suggesting that they behave metabolically as patients with gestational diabetes (Aparicio et al). 1998;178:1059-66
- Premature rupture of membranes at 34 to 37 weeks' gestation: aggressive versus conservative management (Naef et al). 1998;178:126-30
- Screening for gestational diabetes mellitus in adolescent pregnancies (Lemen et al). 1998;178:1251-6
- Self-perceived health status of women three to five years after the diagnosis of gestational diabetes: a survey of cases and matched controls (Feig et al). 1998;178:386-93
- Sequelae of unrecognized gestational diabetes (Adams et al). 1998;178:1321-32
- Toward universal criteria for gestational diabetes: relationships between seventy-five and one hundred gram glucose loads and between capillary and venous glucose concentrations (Weiss et al). 1998;178:830-5
- Ultrasonographic detection of ureteral jets in normal pregnancy (Asrat et al). 1998;178:1194-8
- Umbilical cord plasma erythropoietin levels in pregnancies complicated by maternal smoking (Jazayeri et al). 1998;178:433-5
- Pregnancy complications, cardiovascular**
- Ambulatory blood pressure monitoring in pregnancy: What is normal? (Brown et al). 1998;178:836-42
- Automated, ambulatory, or conventional blood pressure measurement in pregnancy: Which is the better predictor of severe hypertension? (Penny et al). 1998;178:521-6
- Brain lipid peroxidation and antioxidant levels in fetal lambs 72 hours after asphyxia by partial umbilical cord occlusion (Ikeda et al). 1998;178:474-8
- The clinical utility of serum uric acid measurements in hypertensive diseases of pregnancy (Lim et al). 1998;178:1067-71
- Increased serum levels of hyaluronic acid in pregnancies complicated by preeclampsia or hemolysis, elevated liver enzymes, and low platelets syndrome (Osmers et al). 1998;178:341-5
- Lipid peroxide and vitamin E patterns in pregnant women with different types of hypertension in pregnancy (Gratacós et al). 1998;178:1072-6
- Peripartum cardiomyopathy: a comprehensive review (Brown and Bertolet). 1998;178:409-14 (Curr. dev.)
- Plasma glutathione S-transferase Alpha 1-1: a more sensitive marker for hepatocellular damage than serum alanine aminotransferase in hypertensive disorders of pregnancy (Knapen et al). 1998;178:161-5
- Pregnancy complications are frequent in long-chain 3-hydroxyacyl-coenzyme A dehydrogenase deficiency (Tyni et al). 1998;178:603-8
- Pregnancy complications, hematologic**
- Alveolar-arterial oxygen gradient in acute pulmonary embolism in pregnancy (Powrie et al). 1998;178:394-6
- Factor V Leiden—a novel etiology of the long-standing thrombosis theory for recurrent pregnancy loss (Younis) (Letter); (Dizon-Townson) (Reply). 1998;178:1107-8
- Neonatal cranial ultrasonographic findings in preterm twins complicated by severe fetofetal transfusion syndrome (Denbow et al). 1998;178:479-83
- Oral megadose methylprednisolone for idiopathic thrombocytopenic purpura (Özsoylu) (Letter); (Goodwin) (Reply). 1998;178:1368
- Second-trimester vaginal bleeding: correlation of ultrasonographic findings with perinatal outcome (Signore et al). 1998;178:336-40
- Uterine artery blood flow velocity waveforms in pregnant women with müllerian duct anomaly: a biologic model for uteroplacental insufficiency (Leible et al). 1998;178:1048-53
- Pregnancy complications, infectious**
- Concomitant use of glucocorticoids: a comparison of two meta-analyses on antibiotic treatment in preterm premature rupture of membranes (Leitch et al). 1998;178:899-908
- Epidemiology and outcomes associated with moderate to heavy *Candida* colonization during pregnancy (Cotch et al). 1998;178:374-80
- Few microorganisms associated with bacterial vaginosis may constitute the pathologic core: a population-based microbiologic study among 3596 pregnant women (Thorsen et al). 1998;178:580-7
- The influence of pregnancy on human immunodeficiency virus type 1 infection: antepartum and postpartum changes in human immunodeficiency virus type 1 viral load (Burns et al). 1998;178:355-9
- Low risk of perinatal transmission of human papillomavirus: results from a prospective cohort study (Watts et al). 1998;178:365-73
- Prior pregnancy outcome and the risk of intraamniotic infection in the following pregnancy (Krohn et al). 1998;178:381-5
- The role of amniotic fluid L-selectin, GRO- α , and interleukin-8 in the pathogenesis of intraamniotic infection (Hsu et al). 1998;178:428-32
- Serologic response to the E4, E6, and E7 proteins of human papillomavirus type 16 in pregnant women (Sethi et al). 1998;178:360-4
- Pregnancy complications, neoplastic**
- Intracranial cavernous angioma initially presenting in pregnancy with new-onset seizures (Hoeldtke et al). 1998;178:612-3
- Intravenous leiomyomatosis with cardiac involvement in a pregnant woman (Marom et al). 1998;178:620-1
- Pregnancy in adolescence**
- Screening for gestational diabetes mellitus in adolescent pregnancies (Lemen et al). 1998;178:1251-6
- Pregnancy in diabetes**
- Elective delivery of infants with macrosomia in diabetic women: reduced shoulder dystocia versus increased cesarean deliveries (Conway and Langer). 1998;178:922-5
- Pregnancy outcome, Diabetes Control and Complications Trial, and intensive glycemic control (Schwartz and Teramo) (Letter); (Nathan and The Diabetes Control and Complications Trial Research Group) (Reply). 1998;178:416-7
- Pregnant women with impaired tolerance to an oral glucose load in the afternoon: evidence suggesting that they behave metabolically as patients with gestational diabetes (Aparicio et al). 1998;178:1059-66
- Self-perceived health status of women three to five years after the diagnosis of gestational diabetes: a survey of cases and matched controls (Feig et al). 1998;178:386-93

Pregnancy in diabetes—cont'd

Sequelae of unrecognized gestational diabetes (Adams et al). 1998;178:1321-32

Toward universal criteria for gestational diabetes: relationships between seventy-five and one hundred gram glucose loads and between capillary and venous glucose concentrations (Weiss et al). 1998;178:830-5

Pregnancy maintenance

Concomitant use of glucocorticoids: a comparison of two meta-analyses on antibiotic treatment in preterm premature rupture of membranes (Leitch et al). 1998;178:899-908

Fetal membrane closure techniques after hysteroamniotomy in the midgestational rabbit model (Papadopoulos et al). 1998;178:938-42

In vitro studies of the interactions between platelets and amniotic membranes: a potential treatment for preterm premature rupture of the membranes (Louis-Sylvestre et al). 1998;178:287-93

Premature rupture of membranes at 34 to 37 weeks' gestation: aggressive versus conservative management (Naef et al). 1998;178:126-30

Pregnancy outcome

Antenatal factors in relation to neonatal outcome in preterm delivery (Murphy) (Letter); (Nielsen) (Reply). 1998;178:629-30

Epidemiology and outcomes associated with moderate to heavy *Candida* colonization during pregnancy (Cotch et al). 1998;178:374-80

The impact of fetal compromise on outcome at the border of viability (Batton et al). 1998;178:909-15

Lowering the cesarean section rate in a private hospital: comparison of individual physicians' rates, risk factors, and outcomes (Lagrew and Adashek). 1998;178:1207-14

Perinatal outcome associated with outpatient management of triplet pregnancy (Adams et al). 1998;178:843-7

Pregnancy outcome, Diabetes Control and Complications Trial, and intensive glycemic control (Schwartz and Teramo) (Letter); (Nathan and The Diabetes Control and Complications Trial Research Group) (Reply). 1998;178:416-7

Prenatal prediction of neonatal outcome in the extremely low-birth-weight infant (Bahado-Singh et al). 1998;178:462-8

Prior pregnancy outcome and the risk of intraamniotic infection in the following pregnancy (Krohn et al). 1998;178:381-5

Second-trimester vaginal bleeding: correlation of ultrasonographic findings with perinatal outcome (Signore et al). 1998;178:336-40

Pregnancy trimester, first

Biochemical analyses of mesenchymal fluid in early pregnancy (Jauniaux et al). 1998;178:765-9

First-trimester diagnosis of placenta previa percreta by magnetic resonance imaging (Thorp et al). 1998;178:616-8

Pregnancy trimester, second

Adjunctive color Doppler ultrasonography in second-trimester transabdominal amniocentesis (Wax et al). 1998;178:622-3

Elevated second-trimester amniotic fluid interleukin-6 levels predict preterm delivery (Wenstrom et al). 1998;178:546-50

Fetal anomaly detection by second-trimester ultrasonography in a tertiary center (VanDorsten et al). 1998;178:742-9

Fetal membrane closure techniques after hysteroamniotomy in the midgestational rabbit model (Papadopoulos et al). 1998;178:938-42

How accurate is fetal biometry in the assessment of fetal age? (Chervenak et al). 1998;178:678-87

The role of midtrimester targeted fetal organ screening combined with the "triple test" and maternal age in the diagnosis of trisomy 21: a retrospective study (Yagel et al). 1998;178:40-4

Second-trimester vaginal bleeding: correlation of ultrasonographic findings with perinatal outcome (Signore et al). 1998;178:336-40

Pregnancy trimester, third

Bone structural and metabolic changes at the end of pregnancy and lactation in rats (Tojo et al). 1998;178:180-5

Fetal and maternal diurnal rhythms during the third trimester of normal pregnancy: outcomes of computerized analysis of continuous twenty-four-hour fetal heart rate recordings (Lunshof et al). 1998;178:247-54

Premature rupture of membranes at 34 to 37 weeks' gestation: aggressive versus conservative management (Naef et al). 1998;178:126-30

Premature rupture of membranes; see Fetal membranes, premature rupture

Premenopause; see Menopause

Prenatal care

Changing patterns in regionalization of perinatal care and the impact on neonatal mortality (Yeast et al). 1998;178:131-5

Collaborative trial of prenatal thyrotropin-releasing hormone and corticosteroids for prevention of respiratory distress syndrome (Collaborative Santiago Surfactant Group). 1998;178:33-9

Prenatal prediction of neonatal outcome in the extremely low-birth-weight infant (Bahado-Singh et al). 1998;178:462-8

Prenatal diagnosis

Absence of expression of RhD by human trophoblast cells (Benachi et al). 1998;178:294-9

Aspirin pretreatment potentiates hyperthermia-induced teratogenesis in the mouse (Tiboni et al). 1998;178:270-9

Biochemical analyses of mesenchymal fluid in early pregnancy (Jauniaux et al). 1998;178:765-9

Clinical outcome of mild fetal ventriculomegaly (Vergani et al). 1998;178:218-22

Current Down syndrome risk estimates are reliable (Palomaki et al) (Letter); (Chik and Evans) (Reply). 1998;178:871-2

Fetal anomaly detection by second-trimester ultrasonography in a tertiary center (VanDorsten et al). 1998;178:742-9

Fetal assessment based on fetal biophysical profile scoring. VIII. The incidence of cerebral palsy in tested and untested perinates (Manning et al). 1998;178:696-706

A new screening protocol combining urine β -core fragment and ultrasonography for Down syndrome detection (Bahado-Singh et al). 1998;178:779-82

Primed in situ labeling for rapid prenatal diagnosis (Velagelati et al). 1998;178:1313-20

Prospective evaluation of prenatal maternal serum screening for trisomy 18 (Yankowitz et al). 1998;178:446-50

Rapid prenatal detection of aneuploidies by fluorescent polymerase chain reaction (Tóth et al) (Letter); (Pertl et al) (Reply). 1998;178:1101-2

The role of midtrimester targeted fetal organ screening combined with the "triple test" and maternal age in the diagnosis of trisomy 21: a retrospective study (Yagel et al). 1998;178:40-4

The significance of prenatally identified isolated clubfoot: Is amniocentesis indicated? (Shipp and Benacerraf). 1998;178:600-2

Subtle ultrasonographic anomalies: Do they improve the Down syndrome detection rate? (Deren et al). 1998;178:441-5

- Three births after preimplantation genetic diagnosis for cystic fibrosis with sequential first and second polar body analysis (Strom et al). 1998;178:1298-306
- Three-dimensional ultrasonography in obstetrics and gynecology: preliminary experience (Platt et al). 1998;178:1199-206
- Presidential address**
Presidential address. 1998;178:635-40, 1111-5, 1229-34
- Preterm birth**; *see* **Infant, premature**
- Preterm delivery**; *see* **Labor, premature**
- Preterm infant**; *see* **Infant, premature**
- Preterm labor**; *see* **Labor, premature**
- Preterm premature rupture of membranes**; *see* **Fetal membranes, premature rupture**
- Primary care physicians**; *see* **Physicians, family**
- Primary health care**
Unmet mental health needs of women in public-sector gynecologic clinics (Miranda et al). 1998;178:212-7
- Private hospitals**; *see* **Hospitals, private**
- Progenitor cells**
Gestational age changes in circulating CD34⁺ hematopoietic stem/progenitor cells in fetal cord blood (Shields and Andrews). 1998;178:931-7
- Progestational hormones**
Effects of adding C-19 versus C-21 progestin to conjugated estrogen in moderately hypercholesterolemic postmenopausal women (Wolfe et al). 1998;178:787-92
- Progesterone**
Expression of gelatinase B by trophoblast cells: down-regulation by progesterone (Shimonovitz et al). 1998;178:457-61
Proliferation and apoptosis of fibroblasts and smooth muscle cells in rat uterine cervix throughout gestation and the effect of the anti-progesterone onapristone (Leppert). 1998;178:713-25
- Prognosis**
Early invasive carcinoma of the cervix (3 to 5 mm invasion): risk factors and prognosis—a Gynecologic Oncology Group study (Creasman et al). 1998;178:62-5
Multiple pregnancy rates in in vitro fertilization: three embryos is too many for good-prognosis patients (Coetsier and Dhont) (Letter); (Tucker) (Reply). 1998;178:1368-9
- Prolactin**
Maternal-to-fetal transfer of thyrotropin-releasing hormone in vivo (Bajoria et al). 1998;178:264-9
- Prolapse**
Urethral prolapse after collagen injection (Harris et al). 1998;178:614-5
- Prostaglandin E₂**; *see* **Dinoprostone**
- Prostaglandin-endoperoxide synthase**
The induction of cyclooxygenase-2 by interleukin-4 in human umbilical vein endothelial cells: a possible role in regulation of fetal vascular tone (Lantz et al). 1998;178:255-8
Lipopolysaccharide enhances the transcription of prostaglandin H synthase-2 gene in primary human trophoblasts (Anteby et al). 1998;178:469-73
- Prostaglandins**
Cytokine and prostaglandin production by amnion cells in response to the addition of different bacteria (Reisenberger et al). 1998;178:50-3
- Proteins**
Identification of estrogen receptor protein and messenger ribonucleic acid in human spermatozoa (Durkee et al). 1998;178:1288-97
Serologic response to the E4, E6, and E7 proteins of human papillomavirus type 16 in pregnant women (Sethi et al). 1998;178:360-4
- Protirelin**
Collaborative trial of prenatal thyrotropin-releasing hormone and corticosteroids for prevention of respiratory distress syndrome (Collaborative Santiago Surfactant Group). 1998;178:33-9
Maternal-to-fetal transfer of thyrotropin-releasing hormone in vivo (Bajoria et al). 1998;178:264-9
- Protocol**; *see* **Clinical protocols**
- Pubic symphysis**
Catastrophic shoulder dystocia—What is the etiology? (Gherman). 1998;178:417 (Letter)
Emergency symphysiotomy—too little, too late (Petrikovsky) (Letter); (Goodwin) (Reply). 1998;178:631-2
Inferences from symphysiotomy experience (Jennett) (Letter); (Goodwin) (Reply). 1998;178:631-2
Symphyseal separation and transient femoral neuropathy associated with the McRoberts' maneuver (Gherman et al). 1998;178:609-10
Symphysiotomy (Escamilla) (Letter); (Goodwin) (Reply). 1998;178:630-2
- Public sector**
Unmet mental health needs of women in public-sector gynecologic clinics (Miranda et al). 1998;178:212-7 (Primary care)
- Puerperium**
The effect of route of delivery on regression of abnormal cervical cytologic findings in the postpartum period (Ahdoot et al). 1998;178:1116-20
The influence of pregnancy on human immunodeficiency virus type 1 infection: antepartum and postpartum changes in human immunodeficiency virus type 1 viral load (Burns et al). 1998;178:355-9
Peripartum cardiomyopathy: a comprehensive review (Brown and Bertolet). 1998;178:409-14 (Curr. dev.)
- Pulmonary embolism**
Alveolar-arterial oxygen gradient in acute pulmonary embolism in pregnancy (Powrie et al). 1998;178:394-6
- Purpura, thrombocytopenic**
Oral megadose methylprednisolone for idiopathic thrombocytopenic purpura (Özsoylu) (Letter); (Goodwin) (Reply). 1998;178:1368
- Q**
- Quality of health care**
Gynecologic surgery: an imperiled ballet (Podratz). 1998;178:1229-34 (Pres. address)
- Quality of life**
Quality of life, health care utilization, and costs among women undergoing hysterectomy in a managed-care setting (Van Den Eeden et al). 1998;178:91-100
- R**
- Radical hysterectomy**; *see* **Hysterectomy**
- Raloxifene**
Effects of LY-117018 HCl on bone remodeling and mineral density in the oophorectomized rat (Curiel et al). 1998;178:320-5
- Real-time ultrasonography**; *see* **Ultrasonography**
- Receptors, adrenergic**
Cocaine augments contractility of the pregnant human uterus by

Receptors, adrenergic—cont'd

both adrenergic and nonadrenergic mechanisms (Hurd et al). 1998;178:1077-81

Receptors, estrogen

Effects of LY-117018 HCl on bone remodeling and mineral density in the oophorectomized rat (Curiel et al). 1998;178:320-5

Identification of estrogen receptor protein and messenger ribonucleic acid in human spermatozoa (Durkee et al). 1998;178:1288-97

Recurrence, neoplasm; see Neoplasm recurrence**Recurrent abortions; see Abortion, habitual****Red blood cell ghost; see Erythrocyte membrane****Reproduction**

Reproductive health hospitalizations among women with human immunodeficiency virus infections (Minkoff et al). 1998;178:166-70

Reproduction techniques

Delayed-interval delivery in multifetal pregnancy (Porreco et al). 1998;178:20-3

Research

Integrity and common sense in medicine (Scott). 1998;178:635-40 (Pres. address)

Residency; see Internship and residency**Respiratory distress syndrome**

Collaborative trial of prenatal thyrotropin-releasing hormone and corticosteroids for prevention of respiratory distress syndrome (Collaborative Santiago Surfactant Group). 1998;178:33-9

Review literature

Primary vaginal melanoma: thirteen-year disease-free survival after wide local excision and review of recent literature (Buchanan et al). 1998;178:1177-84

RhD

Absence of expression of RhD by human trophoblast cells (Benachi et al). 1998;178:294-9

Rheology

Doppler velocimetry determined redistribution of fetal blood flow: correlation with growth restriction in diamniotic monochorionic and dizygotic twins (Gaziano et al). 1998;178:1359-67

Risk factors

Cigarette smoking as a risk factor for ectopic pregnancy (Saraiya et al). 1998;178:493-8

Current Down syndrome risk estimates are reliable (Palomaki et al) (Letter); (Chik and Evans) (Reply). 1998;178:871-2

Early invasive carcinoma of the cervix (3 to 5 mm invasion): risk factors and prognosis—a Gynecologic Oncology Group study (Creasman et al). 1998;178:62-5

Impaired growth and risk of fetal death: Is the tenth percentile the appropriate standard? (Seeds and Peng). 1998;178:658-69

Low risk of perinatal transmission of human papillomavirus: results from a prospective cohort study (Watts et al). 1998;178:365-73

Lowering the cesarean section rate in a private hospital: comparison of individual physicians' rates, risk factors, and outcomes (Lagrew and Adashek). 1998;178:1207-14

Magnesium sulfate tocolysis and risk of neonatal death (Grether et al). 1998;178:1-6

The Preterm Prediction Study: recurrence risk of spontaneous preterm birth (Iams et al). 1998;178:1035-40

The preterm prediction study: risk factors for indicated preterm births (Meis et al). 1998;178:562-7

Prior pregnancy outcome and the risk of intraamniotic infection in the following pregnancy (Krohn et al). 1998;178:381-5

Risk factors for plasma cell endometritis among women with cervical *Neisseria gonorrhoeae*, cervical *Chlamydia trachomatis*, or bacterial vaginosis (Korn et al). 1998;178:987-90

Spontaneous vaginal delivery: A risk factor for Erb's palsy? (Gherman et al). 1998;178:423-7

RNA, messenger

E-cadherin and its messenger ribonucleic acid in periimplantation phase human endometrium in normal and clomiphene-treated cycles (Dawood et al). 1998;178:996-1001

Identification of estrogen receptor protein and messenger ribonucleic acid in human spermatozoa (Durkee et al). 1998;178:1288-97

Roster

Roster of American obstetric and gynecologic societies. 1998;178:199-200

RU 486; see Mifepristone

S

Sacrospinous ligament fixation; see Uterine prolapse**Screening; see Mass screening****Seasons**

Diurnal rhythms of labor and delivery in women: modulation by parity and seasons (Cagnacci et al). 1998;178:140-5

Second trimester of pregnancy; see Pregnancy trimester, second**Seizures**

Intracranial cavernous angioma initially presenting in pregnancy with new-onset seizures (Hoeldtke et al). 1998;178:612-3

Selective reduction of multifetal pregnancy; see Abortion**Severity of illness**

Severity of pelvic inflammatory disease as a predictor of the probability of live birth (Lepine et al). 1998;178:977-81

Sex differentiation

Female and male human embryo growth rates are similar before the eight-cell stage (Fanchin et al). 1998;178:45-9

Sexuality

The female perspective: women's attitudes toward urogenital aging (Wright). 1998;178:S250-3

Shoulder

Catastrophic shoulder dystocia—What is the etiology? (Gherman). 1998;178:417 (Letter)

Elective delivery of infants with macrosomia in diabetic women: reduced shoulder dystocia versus increased cesarean deliveries (Conway and Langer). 1998;178:922-5

Emergency symphysiotomy—too little, too late (Petrikovsky) (Letter); (Goodwin) (Reply). 1998;178:631-2

Inferences from symphysiotomy experience (Jennett) (Letter); (Goodwin) (Reply). 1998;178:631-2

Obstetric maneuvers for shoulder dystocia and associated fetal morbidity (Gherman et al). 1998;178:1126-30

Spontaneous vaginal delivery: A risk factor for Erb's palsy? (Gherman et al). 1998;178:423-7

Symphysiotomy (Escamilla) (Letter); (Goodwin) (Reply). 1998;178:630-2

The timing of congenital brachial plexus injury: a study of electromyography findings in the newborn piglet (Gonik et al). 1998;178:688-95

Sialidase; see Neuraminidase**Skull**

Intracranial cavernous angioma initially presenting in pregnancy with new-onset seizures (Hoeldtke et al). 1998;178:612-3

Neonatal cranial ultrasonographic findings in preterm twins com-

plicated by severe fetofetal transfusion syndrome (Denbow et al). 1998;178:479-83

Sleep

When does estrogen replacement therapy improve sleep quality? (Polo-Kantola et al). 1998;178:1002-9

Small intestine; see Intestine, small

Smoking

Cigarette smoking as a risk factor for ectopic pregnancy (Saraiya et al). 1998;178:493-8

Umbilical cord plasma erythropoietin levels in pregnancies complicated by maternal smoking (Jazayeri et al). 1998;178:433-5

Variations in cotinine levels in smokers during and after pregnancy (Rebagliato et al). 1998;178:568-71

Smooth muscle; see Muscle, smooth

Social values

Intergenerational gamete donation: ethical and societal implications (Marshall). 1998;178:1171-6

Sodium

Human amniotic fluid mathematical model: determination and effect of intramembranous sodium flux (Curran et al). 1998;178:484-90

Sonohysterography

Triage of abnormal postmenopausal bleeding: a comparison of endometrial biopsy and transvaginal sonohysterography versus fractional curettage with hysteroscopy (O'Connell et al). 1998;178:956-61

Spectrum analysis

Rapid determination of fetal lung maturity from infrared spectra of amniotic fluid (Liu et al). 1998;178:234-41

Spermatozoa

Identification of estrogen receptor protein and messenger ribonucleic acid in human spermatozoa (Durkee et al). 1998;178:1288-97

Immune to the concept (Perkins) (Letter); (Smith and Walker) (Reply). 1998;178:417-8

Squamous cell carcinoma; see Carcinoma, squamous cell

Staphylococcus aureus

Cytokine and prostaglandin production by amnion cells in response to the addition of different bacteria (Reisenberger et al). 1998;178:50-3

Statistics

Databases and the statistical usage of (perinatal) results (Egberts) (Letter); (Welch and Gabbe) (Reply). 1998;178:192-3

Statisticians' advice to obstetricians (Thom and Das) (Letter); (Welch and Gabbe) (Reply). 1998;178:192-3

Ultrasonographic examination of intrauterine growth for multiple fetal dimensions in a Chinese population (Lei et al). 1998;178:916-21

Stillbirth; see Fetal death

Substance abuse

Cocaine augments contractility of the pregnant human uterus by both adrenergic and nonadrenergic mechanisms (Hurd et al). 1998;178:1077-81

Sulprostone

Effects of norgestrel acetate on spontaneous and sulprostone-induced uterine contractions in pregnant cynomolgus monkeys monitored by telemetry (Carbonne et al). 1998;178:150-5

Supine position

Blood pressure measurement in pregnant women in the left lateral recumbent position (Kinsella) (Letter); (Goldkrand) (Reply). 1998;178:867-8

Surgery, gynecologic

Evaluating the outcome of surgery for pelvic organ prolapse (Wall et al). 1998;178:877-9 (Clin. opinion)

Gynecologic surgery: an imperiled ballet (Podratz). 1998;178:1229-34 (Pres. address)

To peritonealize or not to peritonealize? A randomized trial at abdominal hysterectomy (Gupta et al). 1998;178:796-800

Surgery, laparoscopic

Endometrial cancer represents a contraindication for classic intrafascial supracervical hysterectomy by laparoscopy (Mettler) (Letter); (Schneider) (Reply). 1998;178:628-9

Laparoscopic surgery: the effects of insufflation gas on tumor-induced lethality in nude mice (Volz et al). 1998;178:793-5

Missed uterine malignancy: a compounding of errors (Pelosi and Pelosi) (Letter); (Schneider) (Reply). 1998;178:197-8

A prospective randomized study to evaluate leuprolide acetate treatment before laparoscopic myomectomy: efficacy and ultrasonographic predictors (Zullo et al). 1998;178:108-12

Ureteral complications with operative gynecologic laparoscopy (Tamussino et al). 1998;178:967-70

Surgery, operative

Liposuction-assisted nerve-sparing extended radical hysterectomy: oncologic rationale, surgical anatomy, and feasibility study (Höckel et al). 1998;178:971-6

Survival

Primary vaginal melanoma: thirteen-year disease-free survival after wide local excision and review of recent literature (Buchanan et al). 1998;178:1177-84

Tumor angiogenesis in stage IB cervical cancer: correlation of microvessel density with survival (Obermair et al). 1998;178:314-9

Symphysis; see Pubic symphysis

Systole

Comparison of the modified biophysical profile to a "new" biophysical profile incorporating the middle cerebral artery to umbilical artery velocity flow systolic/diastolic ratio (Ott et al). 1998;178:1346-53

T

Tachycardia

Baroreflex-mediated bradycardia but not tachycardia is blunted peripherally by intravenous μ -opioid agonists (Kett et al). 1998;178:950-5

Tamoxifen

Abnormalities detected on transvaginal ultrasonography in tamoxifen-treated postmenopausal breast cancer patients may represent endometrial cystic atrophy (McGonigle et al). 1998;178:1145-50

The effect of tamoxifen and transdermal 17β -estradiol on cerebral arterial vessels: a randomized controlled study (Penotti et al). 1998;178:801-5

Technology

What is a good physician in this new era? (Queenan). 1998;178:750-1

Telemetry

Effects of norgestrel acetate on spontaneous and sulprostone-induced uterine contractions in pregnant cynomolgus monkeys monitored by telemetry (Carbonne et al). 1998;178:150-5

Teratogens

Aspirin pretreatment potentiates hyperthermia-induced teratogenesis in the mouse (Tiboni et al). 1998;178:270-9

Terbutaline

The effect of oral terbutaline on maternal glucose metabolism and energy expenditure in pregnancy (Smigaj et al). 1998;178:1041-7

Testosterone

Clobetasol dipropionate 0.05% versus testosterone propionate 2% topical application for severe vulvar lichen sclerosus (Bornstein et al). 1998;178:80-4

Third trimester of pregnancy; see Pregnancy trimester, third**Thrombocytopenic purpura; see Purpura, thrombocytopenic****Thrombosis**

Factor V Leiden—a novel etiology of the long-standing thrombosis theory for recurrent pregnancy loss (Younis) (Letter); (Dizon-Townson) (Reply). 1998;178:1107-8

Scientific problems with a noncausal artifact (Heinemann et al) (Letter); (Vandenbroucke et al) (Reply). 1998;178:1105-7

Thyroid function tests

Urinary compound W in pregnant women is a potential marker for fetal thyroid function (Wu et al). 1998;178:886-91

Thyrotropin-releasing hormone; see Protirelin**Tocolysis**

Indomethacin tocolysis (Hein) (Letter); (Vermillion) (Reply). 1998;178:198

Magnesium sulfate tocolysis and risk of neonatal death (Grether et al). 1998;178:1-6

Topical administration; see Administration, topical**Training, physical; see Exercise****Transactions**

Transactions of the sixteenth annual meeting of The American Gynecological and Obstetrical Society. 1998;178:635-758

Transactions of the sixty-fourth annual meeting of the Pacific Coast Obstetrical and Gynecological Society. 1998;178:1111-228

Transactions of the sixty-fifth annual meeting of The Central Association of Obstetricians and Gynecologists. 1998;178:1229-367

Transcription, genetic

Lipopolysaccharide enhances the transcription of prostaglandin H synthase-2 gene in primary human trophoblasts (Anteby et al). 1998;178:469-73

Transvaginal ultrasonography; see Ultrasonography**Triage**

Is human papillomavirus testing an effective triage method for detection of high-grade (grade 2 or 3) cervical intraepithelial neoplasia? (Adam et al). 1998;178:1235-44

Triage of abnormal postmenopausal bleeding: a comparison of endometrial biopsy and transvaginal sonohysterography versus fractional curettage with hysteroscopy (O'Connell et al). 1998;178:956-61

Triplets

Multiple pregnancy rates in in vitro fertilization: three embryos is too many for good-prognosis patients (Coetsier and Dhont) (Letter); (Tucker) (Reply). 1998;178:1368-9

Perinatal outcome associated with outpatient management of triplet pregnancy (Adams et al). 1998;178:843-7

Trisomy

Prospective evaluation of prenatal maternal serum screening for trisomy 18 (Yankowitz et al). 1998;178:446-50

Trisomy 21; see Down syndrome**Trophoblast**

Absence of expression of RhD by human trophoblast cells (Benachi et al). 1998;178:294-9

Expression of gelatinase B by trophoblast cells: down-regulation by progesterone (Shimonovitz et al). 1998;178:457-61

Lipopolysaccharide enhances the transcription of prostaglandin H synthase-2 gene in primary human trophoblasts (Anteby et al). 1998;178:469-73

The release of 15-hydroxyicosatetraenoic acid by human placental trophoblast is increased in preeclampsia (Johnson et al). 1998;178:54-8

Truth disclosure

The disclosure decision: concerns and issues of parents of children conceived through donor insemination (Nachtigall et al). 1998;178:1165-70

Tuboovarian abscess; see Adnexitis**Tumor angiogenesis; see Neovascularization****Tumors; see Neoplasms****Twins**

Doppler velocimetry determined redistribution of fetal blood flow: correlation with growth restriction in diamniotic monochorionic and dizygotic twins (Gaziano et al). 1998;178:1359-67

Gestational duration in the pregnancy after a preterm twin delivery (Rydhstroem). 1998;178:136-9

Neonatal cranial ultrasonographic findings in preterm twins complicated by severe fetofetal transfusion syndrome (Denbow et al). 1998;178:479-83

U**Ultrasonography**

Abnormalities detected on transvaginal ultrasonography in tamoxifen-treated postmenopausal breast cancer patients may represent endometrial cystic atrophy (McGonigle et al). 1998;178:1145-50

Evaluation of postmenopausal bleeding (Creinin) (Letter); (Weber) (Reply). 1998;178:868-70

Neonatal cranial ultrasonographic findings in preterm twins complicated by severe fetofetal transfusion syndrome (Denbow et al). 1998;178:479-83

A prospective randomized study to evaluate leuprolide acetate treatment before laparoscopic myomectomy: efficacy and ultrasonographic predictors (Zullo et al). 1998;178:108-12

Real-time ultrasonographically guided removal of nonpalpable and intramuscular Norplant capsules (Nelson and Sinow). 1998;178:1185-93

Ultrasonography, prenatal

Adjunctive color Doppler ultrasonography in second-trimester transabdominal amniocentesis (Wax et al). 1998;178:622-3

Doppler velocimetry of growth-restricted fetuses in an ovine model of placental insufficiency (Galan et al). 1998;178:451-6

Fetal anomaly detection by second-trimester ultrasonography in a tertiary center (VanDorsten et al). 1998;178:742-9

A new screening protocol combining urine β -core fragment and ultrasonography for Down syndrome detection (Bahado-Singh et al). 1998;178:779-82

The role of midtrimester targeted fetal organ screening combined with the "triple test" and maternal age in the diagnosis of trisomy 21: a retrospective study (Yagel et al). 1998;178:40-4

Second-trimester vaginal bleeding: correlation of ultrasonographic findings with perinatal outcome (Signore et al). 1998;178:336-40

The significance of prenatally identified isolated clubfoot: Is amniocentesis indicated? (Shipp and Benacerraf). 1998;178:600-2

- Subtle ultrasonographic anomalies: Do they improve the Down syndrome detection rate? (Deren et al). 1998;178:441-5
- Three-dimensional ultrasonography in obstetrics and gynecology: preliminary experience (Platt et al). 1998;178:1199-206
- Ultrasonographic bone velocity in pregnancy: a longitudinal study (Aguado et al). 1998;178:1016-21
- Ultrasonographic detection of ureteral jets in normal pregnancy (Asrat et al). 1998;178:1194-8
- Ultrasonographic examination of intrauterine growth for multiple fetal dimensions in a Chinese population (Lei et al). 1998;178:916-21
- Uterine artery blood flow velocity waveforms in pregnant women with müllerian duct anomaly: a biologic model for uteroplacental insufficiency (Leible et al). 1998;178:1048-53

Umbilical arteries

- Apgar scores (Martin) (Letter); (Sehdev et al) (Reply). 1998;178:1103-4
- Comparison of the modified biophysical profile to a "new" biophysical profile incorporating the middle cerebral artery to umbilical artery velocity flow systolic/diastolic ratio (Ott et al). 1998;178:1346-53
- Doppler velocimetry of growth-restricted fetuses in an ovine model of placental insufficiency (Galan et al). 1998;178:451-6
- A positive umbilical venous-arterial difference of leptin level and its rapid decline after birth (Yura et al). 1998;178:926-30
- Predictive factors for neonatal morbidity in neonates with an umbilical arterial cord pH <7.00 (Ayres) (Letter); (Sehdev) (Reply). 1998;178:872-3
- Umbilical arteriovenous PO₂ and PCO₂ differences and neonatal morbidity in term infants with severe acidosis (Belai et al). 1998;178:13-9

Umbilical cord

- Brain lipid peroxidation and antioxidant levels in fetal lambs 72 hours after asphyxia by partial umbilical cord occlusion (Ikeda et al). 1998;178:474-8
- Physiologic and histologic changes in near-term fetal lambs exposed to asphyxia by partial umbilical cord occlusion (Ikeda et al). 1998;178:24-32
- The relationship between maternal and neonatal umbilical cord plasma homocyst(e)ine suggests a potential role for maternal homocyst(e)ine in fetal metabolism (Malinow et al). 1998;178:228-33
- Umbilical cord plasma erythropoietin levels in pregnancies complicated by maternal smoking (Jazayeri et al). 1998;178:433-5

Umbilical veins

- The induction of cyclooxygenase-2 by interleukin-4 in human umbilical vein endothelial cells: a possible role in regulation of fetal vascular tone (Lantz et al). 1998;178:255-8
- A positive umbilical venous-arterial difference of leptin level and its rapid decline after birth (Yura et al). 1998;178:926-30

Ureter

- Ultrasonographic detection of ureteral jets in normal pregnancy (Asrat et al). 1998;178:1194-8
- Ureteral complications with operative gynecologic laparoscopy (Tamussino et al). 1998;178:967-70

Urethra

- Urethral prolapse after collagen injection (Harris et al). 1998;178:614-5

Uric acid

- The clinical utility of serum uric acid measurements in hypertensive diseases of pregnancy (Lim et al). 1998;178:1067-71

Urinary incontinence

- Urogenital aging—a hidden problem (Samsioe). 1998;178:S245-9

Urinary incontinence, stress

- Uterine suspension (Escamilla). 1998;178:194 (Reply)

Urinary tract

- Dilatation of the urinary tract during pregnancy: proposal of a curve of maximal caliceal diameter by gestational age (Faúndes et al). 1998;178:1082-6

Urine

- A new screening protocol combining urine β -core fragment and ultrasonography for Down syndrome detection (Bahado-Singh et al). 1998;178:779-82
- Urinary compound W in pregnant women is a potential marker for fetal thyroid function (Wu et al). 1998;178:886-91

Urogenital system

- The clinical platform for the 17 β -estradiol vaginal releasing ring (Bachmann). 1998;178:S257-60
- The female perspective: women's attitudes toward urogenital aging (Wright). 1998;178:S250-3
- Towards better recognition of urogenital aging: chairman's introduction (Nachtigall). 1998;178:S243-4
- Urogenital aging—creation of improved awareness (Dören). 1998;178:S254-6
- Urogenital aging—a hidden problem (Samsioe). 1998;178:S245-9

Uterine arteries

- In vivo effects of corticotropin-releasing factor in pregnant rats (Jain et al). 1998;178:186-91
- Uterine artery blood flow velocity waveforms in pregnant women with müllerian duct anomaly: a biologic model for uteroplacental insufficiency (Leible et al). 1998;178:1048-53

Uterine cervix neoplasms; see Cervix neoplasms

Uterine contraction

- Cocaine augments contractility of the pregnant human uterus by both adrenergic and nonadrenergic mechanisms (Hurd et al). 1998;178:1077-81
- The effect of uterine contractions on intrapartum fetal heart rate analyzed by a computerized system (Zimmer et al). 1998;178:436-40
- Effects of norgestrel acetate on spontaneous and sulprostone-induced uterine contractions in pregnant cynomolgus monkeys monitored by telemetry (Carbonne et al). 1998;178:150-5
- Uterine activity during pregnancy and labor assessed by simultaneous recordings from the myometrium and abdominal surface in the rat (Buhimschi et al). 1998;178:811-22

Uterine hemorrhage

- Evaluation of postmenopausal bleeding (Creinin) (Letter); (Weber) (Reply). 1998;178:868-70
- Postmenopausal bleeding: cost-effective evaluation (Esen) (Letter); (Weber) (Reply). 1998;178:1369-70
- Second-trimester vaginal bleeding: correlation of ultrasonographic findings with perinatal outcome (Signore et al). 1998;178:336-40
- Triage of abnormal postmenopausal bleeding: a comparison of endometrial biopsy and transvaginal sonohysterography versus fractional curettage with hysteroscopy (O'Connell et al). 1998;178:956-61

Uterine neoplasms

- Adenocarcinoma of the uterine cervix metastatic to lymph nodes (Cohn et al). 1998;178:1131-7

Uterine neoplasms—cont'd

- Expression of *bcl-2* in invasive and in situ carcinoma of the uterine cervix (Tjalma et al). 1998;178:113-7
- Missed uterine malignancy: a compounding of errors (Pelosi and Pelosi) (Letter); (Schneider) (Reply). 1998;178:197-8
- A prospective randomized study to evaluate leuprolide acetate treatment before laparoscopic myomectomy: efficacy and ultrasonographic predictors (Zullo et al). 1998;178:108-12

Uterine prolapse

- Evaluating the outcome of surgery for pelvic organ prolapse (Wall et al). 1998;178:877-9 (Clin. opinion)
- Should sacrospinous ligament fixation for the management of pelvic support defects be part of a residency program procedure? The University of Miami experience (Penalver et al). 1998;178:326-9
- Uterine suspension (Escamilla). 1998;178:194 (Reply)

Uterus

- Expression of cell adhesion molecules by endothelium in the human lower uterine segment during parturition at term (Winkler et al). 1998;178:557-61
- Proliferation and apoptosis of fibroblasts and smooth muscle cells in rat uterine cervix throughout gestation and the effect of the anti-progesterone onapristone (Leppert). 1998;178:713-25

Uterus, blood supply

- Effects of ouabain on the isolated human uteroplacental vasculature (Glavind-Kristensen et al). 1998;178:892-8

Uterus, surgery

- Fetal membrane closure techniques after hysterotomy in the midgestational rabbit model (Papadopoulos et al). 1998;178:938-42

V

Vagina

- The clinical platform for the 17 β -estradiol vaginal releasing ring (Bachmann). 1998;178:S257-60
- Second-trimester vaginal bleeding: correlation of ultrasonographic findings with perinatal outcome (Signore et al). 1998;178:336-40
- Spontaneous vaginal delivery: A risk factor for Erb's palsy? (Gherman et al). 1998;178:423-7
- Vaginal flora changes associated with *Mycoplasma hominis* (Taylor-Robinson and Rosenstein) (Letter); (Mårdh and Hellberg) (Reply). 1998;178:415-6

Vagina, surgery

- Bartholinitis after vulvovaginal surgery (Peters). 1998;178:1143-4
- Uterine suspension (Escamilla). 1998;178:194 (Reply)

Vaginal bleeding; see Uterine hemorrhage**Vaginal hysterectomy; see Hysterectomy, vaginal****Vaginal neoplasms**

- Primary vaginal melanoma: thirteen-year disease-free survival after wide local excision and review of recent literature (Buchanan et al). 1998;178:1177-84

Vaginal smears

- Reflex human papillomavirus deoxyribonucleic acid testing in women with abnormal Papanicolaou smears (Wright et al). 1998;178:962-6

Vaginosis, bacterial

- Few microorganisms associated with bacterial vaginosis may constitute the pathologic core: a population-based microbiologic study among 3596 pregnant women (Thorsen et al). 1998;178:580-7
- Immunoglobulin A response against *Gardnerella vaginalis* hemolysin and sialidase activity in bacterial vaginosis (Cauci et al). 1998;178:511-5

- Risk factors for plasma cell endometritis among women with cervical *Neisseria gonorrhoeae*, cervical *Chlamydia trachomatis*, or bacterial vaginosis (Korn et al). 1998;178:987-90

Vascular endothelium; see Endothelium, vascular**Vasoconstriction**

- Magnesium sulfate attenuates peroxide-induced vasoconstriction in the human placenta (Walsh et al). 1998;178:7-12

Veins

- Toward universal criteria for gestational diabetes: relationships between seventy-five and one hundred gram glucose loads and between capillary and venous glucose concentrations (Weiss et al). 1998;178:830-5

Ventriculomegaly; see Cerebral ventricles, abnormalities**Viability, fetal; see Fetal viability****Video eyeglasses; see Eyeglasses****Vitamin E**

- Lipid peroxide and vitamin E patterns in pregnant women with different types of hypertension in pregnancy (Gratacós et al). 1998;178:1072-6

Volume, blood; see Blood volume**Vulvar diseases**

- Clobetasol dipropionate 0.05% versus testosterone propionate 2% topical application for severe vulvar lichen sclerosis (Bornstein et al). 1998;178:80-4

Vulvovaginal candidiasis; see Candidiasis, vulvovaginal**Vulvovaginal surgery; see Vagina, surgery**

W

Water baths; see Baths

Y

Younger women; see Age factors

